

ΒΙΟΓΡΑΦΙΚΟ ΣΗΜΕΙΩΜΑ

ΠΡΟΣΩΠΙΚΕΣ ΠΛΗΡΟΦΟΡΙΕΣ

Όνοματεπώνυμο: Παναγιώτης Λιαπαρίνος

Έτος γεννήσεως: 1980

email: liapkin@uniwa.gr

ΣΗΜΕΡΙΝΗ ΕΠΑΓΓΕΛΜΑΤΙΚΗ ΔΡΑΣΤΗΡΙΟΤΗΤΑ

Βαθμίδα: Αναπληρωτής Καθηγητής

Τμήμα: Μηχανικών Βιοϊατρικής, Πανεπιστήμιο Δυτικής Αττικής

Εργαστήριο: Ακτινοφυσικής, Τεχνολογίας Υλικών και Βιοϊατρικής Απεικόνισης (ΑΚΤΥΒΑ).

1 ΕΚΠΑΙΔΕΥΣΗ

1.1	ΠΤΥΧΙΟ	
	Τίτλος Πτυχίου	Μηχανικός Τεχνολογίας Ιατρικών Οργάνων
	Τίτλος Σχολής-Ιδρύματος	Τεχνολογικό Εκπαιδευτικό Ίδρυμα (ΤΕΙ) Αθήνας, Σχολή Τεχνολογικών Εφαρμογών, Τμήμα Τεχνολογίας Ιατρικών Οργάνων
	Ημερομηνία Λήψης	11/10/2002

1.2	ΜΕΤΑΠΤΥΧΙΑΚΟ	
	Τίτλος Πτυχίου	Ιατρική Φυσική
	Τίτλος Σχολής-Ιδρύματος	Πανεπιστήμιο Πατρών, Τμήμα Ιατρικής – Τμήμα Φυσικής, Διατμηματικό Μεταπτυχιακό Πρόγραμμα στην Ιατρική Φυσική
	Ημερομηνία Λήψης	14/12/2004

1.3	ΔΙΔΑΚΤΟΡΙΚΟ	
	Τίτλος Πτυχίου	Ιατρική Φυσική
	Τίτλος Σχολής-Ιδρύματος	Πανεπιστήμιο Πατρών, Τμήμα Ιατρικής – Τμήμα Φυσικής, Διατμηματικό Μεταπτυχιακό Πρόγραμμα στην Ιατρική Φυσική https://www.didaktorika.gr/eadd/handle/10442/26517
	Ημερομηνία Λήψης	06/06/2007

1.4	ΜΕΤΑΔΙΔΑΚΤΟΡΙΚΗ ΕΡΕΥΝΑ	
	Ίδρυμα Κρατικών Υποτροφιών (ΙΚΥ)	
	Θέση	Ειδικότητα: Μεταδιδακτορικός ερευνητής Τίτλος ερευνητικής πρότασης: <Εφαρμογή μεθόδων Μόντε Κάρλο για τη μελέτη ανιχνευτικών συστημάτων ιατρικής απεικόνισης βασισμένων σε φθορίζοντα υλικά νέας δομής με πυκνή διάταξη κόκκων και διαστάσεις έως και την περιοχή των νανοσωματιδίων>
	Διάρκεια	01/02/2011- 31/01/2012

2 ΕΠΑΓΓΕΛΜΑΤΙΚΗ ΚΑΙ ΕΚΠΑΙΔΕΥΤΙΚΗ ΔΡΑΣΤΗΡΙΟΤΗΤΑ

2.1	- ΕΠΑΓΓΕΛΜΑΤΙΚΗ ΔΡΑΣΤΗΡΙΟΤΗΤΑ - ΣΥΜΜΕΤΟΧΗ ΣΕ ΕΡΕΥΝΗΤΙΚΑ ΚΑΙ ΕΚΠΑΙΔΕΥΤΙΚΑ ΠΡΟΓΡΑΜΜΑΤΑ	
2.1.1	Υπηρεσία-Εργοδότης	Πανεπιστήμιο Πατρών
	Θέση	Ερευνητής – Πρόγραμμα Μεταπτυχιακών Σπουδών Πανεπιστημίου: Ιατρική Φυσική
	Διάρκεια	01/12/2002 – 30/04/2003
2.1.2	Υπηρεσία-Εργοδότης	ΤΕΙ Αθήνας
	Θέση	Εκπαιδευτικό Πρόγραμμα ΕΠΕΑΚ ΙΙ: «Αναμόρφωση προπτυχιακών προγραμμάτων σπουδών του ΤΕΙ Αθήνας»
	Διάρκεια	01/03/2004 – 31/10/2004
2.1.3	Υπηρεσία-Εργοδότης	ΤΕΙ Αθήνας
	Θέση	Ερευνητής – Ερευνητικό Πρόγραμμα ΕΠΕΑΚ ΑΡΧΙΜΗΔΗΣ Ι: «Μελέτη φωσφόρων / σπινθηριστών για χρήση σε ανιχνευτές ακτινοβολίας συστημάτων ιατρικής απεικόνισης»
	Διάρκεια	01/02/2004 – 31/08/2006
2.1.4	Υπηρεσία-Εργοδότης	ΤΕΙ Αθήνας
	Θέση	Ερευνητής – Ερευνητικό Πρόγραμμα ΕΠΕΑΚ ΑΡΧΙΜΗΔΗΣ ΙΙ: «Πειραματική διερεύνηση και προσομοίωση με τεχνικές Monte-Carlo υλικών ανιχνευτών ακτινοβολίας που χρησιμοποιούνται σε συστήματα Ακτινοδιαγνωστικής και Πυρηνικής Ιατρικής»
	Διάρκεια	01/09/2005 – 31/12/2006
2.1.5	Υπηρεσία-Εργοδότης	ΤΕΙ Αθήνας
	Θέση	Ερευνητής – Ερευνητικό Πρόγραμμα ΑΘΗΝΑ 2004: «Προσομοίωση ενός συστήματος υπολογιστικής τομογραφίας μαστού: η επίδραση του υλικού του ανιχνευτή και του αλγορίθμου ανακατασκευής εικόνας»
	Διάρκεια	01/03/2006 – 10/03/2006
2.1.6	Υπηρεσία-Εργοδότης	Technical University of Madrid E.T.S.I.T, Department of Electronic Engineering, Spain
	Θέση	Ερευνητής – Marie Curie Fellowship
	Διάρκεια	01/04/2005-30/11/2005
2.1.7	Εργοδότης	Οδοντίατρος: Ν.Ρούσσο (Οδοντιατρικό μηχάνημα)
	Θέση	Μηχανικός τεχνολογίας ιατρικών οργάνων-Προληπτική, διορθωτική και επισκευαστική συντήρηση με σκοπό την εύρυθμη λειτουργία του οδοντιατρικού μηχανήματος
	Διάρκεια	01/05/2008 – 30/09/2008
2.1.8	Υπηρεσία-Εργοδότης	ΤΕΙ Αθήνας
	Θέση	Ερευνητής – Ευρωπαϊκό Ερευνητικό Πρόγραμμα NANOTHER: «Integration of novel NANOparticle based technology for THERapeutics and diagnosis of different types of cancer – NANOTHER»
	Διάρκεια	01/01/2009 – 30/06/2009

2.1.9	Υπηρεσία-Εργοδότης	Γενικό Επιτελείο Στρατού
	Θέση	Ειδικότητα: Βοηθός ακτινολογικού εργαστηρίου
	Διάρκεια	18/06/2007-07/05/2008
2.1.10	Υπηρεσία-Εργοδότης	Πανεπιστήμιο Πατρών
	Θέση	Ερευνητής – Πρόγραμμα Μονάδα Παροχής Υπηρεσιών (ΜΠΥ) Κωδικός: Β. 583
	Διάρκεια	01/07/2010 – 31/12/2010
2.1.11	Υπηρεσία-Εργοδότης	Ίδρυμα Κρατικών Υποτροφιών (ΙΚΥ)
	Θέση	Ειδικότητα: Μεταδιδακτορικός ερευνητής Τίτλος ερευνητικής πρότασης: <Εφαρμογή μεθόδων Μόντε Κάρλο για τη μελέτη ανιχνευτικών συστημάτων ιατρικής απεικόνισης βασισμένων σε φθορίζοντα υλικά νέας δομής με πυκνή διάταξη κόκκων και διαστάσεις έως και την περιοχή των νανοσωματιδίων>
	Διάρκεια	01/02/2011- 31/01/2012
2.1.12	Υπηρεσία-Εργοδότης	ΤΕΙ Αθήνας
	Θέση	Μέλος ΚΕΟ – Ερευνητικό Πρόγραμμα ΕΠΕΑΚ ΑΡΧΙΜΗΔΗΣ ΙΙΙ: «NANOCARLO – Αξιολόγηση Νανοφωσφόρων για εφαρμογές ιατρικής απεικόνισης: Προσομοίωση Μόντε Κάρλο και πειραματική διερεύνηση»
	Διάρκεια	01/03/2012 – 30/06/2015
2.1.13	Υπηρεσία-Εργοδότης	ΤΕΙ Αθήνας
	Θέση	Ερευνητής-Ερευνητικό Πρόγραμμα ΕΠΕΑΚ ΑΡΧΙΜΗΔΗΣ ΙΙΙ: «ScDo – Πειραματική αξιολόγηση νέων μονοκρυσταλλικών ανιχνευτών σπινθηρισμού για χρήση σε συνδυαστικά τομογραφικά συστήματα ιατρικής απεικόνισης»
	Διάρκεια	01/03/2012 – 30/06/2015
2.1.14	Υπηρεσία-Εργοδότης	ΤΕΙ Αθήνας
	Θέση	Ερευνητής – Ερευνητικό Πρόγραμμα ΕΠΕΑΚ ΑΡΧΙΜΗΔΗΣ ΙΙΙ: «XDUALGNOSIS – Καινοτόμες εφαρμογές στη τεχνική διπλής ενέργειας ακτίνων-X για πρόωρη διάγνωση στην οστεοπόρωση, τη μαστογραφία και την αγγειογραφία»
	Διάρκεια	01/03/2012 – 30/06/2015
2.1.15	Υπηρεσία-Εργοδότης	ΤΕΙ Αθήνας
	Θέση	Μέλος ΚΕΟ – Ερευνητικό Πρόγραμμα ΑΡΙΣΤΕΙΑ Ι: «MISCIRLU (1476) – Medical Image Science through luminescence»
	Διάρκεια	27/09/2012 – 26/09/2015
2.1.16	Υπηρεσία-Εργοδότης	ΤΕΙ Αθήνας
	Θέση	Εκπαιδευτικό Πρόγραμμα ΠΡΑΚΤΙΚΗΣ ΑΣΚΗΣΗΣ
	Διάρκεια	01/04/2012-16/10/2012, 09/07/2012-08/01/2013 10/02/2013-10/08/2013, 08/10/2013-08/04/2014 05/11/2013-22/05/2014, 10/04/2014-01/11/2014 01/04/2015-30/09/2015

2.1.17	Υπηρεσία-Εργοδότης	ΤΕΙ Αθήνας
	Θέση	Επιστημονικός Υπεύθυνος – Πρόγραμμα ΕΠΕΕ – “Special Account for Research Grants” of the TEI of Athens
	Τίτλος	Εφαρμογή τεχνικών Monte Carlo για τη διερεύνηση εφαρμογής νανο-υλικών με υψηλή πυκνότητα κόκκων σε συστήματα ιατρικής απεικόνισης
	Διάρκεια	01/10/2015 – 30/09/2016
2.1.18	Υπηρεσία-Εργοδότης	Πανεπιστήμιο Δυτικής Αττικής
	Τίτλος	Υπόεργο 08 "Υποστήριξη δράσεων διεθνοποίησης του ΞΠΜΣ Biomedical Engineering and Technology" της πράξης "Υποστήριξη δράσεων διεθνοποίησης του Πανεπιστημίου Δυτικής Αττικής" MIS 5161121» και κωδικό 81127.
	Διάρκεια	02/12/2022 – 31/12/2022 19//01/2023 – 31/10/2023

	ΔΙΔΑΚΤΙΚΟ ΕΡΓΟ – ΔΙΠΛΩΜΑΤΙΚΕΣ/ΔΙΔΑΚΤΟΡΤΙΚΑ/ΕΚΛΕΚΤΟΡΙΚΑ	
2.2		
2.2.1	ΣΕ ΕΛΛΗΝΙΚΑ ΠΑΝΕΠΙΣΤΗΜΙΑ (ΠΡΟΠΤΥΧΙΑΚΑ)	
2.2.1.1	Ίδρυμα	Τεχνολογικό Εκπαιδευτικό Ίδρυμα (ΤΕΙ) Αθήνας Σχολή Τεχνολογικών Εφαρμογών, Τμήμα Τεχνολογίας Ιατρικών Οργάνων
	Θέση	Εργαστηριακός Συνεργάτης.
	Μαθήματα	Εργαστήριο
		1. Τεχνολογία Ιοντιζουσών ακτινοβολιών I Συστήματα Ακτινοδιαγνωστικής – Ακτινοθεραπείας
		2. Τεχνολογία Ιοντιζουσών ακτινοβολιών II Συστήματα Πυρηνικής Ιατρικής
		3. Τεχνολογία Μη-Ιοντιζουσών ακτινοβολιών III Συστήματα Μαγνητικού συντονισμού, Υπερηχογραφίας, Οπτικής απεικόνισης
	Διάρκεια	01/10/2008–17/01/2012
2.2.1.2	Ίδρυμα	Τεχνολογικό Εκπαιδευτικό Ίδρυμα (ΤΕΙ) Αθήνας Σχολή Τεχνολογικών Εφαρμογών, Τμήμα Μηχανικών Βιοϊατρικής τεχνολογίας ΤΕ
	Θέση	Καθηγητής Εφαρμογών
	Μαθήματα	Θεωρία
		Ηλεκτρομηχανολογικές Εγκαταστάσεις Νοσοκομείων
		Εργαστήριο
		1. Τεχνολογία Ιοντιζουσών ακτινοβολιών I Συστήματα Ακτινοδιαγνωστικής – Ακτινοθεραπείας
		2. Τεχνολογία Ιοντιζουσών ακτινοβολιών II Συστήματα Πυρηνικής Ιατρικής
		3. Τεχνολογία Μη-Ιοντιζουσών ακτινοβολιών III Συστήματα Μαγνητικού συντονισμού, Υπερηχογραφίας, Οπτικής απεικόνισης
	Διάρκεια	18/01/2012–13/02/2017

2.2.1.3	Ίδρυμα	Πανεπιστήμιο Δυτικής Αττικής Τμήμα Μηχανικών Βιοϊατρικής
	Θέση	Επίκουρος Καθηγητής
	Μαθήματα	Θεωρία
		1. Φυσικές Αρχές και Συστήματα Ακτινοδιαγνωστικής
		2. Φυσικές Αρχές και Συστήματα Ακτινοθεραπείας
		3. Βιοϊατρική Οπτική
		4. Ηλεκτρομηχανολογικές Εγκαταστάσεις Νοσοκομείων
		Εργαστήριο
		Ακτινοπροστασία – Έλεγχοι ασφάλειας και ποιότητας
	Διάρκεια	12/02/2017– 11/02/2021
2.2.1.4	Ίδρυμα	Πανεπιστήμιο Δυτικής Αττικής Τμήμα Μηχανικών Βιοϊατρικής
	Θέση	Αναπληρωτής Καθηγητής
	Μαθήματα	1. Φυσικές Αρχές και Συστήματα Ακτινοδιαγνωστικής
		2. Φυσικές Αρχές και Συστήματα Ακτινοθεραπείας
		3. Βιοϊατρική Οπτική
		4. Ηλεκτρομηχανολογικές Εγκαταστάσεις Νοσοκομείων
		5. Radiodiagnostic Imaging: Physical principles and instrumentation (Erasmus+)
	Διάρκεια	12/02/2021 – σήμερα
2.2.2	ΣΕ ΕΛΛΗΝΙΚΑ ΠΑΝΕΠΙΣΤΗΜΙΑ (ΜΕΤΑΠΤΥΧΙΑΚΑ)	
2.2.2.1	Ίδρυμα	Πανεπιστήμιο Δυτικής Αττικής / Τμήμα Μηχανικών Βιοϊατρικής
	Τίτλος	«Προχωρημένα συστήματα και μέθοδοι στη Βιοϊατρική τεχνολογία»
	Δραστηριότητα	Συντονιστής, Διδάσκων στην ενότητα: «Θέματα Σύγχρονης Φυσικής με εφαρμογές στη Βιοϊατρική Τεχνολογία»
	Δραστηριότητα	Διδάσκων στην ενότητα: «Μαθηματικές μέθοδοι και εφαρμογές της σύγχρονες Βιοεπιστήμες»
	Διάρκεια	2014– Σήμερα
2.2.2.2	Ίδρυμα	Πανεπιστήμιο Δυτικής Αττικής / Τμήμα Μηχανικών Βιοϊατρικής
	Τίτλος	«Biomedical Engineering and Technology»
	Δραστηριότητα	Διδάσκων στην ενότητα: «The Biomedical engineering industry sector I»
	Δραστηριότητα	Διδάσκων στην ενότητα: «Diagnostic Medical Imaging Systems»
	Διάρκεια	2022– Σήμερα
2.2.2.3	Ίδρυμα	Πανεπιστήμιο Πατρών / Τμήμα Ιατρικής
	Τίτλος	«Ιατρική Φυσική»
	Δραστηριότητα	Διδάσκων – Διαλέξεις στην ενότητα: Physics of X-ray Imaging
	Διάρκεια	2019- Σήμερα
2.2.3	ΣΕ ΠΑΝΕΠΙΣΤΗΜΙΑ ΤΟΥ ΕΞΩΤΕΡΙΚΟΥ	

2.2.3.1	Ίδρυμα	Technical University of Madrid E.T.S.I.T, Department of Electronic Engineering, Spain
	Δραστηριότητα	Διδασκαλία – ERASMUS
		Τίτλος: «Indirect digital detectors in medical imaging systems»
	Διάρκεια	26/11/2012–30/11/2012
2.2.3.2	Ίδρυμα	Technical University of Madrid E.T.S.I.T, Department of Electronic Engineering, Spain
	Δραστηριότητα	Διδασκαλία – ERASMUS
		Τίτλος: «Current status and future prospects of nanophosphor based detectors for use in medical imaging»
	Διάρκεια	25/11/2013–01/12/2013
2.2.3.3	Ίδρυμα	Budapest University of Technology and Economics, Department of Mechatronics, Optics and Mechanical Engineering Informatics, Hungary
	Δραστηριότητα	Διδασκαλία – ERASMUS
		Τίτλος: «Phosphor-based X-ray detectors: Basic principles and future prospects» Τίτλος: «An introduction of Monte Carlo techniques in medical imaging applications»
	Διάρκεια	10/04/2016–16/04/2016
2.2.3.4	Ίδρυμα	ISEP – Instituto Superior de Engenharia do Porto, Department of Biomedical Engineering, Portugal
	Δραστηριότητα	Διδασκαλία – ERASMUS
		Τίτλος: « X-ray detectors: Basic principles and applications in medical imaging» Τίτλος: «Introducing the basic components of medical imaging systems»
	Διάρκεια	07/05/2017–13/05/2017
2.2.3.5	Ίδρυμα	University of Wroclaw, Department of Chemistry, Poland
	Δραστηριότητα	Διδασκαλία – ERASMUS
		Τίτλος: «Effects of phosphor materials in medical image science» Τίτλος: «Basic principles and systems in radiation therapy»
	Διάρκεια	10/06/2019–14/06/2019
2.2.3.6	Ίδρυμα	Polytech Lyon, Université de Lyon, France
		Τίτλος: «Luminescent materials in medical imaging science - an overview» Τίτλος: «Basic principles and applications in Biomedical Optics»
	Δραστηριότητα	Διδασκαλία – ERASMUS
	Διάρκεια	09/05/2022 – 13/05/2022
2.2.3.7	Ίδρυμα	Department of Automatic Control and Systems Engineering University Politehnica of Bucharest, Romania
	Δραστηριότητα	Διδασκαλία – ERASMUS
		Τίτλος: «An overview on luminescent materials for medical imaging purposes» Τίτλος: «Basic principles and applications in radiation imaging and therapy»
	Διάρκεια	23/05/2022 – 27/05/2022
2.2.3.8	Ίδρυμα	Faculty of Engineering, Università Politecnica delle Marche, Ancona, Italy
	Δραστηριότητα	Διδασκαλία – ERASMUS
		Τίτλος: « Basic principles and systems in Radiation Imaging »

		Τίτλος: « Basic principles and systems in Biomedical Optics »
	Διάρκεια	08/05/2023 – 12/05/2023
2.2.3.9	Ίδρυμα	Medical University of Varna, Bulgaria
	Δραστηριότητα	Διδασκαλία – ERASMUS
		Τίτλος: « Basic principles and systems in Radiation Imaging » Τίτλος: « Basic principles and systems in Biomedical Optics »
	Διάρκεια	15/05/2023 – 19/05/2023
2.2.3.10	Ίδρυμα	Medical University of Varna, Bulgaria
	Δραστηριότητα	Διδασκαλία – ERASMUS
		Τίτλος: « Basic principles and systems in Radiation Imaging »
	Διάρκεια	27/05/2024 – 30/05/2024
2.2.4	ΣΕ ΣΥΝΕΡΓΑΣΙΑ ΜΕ ΠΑΝΕΠΙΣΤΗΜΙΑ ΤΟΥ ΕΞΩΤΕΡΙΚΟΥ	
	Ίδρυμα	University T.C Düzce University /Biomedical Engineering, Turkey
	Δραστηριότητα	Διδασκαλία – ERASMUS
		Specific topics relative to phosphor material science and medical imaging
	Επισκέπτης Φοιτητής	Hediye Nur Bostanci
	Διάρκεια	16 th of September – 15 th of November 2019
2.2.5	ΣΕ ΕΛΛΗΝΙΚΑ ΙΝΣΤΙΤΟΥΤΑ	
	Ίδρυμα	ΙΕΚ ΔΕΛΤΑ
	Δραστηριότητα	Διδακτική δραστηριότητα εκτός τριτοβάθμιας εκπαίδευσης Τμήμα: Τεχνικός Ιατρικών Οργάνων
	Διάρκεια	02/05/2009 – 17/01/2012 (διάρκεια εξαμήνων κατάρτισης)
2.2.6	ΔΙΠΛΩΜΑΤΙΚΕΣ ΕΡΓΑΣΙΕΣ	
	Αρθ. Φοιτητών	45
2.2.7	ΜΕΤΑΠΤΥΧΙΑΚΕΣ ΔΙΠΛΩΜΑΤΙΚΕΣ	
	Επ. Καθηγητής	1
	Τρ. Επιτροπή	2
2.2.8	ΔΙΔΑΚΤΟΡΙΚΕΣ ΔΙΑΤΡΙΒΕΣ	
	Επ. Καθηγητής	1
	Τρ. Επιτροπή	4
	Επτ. Επιτροπή	1
2.2.9	ΜΕΛΟΣ ΕΚΛΕΚΤΟΡΙΚΟΥ ΣΩΜΑΤΟΣ ΓΙΑ ΕΚΛΟΓΗ ΔΕΠ	
	Βασ. Μέλος	6
	Αναπ. Μέλος	5

3 ΔΗΜΟΣΙΕΥΣΕΙΣ

3.1	ΔΙΠΛΩΜΑΤΙΚΕΣ ΕΡΓΑΣΙΕΣ (ΠΑΡΑΡΤΗΜΑ Α)
3.1.1	Πτυχιακή εργασία: «Μελέτη της απόδοσης φωτός διαφόρων σπινθηριστών (π.χ. LSO, BGO, ΥΑΡ κτλ) που χρησιμοποιούνται σε ιατρικά απεικονιστικά συστήματα»
3.1.2	Διπλωματική Μεταπτυχιακού: «Monte Carlo simulation on phosphor screens in medical mammographic imaging systems»
3.1.3	Διδακτορική Διατριβή: «Ανάπτυξη υπολογιστικού μοντέλου προσομοίωσης φθορίζοντων υλικών ανιχνευτών ιατρικής απεικόνισης με τεχνικές Monte Carlo»

3.2	ΔΗΜΟΣΙΕΥΣΕΙΣ ΣΕ ΠΕΡΙΟΔΙΚΑ (ΠΑΡΑΡΤΗΜΑ Α)	
	54 (49 με Impact Factor και 5 χωρίς Impact Factor)	A/ Ένας συγγραφέας: 12 άρθρα B/ Πρώτος συγγραφέας: 11 άρθρα Γ/ Δύο συγγραφείς: 6 άρθρα Δ/ Συγγραφέας αλληλογραφίας: 25 άρθρα E/ Άρθρα επισκόπησης: 1 άρθρο
	Περιοδικά: Nuclear Instruments and Methods in Physics (Section A): 9 Medical Physics: 7 IEEE Transactions on Nuclear Science: 5 Journal of Luminescence: 4 Sensors: 4 Physics in Medicine and Biology: 2 Applied Physics A: Materials science and Processing: 2 Journal of Instrumentation: 2 Applied Physics B: Lasers and Optics: 2 Optics and Spectroscopy: 2 Optical Materials: 2 Crystals: 2 Journal of Biomedical Optics: 1 Biomedical Physics & Engineering Express: 1 Computers in Biology and Medicine: 1 Nuclear Instruments and Methods in Physics (Section B): 1 Applied Radiation and Isotopes: 1 Diagnostics: 1 Biomedical Engineering Education: 1 Engineering Proceedings: 1 e-Journal of Science and Technology: 3	
	<i>Δημιουργία πακέτου προσομοίωσης Μόντε Κάρλο για τη μελέτη διάδοσης του φωτός σε υλικά κοκκώδους μορφή (για ερευνητικό και εκπαιδευτικό σκοπό).</i> <u>Το πακέτο προσομοίωσης παρέχεται δωρεάν σε κάθε ενδιαφερόμενο.</u> LIGHTAWE – case studies of LIGHT spread in powder materials: a montE carlo simulation tool for research and educational purposes https://aktyva.uniwa.gr/software/	

3.3 ΔΗΜΟΣΙΕΥΣΕΙΣ ΣΕ ΣΥΝΕΔΡΙΑ (ΠΑΡΑΡΤΗΜΑ Α)	98
Σε επιστημονικά βιβλία μέσω συνεδρίου με κριτές	1
Σε πρακτικά επιστημονικών συνεδρίων με κριτές	31
Σε πρακτικά εκπαιδευτικών συνεδρίων με κριτές	4
Σε πρακτικά συνεδρίων (περιλήψεις)	62

3.4	ΑΝΑΦΟΡΕΣ-ΠΑΡΑΠΟΜΠΕΣ (CITATIONS) ΑΠΟ ΑΛΛΟΥΣ ΕΡΕΥΝΗΤΕΣ (ΠΑΡΑΡΤΗΜΑ Β)	
	Σύνολο	704
	h-index:	15 (scopus)

3.5	ΕΥΧΑΡΙΣΤΙΕΣ ΑΠΟ ΑΛΛΟΥΣ ΕΡΕΥΝΗΤΕΣ (ΠΑΡΑΡΤΗΜΑ Γ)	
	Σύνολο	5
3.6	ΔΗΜΟΣΙΕΥΜΕΝΗ ΣΥΓΓΡΑΦΙΚΗ ΔΡΑΣΤΗΡΙΟΤΗΤΑ	
3.6.1	Ίδρυμα – Τμήμα	ΤΕΙ Αθήνας – Τμήμα Μηχανικών Βιοϊατρικής τεχνολογίας ΤΕ
		Μεταπτυχιακό πρόγραμμα: «Προχωρημένα συστήματα και μέθοδοι στη Βιοϊατρική τεχνολογία»
	Δραστηριότητα	Συγγραφέας εκπαιδευτικών σημειώσεων: «Τεχνικές προσομοίωσης Μόντε Κάρλο σε ιατρικές εφαρμογές»
3.6.2	Ίδρυμα – Τμήμα	ΤΕΙ Αθήνας- Τμήμα Μηχανικών Βιοϊατρικής τεχνολογίας ΤΕ
	Δραστηριότητα	Συγγραφέας εκπαιδευτικών σημειώσεων του εργαστηρίου Ιοντίζουσες Ακτινοβολίες Ι. Συγγραφείς: Παναγιώτης Λιαπαρίνος, Στράτος Δαυίδ.
3.6.3	Ίδρυμα - Τμήμα	ΤΕΙ Αθήνας- Τμήμα Μηχανικών Βιοϊατρικής τεχνολογίας ΤΕ
	Δραστηριότητα	Συγγραφέας εκπαιδευτικών σημειώσεων του εργαστηρίου Ιοντίζουσες Ακτινοβολίες ΙΙ. Συγγραφείς: Στράτος Δαυίδ, Παναγιώτης Λιαπαρίνος,
3.6.4	Ίδρυμα - Τμήμα	ΤΕΙ Αθήνας- Τμήμα Μηχανικών Βιοϊατρικής τεχνολογίας ΤΕ
	Δραστηριότητα	Συγγραφέας εκπαιδευτικών σημειώσεων του εργαστηρίου Ιοντίζουσες Ακτινοβολίες ΙΙΙ. Συγγραφείς: Σταύρος Τσαντής, Γιώργος Μανουσαρίδης, Νεκτάριος Καλύβας, Παναγιώτης Λιαπαρίνος, Ιωάννης Κανδαράκης.

4 ΥΠΟΤΡΟΦΙΕΣ – ΔΙΑΚΡΙΣΕΙΣ

4.1	Φορέας	ΙΚΥ
	Υποτροφία	Καλύτερης επίδοσης προπτυχιακών φοιτητών του τμήματος Τεχνολογίας Ιατρικών Οργάνων, ΤΕΙ Αθήνας
	Ακαδημαϊκό έτος	1998-1999
4.2	Φορέας	ΙΚΥ
	Υποτροφία	Καλύτερης επίδοσης προπτυχιακών φοιτητών του τμήματος Τεχνολογίας Ιατρικών Οργάνων, ΤΕΙ Αθήνας
	Ακαδημαϊκό έτος	1999-2000
4.3	Φορέας	ΙΚΥ
	Υποτροφία	Για τη διάκριση της σπουδές και το ήθος κατά τη διάρκεια του Ακαδημαϊκού έτους
	Ακαδημαϊκό έτος	1999-2000
4.4	Φορέας	ΙΚΥ
	Υποτροφία	Καλύτερης επίδοσης μεταπτυχιακού φοιτητή του Διατμηματικού Μεταπτυχιακού Προγράμματος Ιατρικής Φυσικής, Τμήμα Ιατρικής

		του Πανεπιστημίου Πατρών
	Ακαδημαϊκό έτος	2003-2004
4.5	Φορέας	Υπουργείο παιδείας & Θρησκευμάτων, Πολιτισμού και Αθλητισμού
	Διάκριση	Ακαδημαϊκή και ερευνητική Αριστεία με θέμα: «Αξιολόγηση ανιχνευτών Ιατρικής Απεικόνισης. Επίδραση των φθορίζοντων υλικών στην απόδοση του ανιχνευτή» για τη συνεισφορά στην επίτευξη Αριστείας στην ελληνική ανώτατη εκπαίδευση.
	Ακαδημαϊκό έτος	2012
4.6	Περιοδικό	«Virtual Journal of Biological Physics Research», published by the American Physical Society and the American Institute of Physics, Topic: instrumentation development
	Διάκριση	Επιλεγμένο Άρθρο: «P. Liaparinos, I. Kandarakis, D. Cavouras, H. Delis, G. Panayiotakis, 'Modeling granular phosphor screens by Monte Carlo methods', <i>Medical Physics</i> , Vol. 33, pp. 4502-4514, 2006.»
	Έτος	2006

5 ΠΡΟΣΚΕΚΛΗΜΕΝΕΣ ΟΜΙΛΙΕΣ – ΚΡΙΤΗΣ ΣΕ ΔΙΕΘΝΗ ΕΠΙΣΤΗΜΟΝΙΚΑ ΠΕΡΙΟΔΙΚΑ ΚΑΙ ΣΥΝΕΔΡΙΑ – ΚΡΙΤΗΣ ΣΕ ΧΡΗΜΑΤΟΔΟΤΟΥΜΕΝΑ ΕΡΕΥΝΗΤΙΚΑ ΠΡΟΓΡΑΜΜΑΤΑ

5.1	ΠΡΟΣΚΕΚΛΗΜΕΝΟΣ ΟΜΙΛΗΤΗΣ	
5.1.1	Δραστηριότητα	Προσκεκλημένος ομιλητής (invited speech)
	Διεθνές επιστημονικό συνέδριο	Bio-Medical Instrumentation and related Engineering and Physical Sciences (BIOMEPE), Department of Medical Instruments Technology, TEI of Athens, September 13 th , 2014
	Τίτλος	Nanophosphors
5.1.2	Δραστηριότητα	Προσκεκλημένος ομιλητής (invited speech)
	Ίδρυμα	Faculty of Chemistry, University of Wroclaw, Poland, 2013
	Τίτλος	Optical diffusion in nanophosphor materials: Physics and requirements in medical image science
5.1.3	Δραστηριότητα	Πρόεδρος συνεδρίου (chairman)
	Διεθνές επιστημονικό συνέδριο	3 rd International Conference on Experiments/Process/System Modeling/Simulation & Optimization 3 rd IC-EpsMsO.
	Τίτλος	«Monte Carlo simulations in medical imaging (8-11 April, 2009)».
5.1.4	Δραστηριότητα	Προσκεκλημένος ομιλητής (invited speech)
	Διεθνής έκθεση Ιατρικού εξοπλισμού	<i>MEDICEXPO2007</i> (15-18 Μαρτίου)
	Τίτλος	Monte Carlo methods in radiographic imaging.
5.1.5	Δραστηριότητα	Προσκεκλημένος ομιλητής (invited speech)
	Διεθνής έκθεση Ιατρικού εξοπλισμού	<i>MEDICEXPO2009</i> (3-5 Απριλίου)
	Τίτλος	Monte Carlo techniques in medical applications.

5.1.6	Δραστηριότητα	Προσκεκλημένος ομιλητής (invited speech)
	Διεθνής έκθεση Ιατρικού εξοπλισμού	<i>MEDICEXPO2011</i> (25-28 Φεβρουαρίου)
	Τίτλος	Becollari, Liaparinos, «Εφαρμογή τεχνικών Monte Carlo για την προσομοίωση της σκεδαζόμενης ακτινοβολίας σε ανιχνευτές ιατρικής απεικόνισης»
5.1.7	Δραστηριότητα	Προσκεκλημένος ομιλητής (invited speech)
	Ίδρυμα	Πανεπιστήμιο Πατρών Ιατρική Φυσική
	Διαλέξεις της ενότητας	«Ακτινοδιαγνωστική» - «Πυρηνική Ιατρική»
	Διάρκεια	2007-2018
5.1.8	Δραστηριότητα	Προσκεκλημένος ομιλητής (invited speech)
	Ίδρυμα	ΕΚΠΑ, ΤΕΙ Αθήνας, ΠΒΕΑΑ, ΕΚΕΦΕ Μεταπτυχιακό πρόγραμμα: «Τεχνολογίες Πληροφορικής στην Ιατρική και τη Βιολογία»
	Διαλέξεις της ενότητας	Μάθημα: «Ιατρικά Απεικονιστικά Συστήματα (ΤΠΙΒ)» Διάλεξη: «Εφαρμογές της Μεθόδου Μόντε Κάρλο στα Συστήματα Ιατρικής Απεικόνισης» Μάθημα: «Φυσικής της Διαγνωστικής» Μάθημα: «Φυσικής της Πυρηνικής Ιατρικής» Διάλεξη: «Αρχή λειτουργίας και υπολογισμοί παραμέτρων ανίχνευσης απεικονιστικών συστημάτων»
	Διάρκεια	Ακαδημαϊκά έτη: 2010-2014
5.1.9	Δραστηριότητα	Invited speech (I. Kandarakis)
	Διεθνές επιστημονικό συνέδριο	BIOMEPE 2015 – Conference on Bio-Medical Instrumentation and related Engineering and Physical Sciences
	Τίτλος	Medical Image Science through luminescence (MISCIRLU project) I. Kandarakis, I. Valais, P. Liaparinos, G. Fountos, N. Kalyvas, C. Michail, S. David
5.1.10	Δραστηριότητα	Προσκεκλημένος ομιλητής (invited speech)
	European project	COST – ACTION TD1401 (21 & 22 April 2016)
	Τίτλος	Scintillating materials and optical diffusion mechanisms in medical imaging detectors
5.1.11	Δραστηριότητα	Προσκεκλημένος ομιλητής (invited speech)
	Δημερίδα	Σύγχρονη Προσέγγιση της Ακτινοπροστασίας & της Ασφάλειας του Προσωπικού, Τρίτη 17 & Τετάρτη 18 Οκτωβρίου 2023, Γ.Ν.Α. «ΚΟΡΓΙΑΛΕΝΕΙΟ – ΜΠΕΝΑΚΕΙΟ» Ε.Ε.Σ.

	Τίτλος	Ακτινολογική Λυχνία – Ποιότητα Δέσμης
--	--------	---------------------------------------

5.2	ΚΡΙΤΗΣ ΣΕ ΕΠΙΣΤΗΜΟΝΙΚΑ ΠΕΡΙΟΔΙΚΑ	
5.2.1	Επιστημονικό Περιοδικό	Physics in Medicine and Biology
5.2.2	Επιστημονικό Περιοδικό	Nuclear Instruments and Methods in Physics Research A
5.2.3	Επιστημονικό Περιοδικό	Applied Physics B – Lasers and Optics
5.2.4	Επιστημονικό Περιοδικό	European Radiology
5.2.5	Επιστημονικό Περιοδικό	Journal of Alloys and Compounds
5.2.6	Επιστημονικό Περιοδικό	Journal tissue and science engineering
5.2.7	Επιστημονικό Περιοδικό	International Journal of Nanomedicine
5.2.8	Επιστημονικό Περιοδικό	Journal of Radiological Protection
5.2.9	Επιστημονικό Περιοδικό	Results in Physics
5.2.10	Επιστημονικό Περιοδικό	Nuclear Science and Techniques
5.2.11	Επιστημονικό Περιοδικό	Journal of Electromagnetic Waves and Applications
5.2.12	Επιστημονικό Περιοδικό	Mini-Reviews in Medicinal Chemistry
5.2.13	Επιστημονικό Περιοδικό	Journal of Medical Imaging
5.2.14	Επιστημονικό Περιοδικό	Materials
5.2.15	Επιστημονικό Περιοδικό	Optical Materials Express
5.2.16	Επιστημονικό Περιοδικό	Biomedical Research International
5.2.17	Επιστημονικό Περιοδικό	Journal of Rare Earths
5.2.18	Επιστημονικό Περιοδικό	Crystals
5.2.19	Επιστημονικό Περιοδικό	Sensors
5.2.20	Επιστημονικό Περιοδικό	Scientific Reports

5.2.21	Επιστημονικό Περιοδικό	Applied Sciences
5.2.22	Επιστημονικό Περιοδικό	Journal of Spectroscopy
5.2.23	Επιστημονικό Περιοδικό	ACS Applied Nano Materials
5.2.24	Επιστημονικό Περιοδικό	Current Medical Imaging
5.2.25	Επιστημονικό Περιοδικό	Nanomaterials
5.2.26	Επιστημονικό Περιοδικό	Information
5.2.27	Επιστημονικό Περιοδικό	Journal of Quantitative Spectroscopy and Radiative Transfer
5.2.28	Επιστημονικό Περιοδικό	Optical Materials
5.2.29	Επιστημονικό Περιοδικό	Cancers
5.2.30	Επιστημονικό Περιοδικό	Journal of Imaging
5.2.31	Επιστημονικό Περιοδικό	Applied Chemistry
5.2.32	Επιστημονικό Περιοδικό	Biology
5.2.33	Επιστημονικό Περιοδικό	Ceramics
5.2.34	Επιστημονικό Περιοδικό	Diagnostics
5.2.35	Επιστημονικό Περιοδικό	Healthcare
5.2.36	Επιστημονικό Περιοδικό	Tomography
5.2.37	Επιστημονικό Περιοδικό	Int. Journal of Environmental Research and Public Health
5.2.38	Επιστημονικό Περιοδικό	Current Oncology
5.2.39	Επιστημονικό Περιοδικό	Optical and Quantum Electronics
5.2.40	Επιστημονικό Περιοδικό	Journal of Fluorescence

5.3	ΚΡΙΤΗΣ ΣΕ ΔΙΕΘΝΗ ΕΠΙΣΤΗΜΟΝΙΚΑ ΣΥΝΕΔΡΙΑ	
5.3.1	Διεθνές Συνέδριο	BIOMEP 2015 – Conference on Bio-Medical Instrumentation and related Engineering and Physical Sciences, Athens, 2015
5.3.2	Διεθνές Συνέδριο	International Conference <i>Science in Technology</i> ScinTE 2015, Athens, 2015

5.3.3	Διεθνές Συνέδριο	The 5 th International Conference on Biomedical Engineering and Biotechnology (ICBEB) Hangzhou, China, 2016
5.3.4	Διεθνές Συνέδριο	The 6 th Global Conference on Materials Science and Engineering (CMSE) Beijing, China, 2017.
5.3.5	Διεθνές Συνέδριο	BIOMEPEP 2017 – Conference on Bio-Medical Instrumentation and related Engineering and Physical Sciences, Athens, 2017
5.3.6	Διεθνές Συνέδριο	International Conference on Physics, Mathematics and Statistics (ICPMS) Shanghai, China, 2018
5.3.7	Διεθνές Συνέδριο	Advances in Biomedical sciences, engineering and technology (ABSET) Athens, Greece, 2023

5.4	ΚΡΙΤΗΣ ΣΕ ΕΠΙΣΤΗΜΟΝΙΚΑ ΒΙΒΛΙΑ	
5.4.1	Επιστημονικό Βιβλίο	Τίτλος: “Principles of Medical Instrumentation Engineering” by Inan Gular (ELSEVIER)
5.4.2	Επιστημονικό Βιβλίο	E-book abstract evaluation, Τίτλος: “Printed Sensors: Theory and Instrumentation” (BENTHAM SCIENCE PUBLISHERS)
5.4.3	Επιστημονικό Βιβλίο	E-book abstract evaluation, Τίτλος: “The Best and the Fittest: Human resource selection in Education” (BENTHAM SCIENCE PUBLISHERS)
5.4.4	Επιστημονικό Βιβλίο	E-book abstract evaluation, Τίτλος: “Rock Particle Image Processing and Analysis” (BENTHAM SCIENCE PUBLISHERS)
5.4.5	Επιστημονικό Βιβλίο	First Ed Proposal, Τίτλος: “Introduction to Biomedical Instrumentation and its Applications” (ELSEVIER)
5.4.6	Επιστημονικό Βιβλίο	Τίτλος: “Practical Applications of Biomedical Instrumentation” by Uzun Ozsahin, Ilker Ozsahin. (ELSEVIER)

5.5	ΚΡΙΤΗΣ ΣΕ ΕΡΕΥΝΗΤΙΚΑ ΠΡΟΓΡΑΜΜΑΤΑ	
5.5.1	Επιστημονικό Πρόγραμμα	Project: CONSOLIDER (large scale, budget 6.000.000 €) on behalf of the Spanish Ministry of Science and Innovation (Proposal title: Novel sensors and technologies for medical imaging: application to breast cancer diagnosis)

5.6	ΕΠΙΣΤΗΜΟΝΙΚΕΣ ΚΑΙ ΟΡΓΑΝΩΤΙΚΕΣ ΕΠΙΤΡΟΠΕΣ	
5.6.1	Editorial review board	e- journal “Engineering, Technology & Applied Science Research” (ETASR)
5.6.2	Μέλος της επιστημονικής επιτροπής	Bio-Medical Instrumentation and related Engineering and Physical Sciences (BIOMEPEP), Department of Medical Instruments Technology, TEI of Athens, June 21-22, 2013
5.6.3	Μέλος της επιστημονικής επιτροπής	Bio-Medical Instrumentation and related Engineering and Physical Sciences (BIOMEPEP), Department of Medical Instruments Technology, TEI of Athens, June 18-20, 2015
5.6.4	Μέλος της οργανωτικής επιτροπής	Advances in Biomedical sciences, engineering and technology (ABSET) Athens, June 10-11, Greece, 2023
5.6.5	Μέλος της συντονιστής επιτροπής	Μεταπτυχιακό πρόγραμμα: «Biomedical Engineering and Technology», 2022 – σήμερα.

5.7	ΜΕΛΟΣ ΣΕ ΕΠΙΣΤΗΜΟΝΙΚΕΣ ΕΝΩΣΕΙΣ -ΣΥΛΛΟΓΟΥΣ	
5.7.1	Δραστηριότητα	Φοιτητικό μέλος της διεθνής ένωσης Ακτινοφυσικών – Student member of radiation physics society (IRPS)
	Διάρκεια	2006-2009

6 ΔΙΟΙΚΗΤΙΚΗ ΕΜΠΕΙΡΙΑ ΣΤΟ ΤΕΙ ΑΘΗΝΑΣ ΚΑΙ ΣΤΟ ΠΑΝΕΠΙΣΤΗΜΙΟ ΔΥΤΙΚΗΣ ΑΤΤΙΚΗΣ

6.1	ΜΕΛΟΣ ΕΠΙΤΡΟΠΩΝ ΚΑΙ ΣΥΜΜΕΤΟΧΗ ΣΕ ΔΡΑΣΤΗΡΙΟΤΗΤΕΣ ΕΠΙΤΡΟΠΩΝ	
6.1.1	ΤΕΙ Αθήνας	Υποστηρικτικό έργο σε μέλη της ΜΟΔΠ της σχολής ΣΤΕΦ.
	Χρονικό διάστημα	2013-2014
6.1.2	ΤΕΙ Αθήνας	Μέλος επιτροπής που ορίζεται από το ΤΕΙ Αθήνας για την αποτύπωση του αριθμού και της χωρητικότητας των αιθουσών της σχολής ΣΤΕΦ.
	Έτος	2013
6.1.3	ΤΕΙ Αθήνας	Μέλος επιτροπής που ορίζεται από το ΤΕΙ Αθήνας για την αξιολόγηση πρόσληψης προσωπικού με σύμβαση έργου, την αξιολόγηση προσφορών για την προμήθεια αναλωσίμων και λοιπού εξοπλισμού στα πλαίσια του προγράμματος ΑΡΧΙΜΗΔΗΣ-ΙΙΙ.
	Έτος	2012 – σήμερα
6.1.4	ΤΕΙ Αθήνας	Μέλος επιτροπής που ορίζεται από το ΤΕΙ Αθήνας για την αξιολόγηση και την προμήθεια αναλωσίμων στα πλαίσια του προγράμματος ΑΡΙΣΤΕΙΑ Ι.
	Έτος	2013
6.1.5	ΤΕΙ Αθήνας	Μέλος επιτροπής που ορίζεται από το ΤΕΙ Αθήνας για την αξιολόγηση πρόσληψης προσωπικού με σύμβαση έργου στο πλαίσιο υλοποίησης της πράξης «Διμερής Ε&Τ Συνεργασία Ελλάδας-Ισραήλ 2013-2015»
	Έτος	2014
6.1.6	ΤΕΙ Αθήνας	Μέλος επιτροπής που ορίζεται από το ΤΕΙ Αθήνας για την αξιολόγηση πρόσληψης προσωπικού με σύμβαση έργου στο πλαίσιο υλοποίησης του έργου με τίτλο: «Ανάπτυξη και αξιολόγηση μη επεμβατικής απεικονιστικής τεχνολογίας για τη μελέτη στοχευμένης μεταφοράς φαρμακευτικών ουσιών με νανοσωματίδια, μέσω του αιματικού εγκεφαλικού φραγμού.Εφαρμογές στη θεραπεία εγκεφαλικών όγκων – OncoNanoBBB»
	Έτος	2013
6.1.7	Πανεπιστήμιο Δυτικής Αττικής	Μέλος της επιτροπής κατακτήριων εξετάσεων του τμήματος Μηχανικών Βιοϊατρικής, Πρόεδρος της επιτροπής για τη διεξαγωγή των κατακτήριων εξετάσεων.
	Ακαδημαϊκά Έτη	2018-2019, 2019-2020, 2020-2021, 2021-2022, 2022-2023, 2023-2024.
6.1.8	Πανεπιστήμιο Δυτικής Αττικής	Μέλος επιτροπής για την πρόσληψη νέων ερευνητών μέσω ΕΣΠΑ του τμήματος Μηχανικών Βιοϊατρικής
	Έτος	2018
6.1.9	Πανεπιστήμιο	Μέλος επιτροπής κατάρτισης Μητρώων ΑΠΕΛΛΑ του

	Δυτικής Αττικής	τμήματος Μηχανικών Βιοϊατρικής
	Έτος	2018
6.1.10	Πανεπιστήμιο Δυτικής Αττικής	Μέλος επιτροπής συνοπτικών διαγωνισμών του Πανεπιστημίου Δυτικής Αττικής
	Έτος	2019
6.1.11	Πανεπιστήμιο Δυτικής Αττικής	Μέλος επιτροπής που ορίζεται από το Πανεπιστήμιο Δυτικής Αττικής: (α) για την αξιολόγηση πρόσληψης προσωπικού με σύμβαση έργου και (β) παραλαβής εξοπλισμού στο πλαίσιο υλοποίησης του υποέργου: « Εθνική Κατανομή 2018 – TRIMAGE »
	Έτος	2019
6.1.12	Πανεπιστήμιο Δυτικής Αττικής	Μέλος επιτροπής που ορίζεται από το Πανεπιστήμιο Δυτικής Αττικής για την Διενέργεια και Αξιολόγηση Διαγωνισμού, ενστάσεων, προσφυγών και παραλαβής εξοπλισμού στο πλαίσιο υλοποίησης του υποέργου: « Προμήθεια ηλεκτρονικών υπολογιστικών και συστημάτων πολυμέσων για τα εργαστήρια των εκπαιδευτικών Τμημάτων του Πανεπιστημίου Δυτικής »
	Έτος	2019
6.1.13	Πανεπιστήμιο Δυτικής Αττικής	Μέλος επιτροπής ενστάσεων επί των αποτελεσμάτων αξιολόγησης Πρακτικής Άσκησης του τμήματος Μηχανικών Βιοϊατρικής
	Έτος	2020
6.1.14	Πανεπιστήμιο Δυτικής Αττικής	Αναπληρωτής σύμβουλος ΦμέΑ του τμήματος Μηχανικών Βιοϊατρικής
	Έτος	2023-2024
6.2	ΆΛΛΕΣ ΔΡΑΣΤΗΡΙΟΤΗΤΕΣ	
6.2.1	Διοργάνωση επισκέψεων	Διοργάνωση επισκέψεων σε Νοσοκομεία για την ενημέρωση φοιτητών στα πλαίσια εργαστηρίων

7 ΛΟΙΠΑ ΠΡΟΣΩΝΤΑ

7.1	ΞΕΝΕΣ ΓΛΩΣΣΕΣ	
7.1.1	English, University of Cambridge, First Certificate in English	
7.1.2	Spanish, El diploma de espanol, Nivel Intermedio	
7.2	ΠΡΑΚΤΙΚΗ ΑΣΚΗΣΗ	
	Πρακτική άσκηση στο Γενικό Νοσοκομείο Αθηνών Γ.Ν.Α. «Ο Ευαγγελισμός»	
	01/04/2002 – 30/09/2002	
7.3	ΕΚΠΑΙΔΕΥΣΗ ΣΤΗΝ ΕΤΑΙΡΕΙΑ «ERGO»	
	Εκπαίδευση στην εταιρεία ιατρικών μηχανημάτων	
	25/08/2001 – 25/09/2001	
7.4	ΠΑΡΑΚΟΛΟΥΘΗΣΗ WORKSHOP ΚΑΙ ΣΥΝΕΔΡΙΩΝ	
	International workshop on PENELOPE Monte Carlo package. Διεθνή, ευρωπαϊκά, ελληνικά συνέδρια και σεμινάρια.	
7.5	ΕΚΠΑΙΔΕΥΣΗ ΣΤΡΑΤΙΩΤΙΚΩΝ ΥΠΟΧΡΕΩΣΕΩΝ	
Στρατός ξηράς	Σώμα υγειονομικού	
Ειδικότητα	βοηθός ακτινολόγου	
Διάρκεια	07/05/2007 – 06/05/2008	

ΠΑΡΑΡΤΗΜΑ Α: ΔΗΜΟΣΙΕΥΣΕΙΣ

Διπλωματικές Εργασίες:

1. **Πτυχιακή Εργασία:** «Μελέτη της απόδοσης φωτός διαφόρων σπινθηριστών (π.χ. LSO, BGO, YAP κτλ) που χρησιμοποιούνται σε ιατρικά απεικονιστικά συστήματα», Τμήμα Τεχνολογίας Ιατρικών Οργάνων, ΤΕΙ Αθήνας, Ελλάδα, Σεπτέμβριος 2002. Συστάσεις: Καθηγητής Δρ. Ιωάννης Κανδαράκης (kandarakis@teiath.gr)
2. **Διπλωματική Μεταπτυχιακού:** «Monte Carlo simulation on phosphor screens in medical mammographic imaging systems», Διατμηματικό Πρόγραμμα Μεταπτυχιακών Σπουδών στην Ιατρική Φυσική, Πανεπιστήμιο Πατρών, Ελλάδα, Ιούλιος 2004. Συστάσεις: Καθηγητής Δρ. Ιωάννης Κανδαράκης (kandarakis@teiath.gr) και Καθηγητής Δρ. Γεώργιος Παναγιωτάκης (panayiot@upatras.gr)
3. **Διδακτορική Διατριβή:** «Ανάπτυξη υπολογιστικού μοντέλου προσομοίωσης φθορίζοντων υλικών ανιχνευτών ιατρικής απεικόνισης με τεχνικές Monte Carlo», Διατμηματικό Πρόγραμμα Μεταπτυχιακών Σπουδών στην Ιατρική Φυσική, Πανεπιστήμιο Πατρών, Ελλάδα, Μάρτιος 2007. Συστάσεις: Καθηγητής Δρ. Ιωάννης Κανδαράκης (kandarakis@teiath.gr) και Καθηγητής Δρ. Γεώργιος Παναγιωτάκης (panayiot@upatras.gr)

<https://www.didaktorika.gr/eadd/handle/10442/26517>

ΣΕ ΕΠΙΣΤΗΜΟΝΙΚΑ ΠΕΡΙΟΔΙΚΑ ΜΕ ΚΡΙΤΕΣ (ΜΕ IMPACT FACTOR):

ΔΗΜΟΣΙΕΥΣΗ Νο 1:

P. Liaparinos, I. Kandarakis, D. Cavouras, H. Delis, G. S. Panayiotakis, 'Investigating the effect of K-characteristic radiation on the performance of nuclear medicine scintillators by Monte-Carlo methods', *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, Vol. 569, pp. 364-367, 2006.

Στόχος: Μελέτη της εκπομπής K-χαρακτηριστικής ακτινοβολίας και την επίδρασή της στην απόδοση υλικών σπινθηρισμού σε κρυσταλλική μορφή σε συνθήκες πυρηνικής ιατρικής. Η μελέτη πραγματοποιήθηκε για τους κρυστάλλους BGO, LSO, GSO που χρησιμοποιούνται ευρύτατα στα συστήματα πυρηνικής ιατρικής.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην ανάπτυξη κατάλληλου λογισμικού, στην καταχώρηση αριθμητικών δεδομένων, στην εφαρμογή των τεχνικών Μόντε Κάρλο, στην επεξεργασία και αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.
ΔΗΜΟΣΙΕΥΣΗ ΔΙΔΑΚΤΟΡΙΚΟΥ

ΔΗΜΟΣΙΕΥΣΗ Νο 2:

P. Liaparinos, I. Kandarakis, D. Cavouras, H. Delis, and G. Panayiotakis, 'Evaluating the radiation detection of the RbGd₂Br₇:Ce scintillator by Monte-Carlo methods', *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, Vol. 569, pp. 355-358, 2006.

Στόχος: Αξιολόγηση της ανιχνευτικής ικανότητας του φθορίζοντος υλικού RbGd₂Br₇:Ce με τεχνικές Μόντε Κάρλο για τη χρησιμοποίησή τους σε συστήματα πυρηνικής ιατρικής και συστήματα τομογραφίας εκπομπής ποζιτρονίων.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην ανάπτυξη κατάλληλου λογισμικού, στην καταχώρηση αριθμητικών δεδομένων, στην εφαρμογή των τεχνικών Μόντε Κάρλο, στην επεξεργασία και αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.
ΔΗΜΟΣΙΕΥΣΗ ΔΙΔΑΚΤΟΡΙΚΟΥ

ΔΗΜΟΣΙΕΥΣΗ Νο 3:

I. Kandarakis, D. Cavouras, D. Nikolopoulos, A. Episkopakis, N. Kalivas, **P. Liaparinos**, I. Valais, G. Kagadis, K. Kourkoutas, I. Sianoudis, N. Dimitropoulos, C. Nomicos, G. Panayiotakis, 'A theoretical model evaluating the angular distribution of luminescence emission in X-ray scintillating screens' *Applied Radiation and Isotopes*, Vol. 64, pp. 508-519, 2006.

Στόχος: Ανάπτυξη θεωρητικού μοντέλου για την αξιολόγηση της γωνιακής κατανομής του φωτός κατά την εκπομπή του από φθορίζουσες οθόνες διαφορετικού πάχους και διαφορετικού μεγέθους κόκκων. Το μοντέλο βασίστηκε σε πειραματικές μετρήσεις που πάρθηκαν στο ακτινολογικό κέντρο EUROMENICA.

Συμμετοχή: Στην υλοποίηση των πειραματικών μετρήσεων και την υποστήριξη της εργασίας παρουσιάζοντάς την στο διεθνές συνέδριο: 1st International Meeting on Applied Physics Badajoz 2003, Spain.

ΔΗΜΟΣΙΕΥΣΗ Νο 4:

G. Patatoukas, N. Kalivas, **P. Liaparinos**, A. Konstantinidis, I. Kandarakis, G. Panayiotakis, 'The effect of energy weighting on the SNR under the influence of non-ideal detectors in mammographic applications', *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, Vol. 569, pp. 260-263, 2006.

Στόχος: Μελέτη της επίδρασης της τεχνικής «energy weighting» στο λόγο σήματος προς θόρυβο. Μελετήθηκαν ανιχνευτές που χρησιμοποιούνται στη μαστογραφική απεικόνιση κάνοντας χρήση αναλυτικών μοντέλων.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην επεξεργασία και αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 5:

P. Liaparinos, I. Kandarakis, D. Cavouras, H. Delis, G. Panayiotakis, 'Modeling granular phosphor screens by Monte Carlo methods', *Medical Physics*, Vol. 33, pp. 4502-4514, 2006. Also selected for publication in the *Virtual Journal of Biological Physics Research* published by the American Physical Society and the American Institute of Physics, November 15, 2006, Volume 12, Issue 10, Topic: instrumentation development.

Στόχος: Ανάπτυξη πηγαίου κώδικα σε περιβάλλον MATLAB κάνοντας χρήση τεχνικών Μόντε Κάρλο με σκοπό την προσομοίωση και μοντελοποίηση των φυσικών φαινομένων που λαμβάνουν χώρα σε φθορίζοντα υλικά κοκκώδους μορφής για χρήση στην ιατρική απεικόνιση. Εφαρμόστηκε η θεωρία της σκέδασης Mie για την προσομοίωση των οπτικών φωτονίων και η πιστοποίηση του μοντέλου πραγματοποιήθηκε συγκρίνοντας τα αποτελέσματα του μοντέλου με πειραματικά αποτελέσματα.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην ανάπτυξη κατάλληλου λογισμικού, στην καταχώρηση αριθμητικών δεδομένων, στην εφαρμογή των τεχνικών Μόντε Κάρλο, στην επεξεργασία και αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.
ΔΗΜΟΣΙΕΥΣΗ ΔΙΔΑΚΤΟΡΙΚΟΥ

ΔΗΜΟΣΙΕΥΣΗ Νο 6:

P. Gonias, N. Bertsekas, N. Karakatsanis, G. Saatsakis, A. Gaitanis, D. Nikolopoulos, G. Loudos, L. Papaspyrou, N. Sakellios, X. Tsantilas, A. Daskalakis, **P. Liaparinos**, K. Nikita, A. Louizi, D. Cavouras, I. Kandarakis, G. S. Panayiotakis, 'Validation of a GATE model for the simulation of the Siemens biograph™ 6 PET scanner', *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, Vol. 571, pp. 263-266, 2007.

Στόχος: Εφαρμογή του λογισμικού GATE για τη μοντελοποίηση του ιατρικού συστήματος Siemens biograph™ 6 PET scanner.

Συμμετοχή: Στον σχεδιασμό της μελέτης και στην αξιολόγηση των αποτελεσμάτων.

ΔΗΜΟΣΙΕΥΣΗ Νο 7:

P. Liaparinos, I. Kandarakis, D. Cavouras, N. Kalivas, H. Delis, G. Panayiotakis, 'Evaluation of high packing density powder x-ray screens by Monte Carlo methods', *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, Vol. 580, pp. 427-429, 2007.

Στόχος: Ανάπτυξη και εφαρμογή λογισμικού βασισμένου σε τεχνικές Μόντε Κάρλο για τη

μελέτη φθορίζοντων υλικών (σπινθηριστών) με υψηλή χωρική κατανομή των κόκκων. Έγινε μελέτη της απόδοσης φωτός και της χωρικής διακριτικής ικανότητας κατά τη χρησιμοποίησή τους σε συνθήκες γενικής ακτινολογίας.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην ανάπτυξη κατάλληλου λογισμικού, στην καταχώρηση αριθμητικών δεδομένων, στην εφαρμογή των τεχνικών Μόντε Κάρλο, στην επεξεργασία και αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.
ΔΗΜΟΣΙΕΥΣΗ ΔΙΔΑΚΤΟΡΙΚΟΥ

ΔΗΜΟΣΙΕΥΣΗ Νο 8:

S. David, C. Michail, I. Valais, A. Toutountzis, **P. Liaparinos**, D. Cavouras, I. Kandarakis, and G. Panayiotakis, 'Investigation of luminescence properties of Lu₂SiO₅:Ce (LSO) powder scintillator in the x-ray radiography energy range', *IEEE Transactions on Nuclear Science*, Vol. 46, pp. 474-478, 2007.

Στόχος: Πειραματική αξιολόγηση των απεικονιστικών χαρακτηριστικών του φθορίζοντος υλικού (LSO:Ce) σε συνθήκες ακτινογραφικής απεικόνισης και σύγκριση των αποτελεσμάτων με τεχνικές Μόντε Κάρλο.

Συμμετοχή: Στον σχεδιασμό του πειράματος, στην πειραματική αξιολόγηση των αποτελεσμάτων, στην εφαρμογή των τεχνικών Μόντε Κάρλο, στην επεξεργασία και αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 9:

P. Liaparinos, I. Kandarakis, D. Cavouras, H. Delis, G. Panayiotakis, 'Monte Carlo study on the imaging performance of powder Lu₂SiO₅: Ce phosphor screens under x-ray excitation: Comparison with Gd₂O₂S:Tb screens', *Medical Physics*, Vol. 34, pp. 1724-1733, 2007.

Στόχος: Αξιολόγηση της αποδοτικότητας του φθορίζοντος υλικού (Lu₂SiO₅: Ce) σε κοκκώδη μορφή με σκοπό τη χρησιμοποίησή του σε συστήματα προβολικής απεικόνισης με αρχή λειτουργίας την ολοκλήρωση της ενέργειας. Αποτιμήθηκαν με τη βοήθεια τεχνικών Μόντε Κάρλο τα απεικονιστικά χαρακτηριστικά του υλικού (π.χ. Modulation transfer function (MTF), luminescence efficiency (LE), detective quantum efficiency (DQE) κτλ) και έγινε σύγκριση με το ευρέως χρησιμοποιούμενο σε εμπορικά συστήματα υλικό σπάνιων γαιών (Gd₂O₂S:Tb).

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην ανάπτυξη κατάλληλου λογισμικού, στην καταχώρηση αριθμητικών δεδομένων, στην εφαρμογή των τεχνικών Μόντε Κάρλο, στην επεξεργασία και αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.
ΔΗΜΟΣΙΕΥΣΗ ΔΙΔΑΚΤΟΡΙΚΟΥ

ΔΗΜΟΣΙΕΥΣΗ Νο 10:

S. David, C. Michail, I. Valais, D. Nikolopoulos, **P. Liaparinos**, N. Kalivas, I. Kalatzis, A. Toutountzis, N. Efthimiou, G. Loudos, I. Sianoudis, D. Cavouras, N. Dimitropoulos, C. D. Nomicos, I. Kandarakis, G. S. Panayiotakis, 'Efficiency of Lu₂SiO₅:Ce (LSO) powder phosphor as X-ray to light converter under mammographic imaging conditions', *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, Vol. 571, pp. 346-349, 2008.

Στόχος: Πειραματική αξιολόγηση των απεικονιστικών χαρακτηριστικών του φθορίζοντος υλικού (LSO:Ce) σε συνθήκες μαστογραφικής απεικόνισης και σύγκριση των αποτελεσμάτων με

τεχνικές Μόντε Κάρλο.

Συμμετοχή: Στον σχεδιασμό του πειράματος, στην πειραματική αξιολόγηση των αποτελεσμάτων, στην εφαρμογή των τεχνικών Μόντε Κάρλο, στην επεξεργασία και αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 11:

I. Valais, S. David, C. Michail, D. Nikolopoulos, **P. Liaparinos**, D. Cavouras, I. Kandarakis and G. S. Panayiotakis, 'Comparative study of luminescence properties of LuYAP:Ce and LYSO:Ce single crystal scintillators for use in medical imaging', *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, Vol. 580, pp. 614-616, 2007.

Στόχος: Πειραματική αξιολόγηση της εκπομπής φωτός των σπινθηριστών LuYAP:Ce και LYSO:Ce σε κρυσταλλική μορφή για χρήση στην ιατρική απεικόνιση.

Συμμετοχή: Στον σχεδιασμό του πειράματος, στην πειραματική αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 12:

C. Michail, S. David, **P. Liaparinos**, I. Valais, D. Nikolopoulos, N. Kalivas, A. Toutountzis, I. Sianoudis, D. Cavouras, N. Dimitropoulos, C. D. Nomicos, K. Kourkoutas, I. Kandarakis, G. S. Panayiotakis, 'Evaluation of the imaging performance of LSO powder scintillator for use in x-ray mammography', *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, Vol. 580, pp. 558-561, 2007.

Στόχος: Πειραματική αξιολόγηση των απεικονιστικών χαρακτηριστικών του φθορίζοντος υλικού (LSO:Ce) σε συνθήκες μαστογραφικής απεικόνισης.

Συμμετοχή: Στον σχεδιασμό του πειράματος, στην πειραματική αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 13:

P. Liaparinos and I. Kandarakis, 'The Monte Carlo evaluation of noise and resolution properties of granular phosphor screens', *Physics in Medicine and Biology*, Vol. 54, pp. 859-874, 2009.

Στόχος: Μελέτη και αποτίμηση των ιδιοτήτων θορύβου και χωρικής διακριτικής ικανότητας υλικών σπινθηριστών σε συνθήκες γενικής ακτινολογίας και μαστογραφίας (συμβατική και ψηφιακή).

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην ανάπτυξη κατάλληλου λογισμικού, στην καταχώρηση αριθμητικών δεδομένων, στην εφαρμογή των τεχνικών Μόντε Κάρλο, στην επεξεργασία και αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 14:

P. Liaparinos and I. Kandarakis, 'The imaging performance of compact Lu₂O₃:Eu phosphor screens: Monte Carlo simulation for applications in mammography', *Medical Physics*, Vol. 36, pp. 1985-1997, 2009.

Στόχος: Αξιολόγηση της απόδοσης ενός νέου φθορίζοντος υλικού (Lu₂O₃:Eu) σε συμπαγή κοκκώδη μορφή. Εξετάστηκε με τη βοήθεια τεχνικών Μόντε Κάρλο η επίδραση του υλικού στα

απεικονιστικά χαρακτηριστικά ενός μαστογραφικού συστήματος κατά τη χρησιμοποίησή του στο ανιχνευτικό σύστημα.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην ανάπτυξη κατάλληλου λογισμικού, στην καταχώρηση αριθμητικών δεδομένων, στην εφαρμογή των τεχνικών Μόντε Κάρλο, στην επεξεργασία και αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 15:

A. Konstantinidis, **P. Liaparinos**, N. Kalivas, G. Panayiotakis, I. Kandarakis, 'Investigation of two heavy element scintillators by Monte Carlo methods', *Journal of Instrumentation*, JINST 4 P05019, 2009.

Στόχος: Μελέτη της απόδοσης απορρόφησης της ακτινοβολίας καθώς και της διασποράς του φωτός σε υλικά ανιχνευτών αποτελούμενα από τουλάχιστον δύο «βαριά» στοιχεία.

Συμμετοχή: Στον σχεδιασμό και στην καθοδήγηση της μελέτης, στην αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 16:

I. Valais, C. Michail, S. David, **P. Liaparinos**, G. Fountos, T. Paschalis, I. Kandarakis and G. Panayiotakis., 'Comparative investigation of Ce³⁺ doped scintillators in a wide range of photon energies covering X-ray CT, nuclear medicine and megavoltage radiation therapy portal imaging applications', *IEEE Transactions on Nuclear Science*, Vol. 57, pp. 3-7, 2010.

Στόχος: Αξιολόγηση της απόδοσης φθορίζοντων υλικών με ενεργοποιητή Ce³⁺ σε εύρος ενεργειών Αξονικής Τομογραφίας, Πυρηνικής Ιατρικής και Ακτινοθεραπείας.

Συμμετοχή: Στον σχεδιασμό του πειράματος, στην πειραματική αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 17:

K. Bliznakova, R. Speller, J. Horrocks, **P. Liaparinos**, Z. Kolitsi, N. Pallikarakis., 'Experimental validation of a radiographic simulation code using breast phantom for x-ray imaging', *Computers in Biology and Medicine*, Vol. 40, pp. 208-214, 2010.

Στόχος: Ανάπτυξη λογισμικού προσομοίωσης μαστού και πειραματική πιστοποίηση του μοντέλου με ακτινοβολία συγχρότρου.

Συμμετοχή: Στη μελέτη του ανιχνευτικού συστήματος με τεχνικές Μόντε Κάρλο, στην αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 18:

S. L. David, C. M. Michail, M. Roussou, E. Nirgianaki, A. E. Toutountzis, I. G. Valais, G. Fountos, **P. F. Liaparinos**, I. Kandarakis, G. Panayiotakis., 'Evaluation of the luminescence efficiency of YAG:Ce powder scintillating screens for use in digital mammography detectors portal imaging applications', *IEEE Transactions on Nuclear Science*, Vol. 57, pp. 951-957, 2010.

Στόχος: Πειραματική αξιολόγηση της εκπομπής φωτός του σπινθηριστή YAG:Ce σε κοκκώδη μορφή για χρήση στη ψηφιακή μαστογραφία.

Συμμετοχή: Στον σχεδιασμό του πειράματος, στην πειραματική αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 19:

C. M. Michail, G. P. Fountos, **P. F. Liaparinos**, N. E. Kalyvas, I. Valais, I. S. Kandarakis, G. S. Panayiotakis., 'Light emission efficiency and imaging performance of Gd₂O₂S:Eu powder scintillator under x-ray radiography conditions', Medical Physics, Vol. 37, pp. 3694-3703, 2010.

Στόχος: Αξιολόγηση της απόδοσης του φθορίζοντος υλικού (Gd₂O₂S:Eu). Εξετάστηκε πειραματικά καθώς και με τεχνικές Μόντε Κάρλο η επίδραση του υλικού στα απεικονιστικά χαρακτηριστικά ενός ακτινογραφικού συστήματος κατά τη χρησιμοποίησή του στο ανιχνευτικό σύστημα.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην ανάπτυξη κατάλληλου λογισμικού, στην καταχώρηση αριθμητικών δεδομένων, στην εφαρμογή των τεχνικών Μόντε Κάρλο, στην επεξεργασία και αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 20:

C. M. Michail, G. P. Fountos, I. G. Valais, N. E. Kalyvas, **P. F. Liaparinos**, I. S. Kandarakis, G. S. Panayiotakis., 'Evaluation of the red emitting Gd₂O₂S:Eu powder scintillator for use in indirect X-ray digital mammography detectors', IEEE Transactions on Nuclear Science, Vol. 58, pp. 2503-2511, 2011.

Στόχος: Αξιολόγηση της απόδοσης του φθορίζοντος υλικού (Gd₂O₂S:Eu). Εξετάστηκε πειραματικά καθώς και με τεχνικές Μόντε Κάρλο η επίδραση του υλικού στα απεικονιστικά χαρακτηριστικά ενός ακτινογραφικού συστήματος κατά τη χρησιμοποίησή του στο ανιχνευτικό σύστημα.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην ανάπτυξη κατάλληλου λογισμικού, στην καταχώρηση αριθμητικών δεδομένων, στην εφαρμογή των τεχνικών Μόντε Κάρλο, στην επεξεργασία και αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 21:

P. Liaparinos, I. Kandarakis, 'Overestimations in zero frequency DQE of x-ray imaging converters assessed by Monte Carlo techniques based on the study of energy impartation events', Medical Physics Vol. 38, pp. 4440-4450, 2011.

Στόχος: Υπολογισμός της υπερεκτίμησης της παραμέτρου DQE κάνοντας χρήση τεχνικών Μόντε Κάρλο και μελετώντας τις «ιστορίες φωτονίων» που οδηγούν απορρόφηση ενέργειας μέσα στον ανιχνευτή.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην ανάπτυξη κατάλληλου λογισμικού, στην καταχώρηση αριθμητικών δεδομένων, στην εφαρμογή των τεχνικών Μόντε Κάρλο, στην επεξεργασία και αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 22:

N. Kalyvas, **P. Liaparinos**, C. Michail, S. David, G. Fountos, M. Wójtowicz, E. Zych, I. Kandarakis, “Studying the luminescence efficiency of $\text{Lu}_2\text{O}_3:\text{Eu}$ nanophosphor material for digital X-ray imaging applications”, *Applied Physics A*, Vol. 106, pp. 131-136, 2012.

Στόχος: Αξιολόγηση της απόδοσης φωτός του φθορίζοντος νάνο-υλικού ($\text{Lu}_2\text{O}_3:\text{Eu}$). Εξετάστηκε πειραματικά η απόδοση φωτός του υλικού για τη χρησιμοποίησή του σε ανιχνευτικό σύστημα ιατρικής απεικόνισης.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην επεξεργασία και αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 23:

P. Liaparinos and K. Bliznakova, ‘Monte Carlo performance on the x-ray converter thickness in digital mammography using software breast models’, *Medical Physics*, Vol. 39, pp. 6638-6651, 2012.

Στόχος: Υπολογισμός των απεικονιστικών χαρακτηριστικών ανιχνευτών ιατρικής απεικόνισης και εφαρμογή μοντέλων παρατηρητή για τη μελέτη επίδρασης του πάχους του υλικού και την εύρεση του βέλτιστου πάχους.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην ανάπτυξη κατάλληλου λογισμικού, στην καταχώρηση αριθμητικών δεδομένων, στην εφαρμογή των τεχνικών Μόντε Κάρλο, στην επεξεργασία και αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 24:

P. F. Liaparinos, ‘Optical diffusion performance of nanophosphor-based materials for use in medical imaging’, *Journal of Biomedical Optics*, Vol. 17, 126013, 2012.

Στόχος: Υπολογισμός της οπτικής διάχυσης νάνο-υλικών μελετώντας τις οπτικές ιδιότητες και τις ιδιότητες δομή τους. Η μελέτη προβλέπει τις βέλτιστες ιδιότητες ενός νάνο-υλικού για ιατρική απεικόνιση.

ΔΗΜΟΣΙΕΥΣΗ Νο 25:

P. Liaparinos, N. Kalyvas, I. Kandarakis, D. Cavouras, ‘Analysis of the imaging performance in indirect digital mammography detectors by linear systems and signal detection models’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, Vol. 697, pp. 87-98, 2013.

Στόχος: Υπολογισμός των απεικονιστικών χαρακτηριστικών ανιχνευτών ιατρικής απεικόνισης και εφαρμογή μοντέλων παρατηρητή για τη μελέτη επίδρασης του πάχους του υλικού και την εύρεση του βέλτιστου πάχους. Ο υπολογισμός πραγματοποιήθηκε σε ψηφιακούς ανιχνευτές τύπου CMOS.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην ανάπτυξη της μεθοδολογίας, στην επεξεργασία και αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 26:

C. Michail, N. Kalyvas, I. Valais, S. David, I. Seferis, A. Toutountzis, A. Karabotsos, **P. Liaparinos**, G. Fountos, I. Kandarakis, ‘On the response of $\text{GdAlO}_3:\text{Ce}$ powder scintillators’,

Journal of Luminescence, Vol. 144, pp. 45-52, 2013.

Στόχος: Αξιολόγηση της απόδοσης φωτός και υπολογισμός των απεικονιστικών χαρακτηριστικών του φθορίζοντος υλικού $GdAlO_3:Ce$ για χρήση στην ιατρική απεικόνιση.

Συμμετοχή: Στην πειραματική αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ No 27:

A. C. Konstantinidis, M. B. Szafraniec, L. Rigon, G. Tromba, D. Dreossi, N. Sodini, **P.F. Liaparinos**, S. Naday, S. Gunn, A. McArthur, R. D. Speller, and A. Olivo, 'X-ray performance evaluation of the Dexela CMOS APS X-ray detector using monochromatic synchrotron radiation in the mammographic energy range', *IEEE Transactions on Nuclear Science*, Vol. 60, pp. 3969-3980, 2013.

Στόχος: Αξιολόγηση του οπτικού ανιχνευτή Dexela CMOS APS με πειραματικές διατάξεις, θεωρητικούς υπολογισμούς και τεχνικές Μόντε Κάρλο.

Συμμετοχή: Στην αξιολόγηση του ανιχνευτή με τεχνικές Μόντε Κάρλο και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ No 28:

P.F. Liaparinos, 'Light wavelength effects in submicrometer phosphor materials using Mie scattering and Monte Carlo simulation', *Medical Physics*, Vol. 40, pp. 101911, 2013.

Στόχος: Μελέτη της επίδρασης του μήκους κύματος σε φθορίζοντα υλικά με μέγεθος κόκκου της τάξης των εκατοντάδων μικρομέτρων. Η μελέτη πραγματοποιήθηκε χρησιμοποιώντας τη σκέδαση Mie και τη μέθοδο Monte Carlo.

ΔΗΜΟΣΙΕΥΣΗ No 29:

N. Kalyvas, I. Valais, S. David, Ch. Michail, G. Fountos, **P. Liaparinos** and I. Kandarakis, 'Studying the energy dependence of intrinsic conversion efficiency of single crystal scintillators under X-ray excitation', *Optics and Spectroscopy*, Vol. 116, pp. 743-747, 2014.

Στόχος: Μελέτη της απόδοσης μετατροπής φωτός κρυστάλλων σπινθηριστών σε ιατρικά συστήματα ακτίνων-X.

Συμμετοχή: Στον σχεδιασμό της μελέτης και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ No 30:

I. Seferis, C. Michail, I. Valais, J. Zeler, **P. Liaparinos**, G. Fountos, N. Kalyvas, S. David, F. Stromatia, E. Zych, I. Kandarakis, G. Panayiotakis, 'Light emission efficiency and imaging performance of $Lu_2O_3:Eu$ nanophosphor under X-ray radiography conditions: Comparison with $Gd_2O_2S:Eu$ ', *Journal of Luminescence*, Vol. 151, pp. 229-234, 2014.

Στόχος: Αξιολόγηση της απόδοσης του φθορίζοντος υλικού ($Lu_2O_3:Eu$). Εξετάστηκε πειραματικά καθώς και με αναλυτικές μεθόδους η επίδραση του υλικού στα απεικονιστικά χαρακτηριστικά ενός ακτινογραφικού συστήματος κατά τη χρησιμοποίησή του στο ανιχνευτικό σύστημα.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην εύρεση των νάνο-υλικών, στην καταχώρηση αριθμητικών δεδομένων, στην επεξεργασία και αξιολόγηση των αποτελεσμάτων και στη συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 31:

P.F. Liaparinos, ‘Strain effects on the optical parameters of quantum dots nanocrystals employed in biomedical applications’, *Journal of Luminescence*, Vol. 146, pp. 193-198, 2014.

Στόχος: Μελέτη της επίδρασης μεταβολής του πλέγματος κβαντικών τελειών στις οπτικές τους ιδιότητες για εφαρμογές στη Βιοϊατρική τεχνολογία.

ΔΗΜΟΣΙΕΥΣΗ Νο 32:

P.F. Liaparinos, ‘Optical absorption characteristics in the assessment of powder phosphor-based x-ray detectors: from nano- to micro-scale’, *Physics in Medicine and Biology*, Vol. 60, pp. 8885-8899, 2015.

Στόχος: Μελέτη της επίδρασης των συντελεστών απορρόφησης στην απόδοση και κατανομή του φωτός φθορίζοντων υλικών μικροκλίμακας και νανοκλίμακας για εφαρμογές στη Βιοϊατρική τεχνολογία.

ΔΗΜΟΣΙΕΥΣΗ Νο 33:

S. David, C. Michail, I. Seferis, I. Valais, G. Fountos, **P. Liaparinos**, I. Kandarakis, N. Kalyvas, ‘Evaluation of Gd₂O₂S:Pr granular phosphor properties for X-ray mammography imaging’, *Journal of Luminescence*, Vol. 169, pp. 706-710, 2016.

Στόχος: Αξιολόγηση της απόδοσης του φθορίζοντος υλικού (Gd₂O₂S:Pr). Πραγματοποιήθηκε πειραματική και θεωρητική αξιολόγηση των απεικονιστικών χαρακτηριστικών του υλικού κατά τη χρησιμοποίηση του σε συνθήκες μαστογραφικής απεικόνισης. .

Συμμετοχή: Στον σχεδιασμό της μελέτης, αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 34:

P.F. Liaparinos, ‘Anisotropic optical distribution of powder phosphor materials applied in medical imaging instrumentation, *Applied Physics A*, Vol. 122:93, 1-9, 2016.

Στόχος: Μελέτη της επίδρασης του συντελεστή ανισοτροπίας στην εξασθένηση και κατανομή του φωτός σε κοκκώδη υλικά για εφαρμογές στην τεχνολογία ιατρικών απεικονιστικών συστημάτων.

ΔΗΜΟΣΙΕΥΣΗ Νο 35:

P.F. Liaparinos, ‘Examining phosphor material properties for imaging purposes: the role of the complex refractive index in the optical diffusion performance, *Biomed. Phys. Eng. Express*, Vol. 3, 015006, 2017.

Στόχος: Μελέτη της επίδρασης του μιγαδικού συντελεστή διάθλασης των φθορίζοντων υλικών στην εξασθένηση και κατανομή του φωτός σε κοκκώδη υλικά για εφαρμογές σε ιατρικά απεικονιστικά συστήματα.

ΔΗΜΟΣΙΕΥΣΗ Νο 36:

P. Liaparinos, N. Kalyvas, E. Katsiotis, I. Kandarakis, ‘Investigating the particle packing of powder phosphors for imaging instrumentation technology: An examination of Gd₂O₂S:Tb Phosphor’, *Journal of Instrumentation*, Vol. 11(10) P10001, 2016.

Στόχος: Μελέτη της επίδρασης διαφορετικής πυκνότητας κόκκων στην εξασθένηση και κατανομή του φωτός στο φθορίζον υλικό Gd₂O₂S:Tb.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην ανάπτυξη κώδικα, στην αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 37:

P. Liaparinos, ‘Light beam interactions and emission performance in powder phosphor materials: The role of the binder, Nuclear Instruments and Methods in Physics Research, Section B, Vol. 432, 5-12, 2018.

Στόχος: Μελέτη της επίδρασης του συνδετικού υλικού στην σύνθεση φθορίζοντων υλικών κοκκώδους μορφής ως προς την εξασθένηση και την κατανομή του φωτός.

ΔΗΜΟΣΙΕΥΣΗ Νο 38:

N. Kalyvas, **P. Liaparinos**, ‘Analytical and Monte Carlo comparisons on the optical transport mechanisms of powder phosphors’, *Optical Materials*, Vol. 88, 396-405, 2019.

Στόχος: Συγκριτική μελέτη αναλυτικών μοντέλων και τεχνικών Μόντε Κάρλο στη οπτική διάχυση φθορίζοντων υλικών κοκκώδους μορφής.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην ανάπτυξη κώδικα Μόντε Κάρλο, στην αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 39:

P. Liaparinos, ‘LIGHTAWE – case studies of LIGHT spreAd in poWder materials: a monte carlo simulation tool for research and educational purposes’, *Applied Physics B: Lasers and Optics*, Vol. 125 (2019).

Στόχος: Δημιουργία πακέτου προσομοίωσης Μόντε Κάρλο για τη μελέτη διάδοσης του φωτός σε υλικά κοκκώδους μορφή (για ερευνητικό και εκπαιδευτικό σκοπό). Το πακέτο προσομοίωσης παρέχεται δωρεάν σε κάθε ενδιαφερόμενο.

ΔΗΜΟΣΙΕΥΣΗ Νο 40:

P. Liaparinos, S. David,, ‘The Surface-Roughness Effects on Light Beam Interactions between the CsI Phosphor and Optical Sensing Materials’, *Crystals*, Vol. 10, 174, 2020.

Στόχος: Η μελέτη της επίδρασης της κοκκώδης επιφάνειας του φθορίζοντος υλικού CsI με διάφορους οπτικούς αισθητήρες ως προς την ανάκλαση και διάδοση του φωτός.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην ανάπτυξη κώδικα, στην αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ No 41:

P. Liaparinos, C. Michail, I. Valais, A. Karabotsos, A. Bakas, I. Kandarakis, ‘The effect of the grain size distribution (GSD) on the light emission performance of phosphor-based X-ray detectors’, *Optical Materials*, Vol. 11, 111319, 2021.

Στόχος: Η μελέτη της επίδρασης της κατανομής του μεγέθους κόκκων στη διάδοση και επομπή φωτός σε φθορίζοντα υλικά ιατρικής απεικόνισης.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην ανάπτυξη κώδικα, στην αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ No 42:

P. Liaparinos, ‘Influence of surface roughness on the light transmission through the boundaries of luminescent materials in radiation detectors’, *Optics and Spectroscopy*, Vol. 129, 1257 - 1265, 2021.

Στόχος: Η μελέτη της επίδρασης της κοκκώδης επιφάνειας φθορίζοντων υλικών με διάφορους οπτικούς αισθητήρες ως προς την ανάκλαση και διάδοση του φωτός.

ΔΗΜΟΣΙΕΥΣΗ No 43:

P. Liaparinos, C. Michail, I. Valais, A. Karabotsos, I. Kandarakis, ‘Optical emission characteristics of Gd₂O₂S:Tb powder phosphor under X-ray excitation: the influence of different grain size distributions (GSDs)’, *Applied Physics B: Lasers and Optics*, Vol. 128, 76, (2022).

Στόχος: Η μελέτη της επίδρασης της κατανομής του μεγέθους κόκκων στο υλικό Gd₂O₂S:Tb ως προς τη διάδοση και εκπομπή φωτός σε φθορίζοντα υλικά ιατρικής απεικόνισης.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην ανάπτυξη κώδικα, στην αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ No 44:

P. Liaparinos, ‘Hybrid Detection of Breast Abnormalities Based on Contrast Agents: Introducing a Proof of Concept from a Physics Perspective’, *Sensors*, Vol. 22, 7514, (2022).

Στόχος: Η ανάδειξη χρήσης υβριδικών ανιχνευτικών συστημάτων ιατρικής απεικόνισης με τη βοήθεια κατάλληλων παραγόντων αντίθεσης.

ΔΗΜΟΣΙΕΥΣΗ No 45:

P. Liaparinos, C. Michail, I. Valais, G. Fountos, A. Karabotsos, I. Kandarakis, ‘Grain Size Distribution Analysis of Different Activator Doped Gd₂O₂S Powder Phosphors for Use in Medical Image Sensors’, *Sensors*, Vol. 22, 8702, (2022).

Στόχος: Η μελέτη της επίδρασης του ενεργοποιητή στην κατανομή του μεγέθους κόκκων στο υλικό $Gd_2O_3:Tb$ ως προς τη διάδοση και εκπομπή φωτός.

Συμμετοχή: Στον σχεδιασμό της μελέτης, στην ανάπτυξη κώδικα, στην αξιολόγηση των αποτελεσμάτων και στην συγγραφή του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 46:

N. Kalyvas, A. Chamogeorgaki, C. Michail, A. Skouroliakou, **P. Liaparinos**, I. Valais, G. Fountos, I. Kandarakis, ‘A Novel Method to Model Image Creation Based on Mammographic Sensors Performance Parameters: A Theoretical Study’, *Sensors*, Vol. 23, 2335, (2023).

Στόχος: Η ανάπτυξη μεθόδου δημιουργίας εικόνας βασισμένη στις πειραματικές μετρήσεις ανιχνευτικού συστήματος

Συμμετοχή: Στην αξιολόγηση των αποτελεσμάτων και επεξεργασία κειμένου του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 47:

M. Bekollari, M. Dettoraki, V.Stavrou, A. Skouroliakou, **P. Liaparinos**, ‘Investigating the Structural and Functional Changes in the Optic Nerve in Patients with Early Glaucoma Using the Optical Coherence Tomography (OCT) and RETeval System.’ *Sensors* 23, 4504 (2023).

Στόχος: Η μελέτη των λειτουργικών χαρακτηριστικών των οφθαλμών ασθενών με γλαύκωμα με τη βοήθεια του φορητού συστήματος RETeval. Πραγματοποιήθηκε σύγκριση των αποτελεσμάτων με μετρήσεις συστημάτων OCT

Συμμετοχή: Στην επίβλεψη και καθοδήγηση συνολικά της ερευνητικής δραστηριότητας, στην αξιολόγηση των αποτελεσμάτων και στην επεξεργασία του κειμένου του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 48:

C. Michail, **P. Liaparinos**, N. Kalyvas, I. Kandarakis, G. Fountos, and I. Valais, ‘Phosphors and Scintillators in Biomedical Imaging’, *Crystals*, 14, 169 (2024).

Στόχος: Η επισκόπηση φθορίζόντων υλικών στην ιατρική απεικόνιση

Συμμετοχή: Στην επεξεργασία εικόνων και κειμένου του άρθρου.

ΔΗΜΟΣΙΕΥΣΗ Νο 49:

M. Bekollari, M. Dettoraki, V.Stavrou, D. Glotsos, **P. Liaparinos**, ‘Computer-aided discrimination of glaucoma patients from healthy subjects using the RETeval portable device,’ *Diagnostics*, 14, 349 (2024).

Στόχος: Η μελέτη των λειτουργικών χαρακτηριστικών των οφθαλμών ασθενών με γλαύκωμα με τη βοήθεια του φορητού συστήματος RETeval. Πραγματοποιήθηκε μελέτη αναγνώρισης και διάκρισης παθολογικών χαρακτηριστικών μέσω αλγορίθμων μηχανικής μάθησης.

Συμμετοχή: Στην επίβλεψη και καθοδήγηση συνολικά της ερευνητικής δραστηριότητας, στην αξιολόγηση των αποτελεσμάτων και στην επεξεργασία του κειμένου του άρθρου.

ΣΕ ΕΠΙΣΤΗΜΟΝΙΚΑ ΠΕΡΙΟΔΙΚΑ (ΧΩΡΙΣ IMPACT FACTOR)

ΔΗΜΟΣΙΕΥΣΗ Νο 1:

P. Liaparinos, ‘Monte Carlo simulations in medical imaging’, e-Journal of Science and Technology (e-JST), 364-367, 2009.

ΔΗΜΟΣΙΕΥΣΗ Νο 2:

A. Toutountzis, C. Michail, I. Valais, S. David, N. Kalyvas, **P. Liaparinos**, I. Kandarakis, ‘Light emission efficiency of GdAlO:Ce (GAP:Ce) powder screens under X-ray radiography conditions, e-Journal of Science and Technology (e-JST), 23-29, 2009.

ΔΗΜΟΣΙΕΥΣΗ Νο 3:

N. Kalyvas, **P. Liaparinos**, I. Valais, C. Michail, S. David, and I. Kandarakis, ‘Scintillators in X-ray imaging: The Miscirlu Project’, e-Journal of Science and Technology (e-JST), 1-8, 2015.

ΔΗΜΟΣΙΕΥΣΗ Νο 4:

D. Glotsos, S. Kostopoulos, **P. Liaparinos**, P. Asvestas, I. Kalatzis, ‘The Biomedical Engineering Labor Market in Greece: A Survey Investigating Job Outlook, Satisfaction and Placement,’ Perspectives, Biomedical Engineering Education (2022).

ΔΗΜΟΣΙΕΥΣΗ Νο 5:

P. Liaparinos, S. Kostopoulos, D. Glotsos, I. Kalatzis, “Higher Education of Biomedical Engineering in Greece: Undergraduate Students’ Outcomes from 1989 to 2019”. *Eng. Proc.* 50, 10, (2023).

ΣΕ ΕΠΙΣΤΗΜΟΝΙΚΑ ΒΙΒΛΙΑ ΜΕ ΚΡΙΤΕΣ

- 1) Kandarakis I., Cavouras D., Nikolopoulos D., **Liaparinos P.**, Episkopakis A., Kourkoutas K., Kalivas N., Dimitropoulos N., Sianoudis I., Nomicos C., Panayiotakis G., 'Modelling angular distribution of light emission in granular scintillators used in X-Ray imaging detectors', Recent Advances in Multidisciplinary Applied Physics, Elsevier 2005, pages 909-918, ISBN: 978-0-08-044648-6.

ΣΕ ΠΡΑΚΤΙΚΑ ΕΠΙΣΤΗΜΟΝΙΚΩΝ ΣΥΝΕΔΡΙΩΝ ΜΕ ΚΡΙΤΕΣ

- 1) D. Nikolopoulos, **P. Liaparinos**, S. Tsantis, D. Cavouras, I. Kandarakis, G. Panayiotakis. 'Radiation detection efficiency evaluation of YAP scintillator by Monte-Carlo methods'. International conference of computational methods in sciences and engineering, Kastoria 2003, Greece. Proceedings p. 457.
- 2) D. Nikolopoulos, **P. Liaparinos**, D. Cavouras, A. Louizi, I. Valais, P. Mellissaropoulos, N. Kalivas, G. S. Panayiotakis, C. Nomikos and I. Kandarakis. 'Computational evaluation of radiation detection efficiency of various scintillators by the Monte-Carlo technique'. 2nd Mediterranean conference on medical physics, Cyprus 2004. Proceedings session 1.
- 3) **P. Liaparinos**, D. Cavouras, I. Kandarakis, D. Nikolopoulos and G. Panayiotakis. 'Prediction of imaging scintillator properties by Monte Carlo methods'. 4th European Symposium on Biomedical Engineering, Patras 2004, Greece. Proceedings session 4.
- 4) **Panagiotis F. Liaparinos**, Dionisis A. Cavouras, Dimitris N. Nikolopoulos, Ioannis S. Kandarakis and George S. Panayiotakis. 'Monte Carlo study on imaging parameters of Gd₂O₂S: Tb scintillator for mammographic applications'. 1st International conference 'from scientific computing to computational engineering', Athens 2004, Greece.
- 5) **P. Liaparinos**, I. Kandarakis, D. Cavouras, D. Nikolopoulos and G. Panayiotakis. 'Simulating the emission efficiency and resolution properties of fluorescent screens by Monte Carlo methods'. IEEE NSS/MIC/SNPS and RTSD. Rome 2004, Italy.
- 6) **P. Liaparinos**, I. Kandarakis, D. Cavouras, G. Kontaxakis, A. Santos and G. Panayiotakis. 'The effect of K x-ray photons on nuclear medical detectors'. Congreso Anual de la Sociedad Espanola de Ingenieria Biomedica, Madrid 2005, Spain.
- 7) **P. F. Liaparinos**, I.S. Kandarakis, D. A. Cavouras, H. B. Delis, G.S. Panayiotakis. 'Monte Carlo Study of Phosphor Screens Resolution Properties'. 1st International Conference on Experiments/Process/System Modelling/Simulation/Optimization (1st IC-EpsMsO), Athens 2005, Greece.
- 8) G. D. Patatoukas, **P. F. Liaparinos**, A. D. Gaitanis, I.S. Kandarakis, G.S. Panayiotakis. 'The effect of Non-Ideal Detectors on Energy Weighted Spectra used in X-ray Medical Imaging'. 1st International Conference on Experiments/Process/System Modelling/Simulation/ Optimization (1st IC-EpsMsO), Athens 2005, Greece.

- 9) V. A. Spyropoulou, **P. F. Liaparinos**, A.C. Konstantinidis, A. Gaitanis, G.S. Panayiotakis, I.S. Kandarakis. ‘The effect of Detector Composition and Detector Thickness on Lesion Detectability in X-ray Mammography’. 1st International Conference on Experiments/Process/ System Modelling/Simulation/ Optimization (1st IC-EpsMsO), Athens 2005, Greece.
- 10) **P. Liaparinos**, I. Kandarakis, D. Cavouras, H. Delis and G. Panayiotakis. ‘Investigating the modulation transfer function of granular phosphor screens using Monte Carlo simulation’. 14th International Conference of Medical Physics, Nuremberg 2005, Germany.
- 11) ΝΙΚΟΛΟΠΟΥΛΟΣ Δ, ΚΑΝΔΑΡΑΚΗΣ Ι, **ΛΙΑΠΑΡΙΝΟΣ Π**, ΤΣΑΝΤΙΛΑΣ Ξ, ΒΑΛΛΗΣ Ι, ΚΑΒΟΥΡΑΣ Δ, ΛΟΥΙΖΗ Α, ΚΑΡΑΤΟΠΗΣ Α, ΕΥΘΥΜΙΟΥ Ν, Συγκριτική μελέτη της απόδοσης αντίχνευσης ακτινοβολίας των σπινθηριστών LSO, LuAP, GSO και YAP για εφαρμογή στην τομογραφία εκπομπής ποζιτρονίων με χρήση μεθόδων Monte Carlo. Συνέδριο ΕΠΕΑΕΚ Αρχιμήδης Ι, ΤΕΙ Αθήνας 2005.
- 12) **Liaparinos P.**, Kandarakis I., Cavouras D., Panayiotakis G., ‘Examining the luminescence performance of granular phosphor screens’. 2st International Conference “From Scientific Computing to Computational Engineering” (2nd IC-SCCE), Athens 2006, Greece.
- 13) Konstantinidis A., **Liaparinos P.** , Patatoukas G., Valais I., Nikolopoulos D., Panayiotakis G., Kandarakis I., ‘The effect of the LSO/YSO Concentrations Ratio on the Imaging Characteristics under Mammographic Conditions’. 2st International Conference “From Scientific Computing to Computational Engineering” (2nd IC-SCCE), Athens 2006, Greece.
- 14) Gonias P., Bertsekas N., Karakatsanis N., Saatsakis G., Nikolopoulos D., Loudos G., Sakellios N., Gaitanis A., Papaspyrou L., Daskalakis A., **Liaparinos P.** , Cavouras D., Kandarakis I., Panayiotakis G., ‘Validation of a GATE Model for the Simulation of Scatter Fraction and Count Rate Performance of the Siemens PET Biograph 6 Scanner’. 2st International Conference “From Scientific Computing to Computational Engineering” (2nd IC-SCCE), Athens 2006, Greece.
- 15) Michail C., David S., Valais I., Nikolopoulos D., **Liaparinos P.** , Toutountzis A., Cavouras D., Dimitropoulos N., Kandarakis I., Panayiotakis G., ‘Determination of the Radiation Absorption and Light Emission Properties of Lu₂SiO₅:Ce (LSO) Powder Phosphor using Computational Model and Experimental Techniques in Mammography’. 2st International Conference “From Scientific Computing to Computational Engineering” (2nd IC-SCCE), Athens 2006, Greece.
- 16) A. Konstantinidis, **P. Liaparinos**, G. Panayiotakis, I. Kandarakis. ‘Investigating the influence of the LSO/YSO Scintillators Concentrations Ratio on the Performance of X-ray Detectors by Monte Carlo methods’. 2nd International Conference on Experiments/Process/ System Modelling/Simulation/ Optimization (2nd IC-EpsMsO), Athens 2007, Greece.
- 17) **Παναγιώτης Λιαπαρίνος**, Αναστάσιος Κωνσταντινίδης, Διονύσιος Κάβουρας, Γεώργιος Παναγιωτάκης και Ιωάννης Κανδαράκης, Ανάπτυξη υπολογιστικού

μοντέλου προσομοίωσης φθορίζουσών οθονών ανιχνευτών ακτινοβολίας χ με τεχνικές Monte Carlo. Συνέδριο ΕΠΕΑΕΚ Αρχιμήδης Ι, ΤΕΙ Αθήνας 2007.

- 18) Β. Σπυροπούλου, **Π. Λιαπαρίνος**, Α. Κωνσταντινίδης, Α. Γαϊτάνης, Γ. Παναγιωτάκης και Ι. Κανδαράκης, Η επίδραση της σύνθεσης και του πάχους του ανιχνευτή στην ανιχνευσιμότητα της αλλοίωσης στην μαστογραφία ακτίνων- χ . Συνέδριο ΕΠΕΑΕΚ Αρχιμήδης Ι, ΤΕΙ Αθήνας 2007.
- 19) Κωνσταντινίδης Αναστάσιος, **Λιαπαρίνος Παναγιώτης**, Γεώργιος Παναγιωτάκης και Ιωάννης Κανδαράκης, Μελέτη της επίδρασης της Κ-χαρακτηριστικής ακτινοβολίας σε σπινθηριστές ιατρικής απεικόνισης με χρήση τεχνικών Monte Carlo. 17ο Διαπανεπιστημιακό Συνέδριο Ακτινολογίας, Πάτρα, 2007.
- 20) David S., Michail C., Valais I., Roussou M, Nirgianaki E, Toutountzis A, Fountos G., **Liaparinos P.**, Kandarakis I., Panayiotakis G., ‘Evaluation of the luminescence efficiency of YAG:Ce powder scintillating screens for use in digital mammography detectors’. IEEE Nuclear Science Symposium Conference Record, 3950-3953, Dresden 2008, Germany.
- 21) C. M. Michail, I. G. Valais, A. Toutountzis, I. Seferis, M. Georgousis, G. Fountos, A. Samartzis, **P. Liaparinos**, I. S. Kandarakis and G. S. Panayiotakis ‘Efficiency of $Gd_2O_3:Eu$ powder phosphor as x-ray to light converter under radiographic imaging conditions’, IFMBE Proceedings, pages 794-797, 2009.
- 22) **P. Liaparinos**, ‘Monte Carlo simulations in medical imaging’, 3rd International Conference “From Scientific Computing to Computational Engineering” (3rd IC-SCCE), Athens 2009, Greece.
- 23) A. Serdaris, **P. Liaparinos**, I. Kandarakis. ‘Evaluating and comparing the imaging performance of direct and indirect x-ray converters for applications in digital mammography’. 4th International Conference on Experiments/Process/ System Modelling/Simulation/ Optimization (4th IC-EpsMsO), Athens 2011, Greece.
- 24) N. Kalyvas, C. Michail, , G. Fountos, I. Valais, **P. Liaparinos**, I. Seferis, V. Spyropoulou, A. Mytafidis, G. S. Panayiotakis and I. S. Kandarakis, “Modeling noise properties of a high resolution CMOS detector for X-ray digital mammography”, IEEE Nuclear Science Symposium Conference Record, 23-29 October, Valencia 2011, Spain.
- 25) I. E. Seferis, N. I. Kalyvas, I. G. Valais, C. M. Michail, **P. F. Liaparinos**, G. P. Fountos, E. Zych, I. S. Kandarakis and G. S. Panayiotakis, “Light emission efficiency of $Lu_2O_3:Eu$ nanophosphor scintillating screen under x-ray radiographic conditions”, SPIE Medical Imaging, 09-14 February, 2013, Florida, USA.
- 26) **P. Liaparinos** and I. Kandarakis, “Investigating the optical diffusion capabilities of nanophosphors for use in medical imaging”, SPIE Medical Imaging, 09-14 February, 2013, Florida, USA.
- 27) N. Kalyvas, I. Kandarakis, G. Fountos, I. Valais, **P. Liaparinos**, C. Michail and S. David, “Studying the effect of the activator material on detective quantum efficiency of indirect digital detectors”, 5⁰ Πανελλήνιο συνέδριο βιοϊατρικής τεχνολογίας, 04-06 Απριλίου, 2013, Αθήνα, Ελλάδα.

- 28) Ι. Σεφέρης, Ν. Καλύβας, Ι. Βαλαής, Χ. Μιχαήλ, **Π. Λιαπαρίνος**, Βάια Κούκου, Γεώργιος Φούντος, Ιωάννης Κανδαράκης και Γ. Παναγιωτάκης, “Φωταύγεια νάνο-υλικών: Μελέτη του νάνο-φώσφορου $\text{Lu}_2\text{O}_3:\text{Eu}$ για εφαρμογές ιατρικής απεικόνισης”, 5^ο Πανελλήνιο συνέδριο βιοϊατρικής τεχνολογίας, 04-06 Απριλίου, 2013, Αθήνα, Ελλάδα.
- 29) Ι. Seferis, C. Michail, I. Valais, J. Zeler, **P. F. Liaparinos**, N. Kalyvas, G. Fountos, E. Zych, I. Kandarakis and G. Panayiotakis, “Imaging performance of a thin $\text{Lu}_2\text{O}_3:\text{Eu}$ nanophosphor scintillating screen coupled to a high resolution CMOS sensor under X-ray radiographic conditions: Comparison with $\text{Gd}_2\text{O}_2\text{S}:\text{Eu}$ conventional phosphor screen”, SPIE Medical Imaging, 15-20 February, 2014, San Diego, USA.
- 30) N. Kalyvas **P. Liaparinos**, “Comparing analytical and Monte Carlo optical diffusion models in phosphor-based X-ray detectors”, SPIE Medical Imaging, 15-20 February, 2014, San Diego, USA.
- 31) **P. Liaparinos** and I. Kandarakis, “Examination of the variation of the optical diffusion properties in nanophosphor materials for use in biomedical imaging and instrumentation,” SPIE, Biophotonics South America”, 22-26 May, Brazil, 2015.

ΣΕ ΠΡΑΚΤΙΚΑ ΕΚΠΑΙΔΕΥΤΙΚΩΝ ΣΥΝΕΔΡΙΩΝ ΜΕ ΚΡΙΤΕΣ

- 1) G. Manoussaridis, N. Roussos, **P. Liaparinos**, S. Tsantis, and I. Kandarakis. “Computer-Assisted Laboratory Exercise for Quality Control of Computed Tomography Systems”, 2005 WSEAS International Conference on ENGINEERING EDUCATION, Vouliagmeni, Athens 2005, Greece.
- 2) G. Manoussaridis, N. Kalivas, C. Michail, **P. Liaparinos**, S. Tsantis, and I. Kandarakis. “Computed-Assisted Laboratory Exercises for Quality Control of X-Ray”, 2005 WSEAS International Conference on ENGINEERING EDUCATION, Vouliagmeni, Athens 2005, Greece.
- 3) G. Saatsakis, D. Siapikas, **P. Liaparinos**, S. Tsantis, and I. Kandarakis. “Development of an Educational Software for Teaching Position Emission Tomography Fundamentals”, 2005 WSEAS International Conference on ENGINEERING EDUCATION, Vouliagmeni, Athens 2005, Greece.
- 4) N. Roussos, E. Fasoulis, M. Zisis, N. Arikidis, **P. Liaparinos**, S. Tsantis and I. Kandarakis. “An Educational Software for Two Dimensional Computed Tomography Image”, 2005 WSEAS International Conference on ENGINEERING EDUCATION, Vouliagmeni, Athens 2005, Greece.

ΑΝΑΚΟΙΝΩΣΕΙΣ ΣΕ ΣΥΝΕΔΡΙΑ (ΒΙΒΛΙΟ ΠΕΡΙΛΗΨΕΩΝ)

- 1) **P. Liaparinos**, S. Gounaris, K. Arvanitis, D. Cavouras and I. Kandarakis. ‘Radiation absorption and light generation properties of various scintillators in the photon energy range from 0.5 to 25 MeV for use in medical applications.’, 3rd European Symposium in Biomedical Engineering and Medical Physics, Patras 2002, Greece. Abstracts p.61
- 2) S. Gounaris, K. Arvanitis, **P. Liaparinos**, N. Kalivas, G. Panayiotakis, D. Cavouras and I. Kandarakis. ‘K-fluorescence x-rays probability in new scintillator

materials for use in low and high photon energy medical imaging.’ 3rd European Symposium in Biomedical Engineering and Medical Physics, Patras 2002, Greece. Abstracts p.64.

- 3) K. Arvanitis, **P. Liaparinos**, S. Gounaris, D. Cavouras and I. Kandarakis. ‘Influence of detector material, detector thickness and photon energy on diagnostic image contrast: application to new scintillators.’ 3rd European Symposium in Biomedical Engineering and Medical Physics, Patras 2002, Greece. Abstracts p.60.
- 4) Νικολόπουλος Δημήτρης, Νιργιανάκη Ελευθερία, **Λιαπαρίνος Παναγιώτης**, Λιναρδάτος Διονύσιος, Κανδαράκης Ιωάννης. ‘Εφαρμογή της μεθόδου Monte Carlo στην αξιολόγηση ανιχνευτών ακτινοβολίας συστημάτων ιατρικής απεικόνισης’. 13^ο Διαπανεπιστημιακό ακτινολογικό συνέδριο, Θεσσαλονίκη 2003, Ελλάδα, Περιλήψεις, σ. 158.
- 5) D. Nikolopoulos, **P. Liaparinos**, G. Panayiotakis, D. Cavouras and I. Kandarakis. ‘Radiation detection efficiency of YAP, LSO, GOS scintillators: A comparative evaluation by Monte-Carlo methods.’ 1st International Meeting on Applied Physics, Badajoz 2003, Spain. Abstracts p.213.
- 6) D. Nikolopoulos, **P. Liaparinos**, D. Margetis, D. Linardatos, P. Mellisaropoulos, K. Kourkoutas, G. Panayiotakis, D. Cavouras, I. Kandarakis. ‘Investigation of the radiation detection properties of Lu₂SiO₂:Ce and Gd₂O₂S scintillators for applications in medical imaging’. European Congress of Radiology, Vienna 2004, Austria.
- 7) **P. Liaparinos**, I. Kandarakis, D. Cavouras, D. Nikolopoulos, G. Panayiotakis. ‘Monte Carlo study on radiation absorption properties of Gd₂O₂S, CsI, LSO, CaWO₄ phosphor screens for mammographic x-ray imaging’. European Congress of Radiology, Vienna 2005, Austria.
- 8) **P. Liaparinos**, I. Kandarakis, D. Cavouras, H. Delis, and G. Panayiotakis. ‘Evaluating the radiation detection and light emission properties of the RbGd₂Br₇:Ce scintillator by Monte-Carlo methods’, 3rd International Conference on Imaging Technologies in Biomedical Sciences (ITBS2005), Milos 2005, Greece.
- 9) **P. Liaparinos**, I. Kandarakis, D. Cavouras, H. Delis, G. S. Panayiotakis. ‘Investigating the effect of K-characteristic radiation on the performance of nuclear medicine scintillators by Monte-Carlo methods’, 3rd International Conference on Imaging Technologies in Biomedical Sciences (ITBS2005), Milos 2005, Greece.
- 10) G. Patatoukas, N. Kalivas, **P. Liaparinos**, A. Konstantinidis, I. Kandarakis, G. Panayiotakis. “The effect of non-ideal detectors on energy weighted spectra used in x-ray medical imaging”, 3rd International Conference on Imaging Technologies in Biomedical Sciences (ITBS2005), Milos 2005, Greece.
- 11) C. Michail, S. David, **P. Liaparinos**, I. Valais, D. Nikolopoulos, N. Kalivas, A. Toutountzis, I. Sianoudis, D. Cavouras, N. Dimitropoulos, C. D. Nomicos, K. Kourkoutas, I. Kandarakis, G. S. Panayiotakis. “Evaluation of the imaging performance of LSO powder scintillator for use in x-ray mammography”, 10th International Symposium on Radiation Physics (ISRP-10), Coimbra 2006, Portugal.

- 12) **P. Liaparinos**, I. Kandarakis, D. Cavouras, N. Kalivas, H. Delis, G. Panayiotakis. “Evaluation of high packing density powder x-ray screens by Monte Carlo methods”, 10th International Symposium on Radiation Physics (ISRP-10), Coimbra 2006, Portugal.
- 13) I. Valais, S. David, C. Michail, D. Nikolopoulos, **P. Liaparinos**, D. Cavouras, I. Kandarakis and G. S. Panayiotakis. “Comparative study of luminescence properties of LuYAP:Ce and LYSO:Ce single crystal scintillators for use in medical imaging”, 10th International Symposium on Radiation Physics (ISRP-10), Coimbra 2006, Portugal.
- 14) P. Gonias, N. Bertsekas, N. Karakatsanis, G. Saatsakis, A. Gaitanis, D. Nikolopoulos, G. Loudos, L. Papaspyrou, N. Sakellios, X. Tsantilas, A. Daskalakis, **P. Liaparinos**, K. Nikita, A. Louizi, D. Cavouras, I. Kandarakis, G. S. Panayiotakis. “Validation of a GATE model for the simulation of the Siemens PET/CT biograph™ 6 scanner”, Euromedim 2006 :1st European Conference on Molecular Imaging Technology, Marseille, 9-12 May, 2006, France.
- 15) S. David, C. Michail, I. Valais, D. Nikolopoulos, **P. Liaparinos**, N. Kalivas, I. Kalatzis, A. Toutountzis, N. Efthimiou, G. Loudos, I. Sianoudis, D. Cavouras, N. Dimitropoulos, C. D. Nomicos, I. Kandarakis, G. S. Panayiotakis. “Efficiency of Lu₂SiO₅:Ce (LSO) powder phosphor as X-ray to light converter under mammographic imaging conditions”, Euromedim 2006 :1st European Conference on Molecular Imaging Technology, Marseille, 9-12 May, 2006, France.
- 16) P. Gonias, N. Bertsekas, N. Karakatsanis, G. Saatsakis, D. Nikolopoulos, G. Loudos, L. Papaspyrou, N. Sakellios, X. Tsantilas, A. Gaitanis, L. Papaspyrou, A. Daskalakis, **P. Liaparinos**, A. Louizi, D. Cavouras G. S. Panayiotakis and I. Kandarakis,. “Validation of a Monte Carlo model for the simulation of the Siemens PET/CT biograph™ 6 scanner, using GATE”, EANM’06-Annual Congress of the European Association of Nuclear Medicine, September 30-October 04, Athens, 2006, Greece.
- 17) I. Valais, D. Nikolopoulos, S. David, C. Michael, **P. Liaparinos**, I. Kandarakis, G. S. Panayiotakis. “Investigation of luminescent properties of LSO:Ce, LYSO:Ce and GSO: Ce crystal scintillators under low energy γ -ray excitation used in nuclear imaging”, The 11th Vienna conference on instrumentation, Vienna, 2007, Austria.
- 18) **P. Liaparinos**, G. Kontaxakis, I. Kandarakis, A. Santos. “The performance of Lu_{1.6}Y_{0.4}SiO₅ (LYSO) continuous scintillator in PET medical imaging systems”, SNM Annual Meeting, Washington, 2007, USA.
- 19) A. Konstantinidis, **P. Liaparinos**, G. Panayiotakis and I. Kandarakis. ‘Investigating the effect of K-Fluorescence emission for scintillators containing two heavy elements using Monte Carlo methods’, European Federation of Organisations for Medical Physics (EFOMP), Pisa, 2007, Italy.
- 20) A. Konstantinidis, **P. Liaparinos**, N. Kalivas, G. Panayiotakis, I. Kandarakis. “Investigation of two heavy element scintillators by Monte Carlo methods”, 4th International Conference on Imaging Technologies in Biomedical Sciences (ITBS2007), Milos 2007, Greece.

- 21) S. David, M. Georgiou, E. Fysikopoulos, I. Seferis, G. Panayiotakis, **P. Liaparinos**, I. Valais, I. Sianoudis, A. Aravantinos, G. Fountos, C. Michail, N. Kalyvas, G. Koulouras, C. Antypas, A. Gektin, I. Kandarakis, K. Kourkoutas. "Development of a small field of view gamma-ray imager using LuAg:Pr scintillator," International conference on Bio-medical instrumentations and related engineering and physical sciences, 21-22 July, Athens 2012, Greece.
- 22) N. Kalyvas, **P. Liaparinos**, I. Valais, G. Fountos, C. Michail, S. David and I. Kandarakis. "Scintillators in X-ray imaging: The MISCIRLU project", 2nd International conference on Bio-medical instrumentations and related engineering and physical sciences, 21-22 June, Athens 2013, Greece.
- 23) I. E. Seferis, N. I. Kalyvas, I. G. Valais, C. M. Michail, **P. F. Liaparinos**, G. P. Fountos, E. Zych, I. S. Kandarakis and G. S. Panayiotakis. "Lu₂O₃:Eu nanophosphor as a candidate for digital medical imaging applications", 2nd International conference on Bio-medical instrumentations and related engineering and physical sciences, 21-22 June, Athens 2013, Greece.
- 24) N. Kalyvas, G. Fountos, I. Valais, **P. Liaparinos**, C. Michail, S. David and I. Kandarakis. "Phosphor material activator type and image quality: trading off resolution, noise and sensitivity", 2nd International conference on Bio-medical instrumentations and related engineering and physical sciences, 21-22 June, Athens 2013, Greece.
- 25) G. Fountos, N. Kalyvas, C. Michail, I. Seferis, I. Valais, N. Martini, V. Koukou, **P. Liaparinos**, s. David, I. Kandarakis, G. Nikiforidis and G. Panayiotakis. "Considering image quality metrics calculation by free software", 2nd International conference on Bio-medical instrumentations and related engineering and physical sciences, 21-22 June, Athens 2013, Greece.
- 26) **P. Liaparinos**, N. Kalyvas and I. Kandarakis. "Optical diffusion models in X-ray medical imaging", 2nd International conference on Bio-medical instrumentations and related engineering and physical sciences, 21-22 June, Athens 2013, Greece.
- 27) N. Kalyvas, I. Valais, S. David, Ch. Michail, G. Fountos, **P. Liaparinos**, I. Kandarakis, "Studying the energy dependence of intrinsic conversion efficiency of single crystal scintillators under X-ray excitation", XVth International Feofilov Symposium on Spectroscopy of Crystals Doped with Rare Earth and Transition Metal Ions, Kazan, 2013, Russia.
- 28) I. E. Seferis, C. M. Michail, J. Zeler, I. G. Valais, **P. F. Liaparinos**, N. I. Kalyvas, G. P. Fountos, A. Bakas, I. S. Kandarakis, E. Zych, "X-ray efficiency of LuPO₄:Eu nanophosphor screens", 15th international meeting on chemical sensors, March 16-19, 2014, Buenos Aires, Argentina.
- 29) I. Valais, S. David, C. Michail, A. Bakas, N. Kalyvas, K. Kourkoutas, I. Seferis, I. Kandarakis and **P. F. Liaparinos**, "Light emission measurements of LFS-3 and GAGG:Ce single crystal samples under X-ray radiographic conditions", Tipp, International conference on technology and instrumentation in particle physics, 2014, Amsterdam, Netherlands.
- 30) S. David, C. Michail, I. Seferis, I. Valais, G. Fountos, **P. Liaparinos**, I. Kandarakis and N. Kalyvas,, "Evaluation of Gd₂O₂S:Pr granular phosphor

properties for x-ray mammographic imaging”, 17th international conference on luminescence and optical spectroscopy of condensed matter (ICL2014), Wroclaw, 13-18 July, 2014.

- 31) I. E. Seferis, C. M. Michail, J. Zeler, I. G. Valais, T. Sideras, **P. F. Liaparinos**, N. I. Kalyvas, G. P. Fountos, A. Bakas, I. S. Kandarakis, E. Zych, “X-ray luminescence efficiency and detector quantum gain of LuPo₄: Eu nanophosphor,” 8th European conference on Medical Physics, 11-13 September, Athens, Published in *Physica Medica: European Journal of Medical Physics*.
- 32) **P. Liaparinos**, S. David and I. Kandarakis, “The effect of light wavelength on optical anisotropy of granular phosphor-based indirect X-ray detectors,” *Medical Physics Meeting 2015*”, 13-16 May, Warsaw, Poland, 2015.
- 33) S.L.David, C.M.Michail, I.G.Valais, N.I.Kalyvas, A.Bakas, **P.Liaparinos**, I.S.Kandarakis, K.Kourkoutas, ‘Luminescent and scintillation properties of GAGG:Ce single crystals under X-ray excitation’, 13-16 May, Warsaw, Poland, 2015.
- 34) **P. Liaparinos**, I. Kandarakis, “Advanced nanophosphor materials of different porosity for use in medical imaging,” *EuroNanoForum 2015 conference*”, 10-12 June, Riga, Latvia, 2015.
- 35) N. Kalyvas, C. Michail, G. Fountos, I. Valais, **P. Liaparinos**, S. David, I. Kandarakis. “A theoretical study of optical photon propagation in granular scintillator detector” *BIOMEPE 2015 - Conference on Bio-Medical Instrumentation and related Engineering and Physical Sciences*, June, Athens, 2015.
- 36) **P. Liaparinos**, N. Kalyvas, S. David, C. Michail, I. Valais, G. Fountos, I. Kandarakis. “Study on the optical diffusion performance of granular phosphors employed in medical imaging” *BIOMEPE 2015 - Conference on Bio-Medical Instrumentation and related Engineering and Physical Sciences*, June, Athens, 2015.
- 37) S. David, I. Valais, C. Michail, N. Kalyvas, **P. Liaparinos**, I. Kandarakis. “Absolute efficiency and statistical distribution of the light flashes emitted by the GOS:Pr powder phosphor screens under X-ray general radiography imaging conditions” *BIOMEPE 2015 - Conference on Bio-Medical Instrumentation and related Engineering and Physical Sciences*, June, Athens, 2015.
- 38) N. Kalyvas, I. Valais, C. Michail, G. Fountos, **P. Liaparinos**, S. David, I. Kandarakis. “Experimental and theoretical study of the photoreceptor effect in indirect conversion digital detectors” *BIOMEPE 2015 - Conference on Bio-Medical Instrumentation and related Engineering and Physical Sciences*, June, Athens, 2015.
- 39) **P. Liaparinos**, N. Kalyvas, I. Kandarakis, “Optical anisotropy investigation based on the variation of light wavelength” *International Conference Science in Technology’ ScinTE 2015*, November, Athens, 2015.
- 40) N. Kalyvas, C. Michail, G. Fountos, I. Seferis, I. Valais, **P. Liaparinos**, S. David, A. Bakas, G. Panayiotakis and I. Kandarakis, “Modeling a CMOS based indirect

imaging detector. Effect of bit depth and detector software' International Conference *Science in Technology*' ScinTE 2015, November, Athens, 2015.

- 41) G. Kleideri, **P. Liaparinos**, "The examination of the binder on the optical performance of phosphor materials used in medical imaging systems' BIOMEPE 2017 - Conference on Bio-Medical Instrumentation and related Engineering and Physical Sciences, October, Athens, 2017.
- 42) **P. Liaparinos**, N. Kalyvas, E. Katsiotis, I. Kandarakis, "The role of particle packing of powder phosphor-based X-ray detectors through Monte Carlo simulation techniques' BIOMEPE 2017 - Conference on Bio-Medical Instrumentation and related Engineering and Physical Sciences, October, Athens, 2017.
- 43) **P. Liaparinos**, N. Kalyvas, I. Kandarakis, "Monte Carlo study of particle packing effects of powder phosphors for medical imaging purposes' RAD2017 – Fifth international conference on radiation and applications in various fields of research, June, Budva, Montenegro, 2017.
- 44) **P. F. Liaparinos**, N. Kalyvas, I. Kandarakis, "Surface roughness effects on light detection performance in microscopy systems' Focus on Microscopy, FOM2019, April, London, 2019.
- 45) Stayros Kallivokas, Ioannis Kandarakis, Eleutherios Labdas, **Panagiotis Liaparinos**, Maria Gavra, Maria Chasiotou, Dimitrios Verganelakis, Vasilios Papadakis, Haroula Tsipou, Natalia Tourkantoni, Euthymia Rigatou, Dimitrios Demenagas, Vassiliki Lyra, "18F-FDG PET/CT Imaging in Bone and SoftTissue Pediatric Sarcomas: Experience from the Children's Hospital of Greece," Anniversary Conference 20 Years Cyprus Society of Nuclear Medicine (CySNM20) Limassol Cyprus, 6th – 10th November 2019.
- 46) A. Χαμογεωργάκη, X. Μιχαήλ, A. Σκουρολιάκου, **Π. Λιαπαρίνος**, I. Βαλαής, Γ. Φούντος, N. Καλύβας, 'Μέθοδος in-silico αξιολόγησης παραμετρων απεικόνισης στη ψηφιακή μαστογραφία ακτίνων-X,' 11^ο Πανελλήνιο συνέδριο ακτινοτεχνολογίας, 14-16 Οκτωβρίου, Καστοριά, Ελλάδα. 2022.
- 47) M. Kalakos, A. Fountou, G. Fasoulas, G. Fountos, N. Kalyvas, **P. Liaparinos**, 'Novel teeth phantom development for dental X-ray imaging applications,' Physica Medica, Volume 104, Supplement 2, S32, December 2022, 1^ο Πανελλήνιο συνέδριο Ιατρικής Φυσικής, 2325 Σεπτεμβρίου, Αθήνα, 2022.
- 48) **P. Liaparinos**, C. Michail, I. Valais, A. Karabotsos, G. Fountos, I. Kandarakis, Investigating different particle size distributions on light emission performance of indirect X-ray detectors,' Physica Medica, Volume 104, Supplement 2, S32, December 2022, 1^ο Πανελλήνιο συνέδριο Ιατρικής Φυσικής, 2325 Σεπτεμβρίου, Αθήνα, 2022.
- 49) M. Papaioannou, E. Lavdas, **P. Liaparinos**, G. Panayiotakis, 'Evaluating the influence of the detective system on the image quality of knee X-ray radiography,' Physica Medica, Volume 104, Supplement 2, S32, December 2022, 1^ο Πανελλήνιο συνέδριο Ιατρικής Φυσικής, 2325 Σεπτεμβρίου, Αθήνα, 2022.
- 50) Dimitris Glotsos, Emmanouil Athanasiadis, Efstratios David, **Panagiotis Liaparinos**, Spiros Kostopoulos, 'Bringing education closer to the labor-market:

The biomedical engineering example,' 7th International conference on advanced research in education, teaching, and learning -ARETL, 17-19 March, Berlin, Germany, 2023.

- 51) Kasdagli Evangelia, Potiriadis Nikolaos, **Liaparinos Panagiotis**, Skouroliakou Aikaterini, and David Stratos, 'Development and Evaluation of a Portable Gamma Radiation Detector with Spectroscopic Capabilities,' Advances in Biomedical sciences, engineering and technology (ABSET) Athens, June 10-11, Greece, 2023.
- 52) Kalakos Michalis, Fountou Anastasia, Fasoulas George, Fountos George, Kalyvas Nektarios, and **Liaparinos Panagiotis**, 'Dental Phantom for X-ray Imaging,' Advances in Biomedical sciences, engineering and technology (ABSET) Athens, June 10-11, Greece, 2023.
- 53) Potiriadis Nikolaos, **Liaparinos Panagiotis**, Skouroliakou Aikaterini, and David Stratos, 'Detection and Identification of Radioisotopes via Silicon Photomultiplier-Based Scintillation Detector,' Advances in Biomedical sciences, engineering and technology (ABSET) Athens, June 10-11, Greece, 2023.
- 54) Chatzipetros Emmanuel, **Liaparinos Panagiotis**, Kandarakis Ioannis and David Stratos, 'Experimental Construction and Evaluation of a Geiger Muller Gamma Ray Radiation Detector,' Advances in Biomedical sciences, engineering and technology (ABSET) Athens, June 10-11, Greece, 2023.
- 55) **Liaparinos Panagiotis**, Kostopoulos Spiros, Glotsos Dimitris, Kalatzis Ioannis, 'Higher Education of Biomedical Engineering in Greece: Undergraduate students' outcomes from 1989 to 2019,' Advances in Biomedical sciences, engineering and technology (ABSET) Athens, June 10-11, Greece, 2023.
- 56) Glotsos Dimitris, Kostopoulos Spiros, **Liaparinos Panagiotis**, Asvestas Pantelis, Kalatzis Ioannis, 'The Profession of the Biomedical Engineer in Greece: A Questionnaire-based Survey,' Advances in Biomedical sciences, engineering and technology (ABSET) Athens, June 10-11, Greece, 2023.
- 57) Bekollari Marsida, Dettoraki Maria, Stavrou Valentina, Skouroliakou Aikaterini, and **Liaparinos Panagiotis**, 'Detecting Changes in the Optic Nerve of Early Glaucoma Patients Using the RETeval System,' Advances in Biomedical sciences, engineering and technology (ABSET) Athens, June 10-11, Greece, 2023.
- 58) Nikolaos Potiriadis, David Stratos, Marios Stogiannos, **Panagiotis Liaparinos**, Aikaterini Skouroliakou, Ilia Kmendo, Georgy A. Dosovitskiy, 'Spectral matching factor calculations between (Gd,Y)₃(Al,Ga)₅O₁₂ fluorescent screens of various activators and photodetectors,' International conference on radiation applications (RAP 2023), May 29–June 2, 2023, Hellenic Centre for Marine Research (HCMR), Anavyssos, Attica, Greece.
- 59) M. Kalakos, A. Fountou, G. Fasoulas, G. Fountos, N. Kalyvas, **P. Liaparinos**, 'Dental X-ray imaging: The construction of a novel teeth phantom,' International conference on radiation applications (RAP 2023), May 29–June 2, 2023, Hellenic Centre for Marine Research (HCMR), Anavyssos, Attica, Greece.
- 60) Marsida Bekollari, Maria Dettoraki, Valentina Stavrou, Aikaterini Skouroliakou, **Panagiotis Liaparinos**, 'Evaluating changes in retinal nerve fiber layer and photopic negative response for patients under glaucoma treatment,' International

conference on radiation applications (RAP 2023), May 29–June 2, 2023, Hellenic Centre for Marine Research (HCMR), Anavyssos, Attica, Greece.

- 61) Nikolaos Potiriadis, Aikaterini Skouroliakou, **Panagiotis Liaparinos**, Stratos David, “Energy resolution evaluation of 3x3 mm² GAGG:Ce scintillators coupled to various SiPMs the International Conference on Radiation Applications (RAP 2024), June 12-14, Faculty of Science, University of Granada, Spain. Accepted.
- 62) Marsida Bekollari, Maria Dettoraki, Valentina Stavrou, Dimitris Glotsos and **Panagiotis Liaparinos**, ‘Classification of glaucomatous patients from normal subjects using the portable RETeval device and machine learning algorithms,’ 2^o Πανελλήνιο συνέδριο Ιατρικής Φυσικής, 04-06 Οκτωβρίου, 2024, Αθήνα, Ελλάδα. Υποβληθέν.

ΠΑΡΑΡΤΗΜΑ Β:

ΑΝΑΦΟΡΕΣ ΑΠΟ ΑΛΛΟΥΣ ΕΡΕΥΝΗΤΕΣ (CITATIONS)

ΑΗΜΟΣΙΕΥΣΗ Νο1: **P. Liaparinos**, I. Kandarakis, D. Cavouras, H. Delis, G. S. Panayiotakis, ‘Investigating the effect of K-characteristic radiation on the performance of nuclear medicine scintillators by Monte-Carlo methods’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, Vol. 569, pp. 364-367, 2006

1. Anastasios C. Konstantinidis, ‘Investigation of scintillators of two k-absorption edges using Monte Carlo techniques’, Master thesis 2007, School of Medicine, Department of Medical Physics, University of Patras.

ΑΗΜΟΣΙΕΥΣΗ Νο 2: **P. Liaparinos**, I. Kandarakis, D. Cavouras, H. Delis, and G. Panayiotakis, ‘Evaluating the radiation detection of the RbGd₂Br₇:Ce scintillator by Monte-Carlo methods’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, Vol. 569, pp. 355-358, 2006.

2. Benetti, M., Tarolli, A., Giacomini, G., Piemonte, C., Dalla Betta, G.-F., ‘Simulation and characterization of different setups for gamma ray detection using SiPMs and LYSO scintillators’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 658 ,61-65 (2011).
3. Michele Benetti, ‘Simulation and Characterization of Single Photon Detectors for Fluorescence Lifetime Spectroscopy and Gamma-ray Applications’, PhD thesis 2002, School of Information and Communication Technology, Department of Medical Physics, University of Trento.

ΑΗΜΟΣΙΕΥΣΗ Νο 3: I. Kandarakis, D. Cavouras, D. Nikolopoulos, A. Episkopakis, N. Kalivas, **P. Liaparinos**, I. Valais, G. Kagadis, K. Kourkoutas, I. Sianoudis, N. Dimitropoulos, C. Nomicos, G. Panayiotakis, ‘A theoretical model evaluating the angular distribution of

luminescence emission in X-ray scintillating screens' *Applied Radiation and Isotopes*, Vol. 64, pp. 508-519, 2006.

4. Erpul, G., Gabriels, D., Pinar, M. Ö., Sagun, Ç., & Cornelis, W. Splash detachment of sand particles under varying contact stress field of wind-driven raindrop impact. *Earth Surface Processes and Landforms*, 46(14), 2870-2883 (2021).
5. Sostero, L. Analysis and optimization of a scintillator calorimeter system for pulsed radiation spectrometry at ELI beamlines. (2022).
6. Zhao, C., Ren, J., Lei, L., Liao, F., Shi, X., Zhou, D., .. & Zhao, Y. (2021). Tenfold efficiency improvement of x-ray radioluminescent batteries basing on GAGG: Ce single crystal scintillators. *Applied Physics Letters*, 119(22). (2021).
7. Lindström, J., Carlsson, G. A., Wåhlin, E., Tedgren, Å. C., & Poludniowski, G. (2020). Experimental assessment of a phosphor model for estimating the relative extrinsic efficiency in radioluminescent detectors. *Physica Medica*, 76, 117-124. (2020)
8. Kononenko, S., Mysiura, I., Zhurenko, V., Shyshkin, O., & Kalantaryan, O. Angular Dependence of Ionoluminescence for Silica Case. *East European Journal of Physics*, (4), 35-41. (2020).
9. Herbert, S., Marowsky, G., & Loosen, P. Bildgebung im kurzwelligen Spektralbereich zur Inspektion von Nanodefekten (No. RWTH-2019-02545). Lehrstuhl für Technologie optischer Systeme (2019).
10. Saleh, M., Lynn, K. G., & McCloy, J. S. Evaluation of undoped ZnS single crystal materials for x-ray imaging applications. In *Window and Dome Technologies and Materials XV* (Vol. 10179, p. 1017904). International Society for Optics and Photonics. (2017).
11. Psichis, K., Kalyvas, N., Kandarakis, I., & Panayiotakis, G. An analytical approach to the light transport in columnar phosphors. Detector Optical Gain, angular distribution and the CsI: Tl paradigm. *Physica Medica*, 35, 39-49 (2017).
12. Martínez Fuentes, M. A. Análisis de iones supratérmicos en el TJ-II con una sonda luminiscente e investigación de sus mejoras instrumentales y métodos físicos (2017).
13. Konstantinos Psichis, 'Signal transfer characteristics of columnar phosphors used in X-ray imaging', PhD thesis 2017, School of Medicine, Department of Medical Physics, University of Patras.
14. Yannakopoulos, P. H., Nikolopoulos, D., Petraki, E., & Tseles, D. Digital Radiation Sensors and Nanosensory Systems. In *Nuclear Radiation Nanosensors and Nanosensory Systems* (pp. 9-18). Springer Netherlands. (2016).
15. Van Bremen, R., Gomes, D. R., de Jeer, L. T. H., Ocelík, V., & De Hosson, J. T. M. On the optimum resolution of transmission-electron backscattered diffraction (t-EBSD). *Ultramicroscopy*, 160, 256-264 (2016).

16. Badri Meparishvili, Gulnara Janelidze and Gela Goderdzishvil, ‘Mobile Multi-Robot Systems Control Based on Evolutionary Algorithms’, International Scientific Conference eRA-7, ISSN 1791- 1133 (2015).
17. Nikolopoulos, D., Kalyvas, N., Valais, I., Argyriou, X., Vlamakis, E., Sevvos, T., Kandarakis, I., ‘A semi-empirical Monte Carlo based model of the Detector Optical Gain of Nuclear Imaging scintillators,’ Journal of Instrumentation, 7 , P11021 (2012).
18. A. Petropoulou, N. Kalyvas, I. Kandarakis, I. Valais, G. S. Panayiotakis, ‘A theoretical model describing the light emission efficiency of single-crystal scintillators in the diagnostic energy range’, Journal of Instrumentation P06016, (2009).
19. J. A. Griffith, M. G. Metaxas, G. J. Royle, C. Venanzi, C. Esbrand, D. Cavouras, A. Fant, R.D. Speller, ‘Design and characterization of the I-Imas multi-element X-ray detector system’, IEEE Trans. Nucl. Sci., 55, 827-832 (2008).
20. N. Kalivas, I. Valais, D. Nikolopoulos, A. Konstantinidis, A. Gaitanis, D. Cavouras, C. D. Nomicos, G. Panayiotakis, I. Kandarakis. ‘Light emission efficiency and imaging properties of YAP:Ce granular phosphor screens’, Applied Physics A, 89, 443-449 (2007).

ΔΗΜΟΣΙΕΥΣΗ Νο 4: G. Patatoukas, N. Kalivas, **P. Liaparinos**, A. Konstantinidis, I. Kandarakis, G. Panayiotakis, ‘The effect of energy weighting on the SNR under the influence of non-ideal detectors in mammographic applications’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, Vol. 569, pp. 260-263, 2006.

21. Asemi, N. N., Aljaafreh, M. J., Prasad, S., Aldawood, S., AlSalhi, M. S., & Aldaghri, O. Efficient liquid scintillator loaded with a light-emitting conjugated oligomer for beta-and gamma-ray spectroscopic measurements. *Radiation Measurements*, 156, 106826. (2022).
22. Ullherr, M. Optimization of Image Quality in High-Resolution X-Ray Imaging (Doctoral dissertation, Universität Würzburg), (2021).
23. Yannakopoulos, P. H., Nikolopoulos, D., Petraki, E., & Tseles, D. Digital Radiation Sensors and Nanosensory Systems. In *Nuclear Radiation Nanosensors and Nanosensory Systems* (pp. 9-18). Springer Netherlands (2016).
24. Lee, H. C., Shin, W. G., Park, H. J., Yoo, D. H., Choi, C. I., Park, C. S., ... & Min, C. H. Validation of energy-weighted algorithm for radiation portal monitor using plastic scintillator. *Applied Radiation and Isotopes*, 107, 160-164 (2016).
25. Seferis, I.E., Michail, C.M., Valais, I.G., Fountos, G.P., Kalyvas, N.I., Stromatia, F., Oikonomou, G., (...), Panayiotakis, G.S., ‘On the response of a europium doped phosphor-coated CMOS digital imaging detector,’ *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment* 729, 307-315 (2013).
26. Cho, H.-M., Kim, H.-J., Choi, Y.-N., Lee, S.-W., Ryu, H.-J., Lee, Y.-J., ‘The effects of photon flux on energy spectra and imaging characteristics in a photon-counting x-ray detector,’ *Physics in Medicine and Biology* 58, 4865-4879 (2013).

27. Rousseau, J., Radisson, P., Boudou, C., 'Energy weighting with a CdTe spectrometric detector,' IEEE Nuclear Science Symposium Conference Record, 6154748 , 4632-4635 (2012).
28. Ding, H., Ducote, J.L., Molloi, S., 'Breast composition measurement with a cadmium-zinc-telluride based spectral computed tomography system,' Medical Physics, 39, 1289-1297 (2012).
29. K. Ninos, D. Cavouras, G. Fountos, I. Kandarakis, 'The effect of scintillator response on signal difference to noise ratio in X-ray medical imaging', NIMA 622 246-255, (2010).
30. H. Q. Le, J. L. Ducote, S. Molloi, 'Radiation dose reduction using a CdZnTe-based computed tomography system: Comparison to flat-panel detectors', Medical Physics 37, 1225-1236, (2010).
31. J. S. Butzer, A. P. H. Butler, P. H. Butler, P. J. Bones, N. Cook, L. Tlustos, 'Medipix imaging- Evaluation of datasets with PCA datasets', 23rd International Conference Image and Vision Computing, New Zealand, IVCNZ (2008).
32. Michail M Christos, 'Investigation of optical and imaging characteristics of fluorescent screens for use in digital imaging detectors suitable for telemedicine', PhD thesis 2010, School of Medicine, Department of Medical Physics, University of Patras.
33. Ioannis Seferis, 'Investigatoin and imaging characteristics of a CMOS sensor based digital detector coupled to a red emitting fluorescent screen', Master thesis 2013, School of Medicine, Department of Medical Physics, University of Patras.

ΑΗΜΟΣΙΕΥΣΗ No 5: P. Liaparinos, I. Kandarakis, D. Cavouras, H. Delis, G. Panayiotakis, 'Modeling granular phosphor screens by Monte Carlo methods', *Medical Physics*, Vol. 33, pp. 4502-4514, 2006.

34. Li, O. Y., Wang, Y., Zhang, Q., & Li, Y. H. Parallel computing approach for efficient 3-D X-ray-simulated image reconstruction. *Nuclear Science and Techniques*, 34(7), 101. (2023).
35. Dow, S., Howansky, A., Lubinsky, A. R., & Zhao, W. Spatial frequency-dependent pulse-height spectrum and method for analyzing detector DQE (f) from ensembles of single X-ray images. *Medical Physics*, 49(1), 107-128. (2022).
36. Park, H., Paganetti, H., Schuemann, J., Jia, X., & Min, C. H. (2021). Monte Carlo methods for device simulations in radiation therapy. *Physics in Medicine & Biology*, 66(18), 18TR01 (2021).
37. Fielding, A. Monte Carlo Techniques for Megavoltage Imaging. In *Monte Carlo Techniques in Radiation Therapy* (pp. 49-59). CRC Press. (2021).
38. Souza, M. P. D. Avaliação da função de transferência de modulação para receptores de CsI e a-Se em mamografia digital utilizando simulações Monte Carlo. (2021).
39. de Souza, M. P., Assis, C. A. S. C., & da Cunha, D. M. Avaliação da Função de Transferência de Modulação de Receptores de Imagem de CsI em Mamografia

- Digital Utilizando Simulações Monte Carlo. *Revista Brasileira de Física Médica*, 15, 630-630. (2021).
40. Dow, S., Howansky, A., Lubinsky, A. R., & Zhao, W. Evaluation of a hybrid direct–indirect active matrix flat-panel imager using Monte Carlo simulation. *Journal of Medical Imaging*, 7(3), 033501. (2020).
 41. Lindström, J., Carlsson, G. A., Wåhlin, E., Tedgren, Å. C., & Poludniowski, G. Experimental assessment of a phosphor model for estimating the relative extrinsic efficiency in radioluminescent detectors. *Physica Medica*, 76, 117-124. (2020).
 42. Yao, M., Kaftandjian, V., Peterzol-Parmentier, A., Schumm, A., & Duvauchelle, P. Hybrid Monte Carlo and deterministic simulation approach for modeling a computed radiography imaging chain from X-ray exposure to optical readout. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 941, 162328 (2019).
 43. Midgley, S., Schleich, N., Merchant, A., & Stevenson, A. CT dosimetry at the Australian Synchrotron for 25–100 keV photons and 35–160 mm-diameter biological specimens. *Journal of synchrotron radiation*, 26(2) (2019).
 44. Seok, I. C., Lee, C. M., & Hahn, J. W. Theoretical Analysis of the Lock-on Range of a Man-portable Air Defense System Under Foggy Conditions with the Radiative-transfer Equation. *Korean Journal of Optics and Photonics*, 30(1), 1-7. (2019).
 45. Dow, S., Howansky, A., & Zhao, W. Evaluation of novel multilayer x-ray detector designs using rapid Monte Carlo simulation. In *Medical Imaging 2018: Physics of Medical Imaging* (Vol. 10573, p. 105730K). International Society for Optics and Photonics. (2018)
 46. Song, J., Shim, H. B., & Hahn, J. W. Analytical model for designing a high-energy-efficiency granular double-layer X-ray scintillator with a diffuse reflection layer. *Optics express*, 26(17), 21642-21655. (2018).
 47. Shi, M., Myronakis, M., Hu, Y. H., Morf, D., Rottmann, J., & Berbeco, R. A Monte Carlo study of the impact of phosphor optical properties on EPID imaging performance. *Physics in Medicine & Biology*, 63(16), 165013. (2018).
 48. Star-Lack, Josh. "Advanced technologies for beam's eye view imaging." *Beam's Eye View Imaging in Radiation Oncology*. CRC Press, 211-231 (2018).
 49. Howansky, A., Lubinsky, A. R., Suzuki, K., Ghose, S., & Zhao, W. (2018). An apparatus and method for directly measuring the depth-dependent gain and spatial resolution of turbid scintillators. *Medical physics*, 45(11), 4927-4941 (2018).
 50. Ding, L. A Theoretical investigation of Embedded Scintillator Optical Fibre Sensors for Use in Real-Time X-ray and γ -ray Dosimetry (Doctoral dissertation, Cardiff University). (2017).
 51. Shim, H. B., Song, J., & Hahn, J. W. Analytic solution of the radiative transfer equation for the analysis of the efficiency and spatial resolution of a granular X-ray scintillator. *Optics Express*, 25(26), 32686-32696 (2017).
 52. Berbeco, Ross I. *Beam's Eye View Imaging in Radiation Oncology*. CRC Press, (2017).

53. Solodovnyk, A., Riedel, D., Lipovšek, B., Osvet, A., Gast, J., Stern, E., ... & Brabec, C. J. Determination of the complex refractive index of powder phosphors. *Optical Materials Express*, 7(8), 2943-2954 (2017).
54. Roncali, E., Mosleh-Shirazi, M. A., & Badano, A.. Modelling the transport of optical photons in scintillation detectors for diagnostic and radiotherapy imaging. *Physics in Medicine & Biology*, 62(20), R207 (2017).
55. Howansky, A., Lubinsky, A. R., Ghose, S. K., Suzuki, K., & Zhao, W. (2017, March). Direct measurement of Lubberts effect in CsI: Tl scintillators using single x-ray photon imaging. In *Medical Imaging: Physics of Medical Imaging* (Vol. 10132, p. 1013209). International Society for Optics and Photonics (2017).
56. Myronakis, M., Star-Lack, J., Baturin, P., Rottmann, J., Morf, D., Wang, A., ... & Berbeco, R. I.. A novel multilayer MV imager computational model for component optimization. *Medical physics*, 44(8), 4213-4222 (2017).
57. Seferis, I. E., Zeler, J., Michail, C., Valais, I., Fountos, G., Kalyvas, N., ... & Zych, E. «On the response of semitransparent nanoparticulated films of LuPO₄: Eu in poly-energetic X-ray imaging applications» *Applied Physics A*, 122(5), 1-10 (2016).
58. I. S. Kandarakis, 'Luminescence in Medical Image Science', *Journal of Luminescence*, 169, 553-558 (2016).
59. Solodovnyk, A.. Design and In-Depth Optical Studies of Advanced Material Concepts for Luminescent Down-Shifting Coatings for Photovoltaics (2016).
60. Midgley, S., and N. Schleich. "Dual-energy X-ray analysis using synchrotron computed tomography at 35 and 60 keV for the estimation of photon interaction coefficients describing attenuation and energy absorption." *Journal of synchrotron radiation* 22, 807-818 (2015).
61. Zyazin, Alexander S., and Inge M. Peters. "Complete optical stack modeling for CMOS-based medical x-ray detectors." *SPIE Medical Imaging*. International Society for Optics and Photonics, (2015).
62. Badri Meparishvili, Gulnara Janelidze and Gela Goderdzishvil, 'Mobile Multi-Robot Systems Control Based on Evolutionary Algorithms', International Scientific Conference eRA-7, ISSN 1791- 1133 (2015).
63. Yao, M., Duvauchelle, P., Kaftandjian, V., Peterzol-Parmentier, A., & Schumm, A. X-ray imaging plate performance investigation based on a Monte Carlo simulation tool. *Spectrochimica Acta Part B: Atomic Spectroscopy*, 103, 84-91 (2015).
64. Star-Lack, J., Sun, M., Meyer, A., Morf, D., Constantin, D., Fahrig, R., & Abel, E. Rapid Monte Carlo simulation of detector DQE (f). *Medical physics*, 41(3), 031916 (2014).
65. Kubrin, R., 'Nanophosphor coatings: Technology and applications, opportunities and challenges' *KONA Powder and Particle Journal* 31, 22-52 (2014).
66. Abel, E., Sun, M., Constantin, D., Fahrig, R., Star-Lack, J., 'User-friendly, ultra-fast simulation of detector DQE(f),' *Progress in Biomedical Optics and Imaging - Proceedings of SPIE* 8668 , 86683 (2013).
67. Fast, M.F., Teymurazyan, A., Pang, G., Oelfke, U., Rowlands, J.A., 'Finding an improved amorphous-silicon x-ray flat-panel detector configuration for the in-line geometry,' *Physics in Medicine and Biology* 58, 2305-2324 (2013).

68. Poludniowski, G.G., Evans, P.M., 'Optical photon transport in powdered-phosphor scintillators. Part II. Calculation of single-scattering transport parameters,' *Medical Physics* 40, 041905 (2013).
69. Poludniowski, G.G., Evans, P.M., 'Optical photon transport in powdered-phosphor scintillators. Part I. Multiple-scattering and validity of the Boltzmann transport equation,' *Medical Physics* 40, 041904 (2013).
70. Hu, R., Luo, X., Zheng, H., Liu, S., 'Optical constants study of YAG:Ce phosphor layer blended with SiO₂ particles by Mie theory for white light-emitting diode package,' *Frontiers of Optoelectronics* 5, 138-146 (2012).
71. Hu, R., Zheng, H., Hu, J., Luo, X., 'Comprehensive study on the transmitted and reflected light through the phosphor layer in light-emitting diode packages,' *IEEE/OSA Journal of Display Technology* 9, 447-452 (2013).
72. Holton, J.M., Nielsen, C., Frankel, K.A., 'The point-spread function of fiber-coupled area detectors,' *Journal of Synchrotron Radiation* 19, 1006-1011 (2012).
73. Nikolopoulos, D., Kalyvas, N., Valais, I., Argyriou, X., Vlamakis, E., Sevvos, T., Kandarakis, I., 'A semi-empirical Monte Carlo based model of the Detector Optical Gain of Nuclear Imaging scintillators,' *Journal of Instrumentation*, 7, P11021 (2012).
74. Kim, H.K., Lim, C.H., Tanguay, J., Yun, S., Cunningham, I.A., 'Spectral analysis of fundamental signal and noise performances in photoconductors for mammography,' *Medical Physics* 39, 2478-2490 (2012).
75. C. M. Michail, V. A. Spyropoulou, G. P. Fountos, N. I. Kalyvas, I. G. Valais, I. S. Kandarakis, G. S. Panayiotakis, 'Experimental and theoretical evaluation of a high resolution CMOS based detector under X-ray imaging conditions', *IEEE Trans. Nuclear Science* 58 314-322 (2011).
76. D. Waterman, G. Evans, 'Estimation of errors in diffraction data measured by CCD area detectors', *Journal of Applied Crystallography* 43 1356-1371 (2010).
77. K. Chen, R. Zhang, S. W. R. Lee, 'Integration of phosphor printing and encapsulant dispensing processes for water level LED array packaging', 11th International Conference on Electronic Packaging Technology and High Density Packaging Proceedings 5582822-1386-1392, (2010).
78. X. Peng, H. Xu, 'Monte Carlo study on point spread function of a granular phosphor screen', *Jisuan Wuli/ Chinese Journal of Computational physics* 27 816-822, (2010).
79. H. S. Yoo, S. W. Kim, D. Y. Jeon, 'Synthesis of phosphor photonic crystals by self-assembly of SiO₂/Y₂O₃:Tb³⁺ core/shell particles and its photoluminescence properties', *Journal of the Electrochemical Society* 157, J358-J363, (2010).
80. K. Smans, J. Zoetelief, B. Verbrugge, W. Haec, L. Struelens, F. Vanhavere, H. Bosmans, 'Simulation of image detectors in radiology for determination of scatter-to-primary ratios using Monte Carlo radiation transport code MCNP/MCNPX', *Medical Physics* 37, 2082-2091, (2010).
81. S. Vedantham, A. Karellas, 'Modeling the performance characteristics of computed radiography (CR) systems', *IEEE Transactions on Medical Imaging* 29, 790-806, (2010).
82. C. M. Michail, G. P. Fountos, S. L. David, I. G. Valais, A. E. Toutountzis, N. E. Kalyvas, I. S. Kandarakis, G. S. Panayiotakis, 'A comparative investigation of

- Lu₂SiO₅:Ce and Gd₂O₂S:Eu powder scintillators for use in x-ray mammography detectors' *Measurement Science and Technology* 20, 104008, (2009).
83. C. H. Lim, C.-S. Shon, J. C. Han, T. W. Kim, H. K. Kim, 'Monte Carlo investigation of phosphor screen optics for the use in indirect-conversion detectors' *Progress in Biomedical Optics and Imaging (SPIE)*, 7258, 72585H, (2009).
 84. N. Ghal-Eh, G. R. Etaati, 'On the necessity of light transport simulation in scintillators', *Journal of Luminescence.*, 129, 91-99 (2009).
 85. C. M. Michail, I. G. Valais, A. E. Toutountzis, N. E. Kalyvas, G. P. Fountos, S. L. David, I. S. Kandarakis, G. S. Panayiotakis, 'Light emission efficiency of Gd₂O₂S:Eu (GOS:Eu) powder screens under x-ray mammography conditions', *IEEE Trans. Nucl. Sci.*, 55, 3703-3709, (2008).
 86. M. K. Cho, T. Graeve, S. M. Yun, C. H. Lim, H. Cho, J-M. Kim 'Measurements of X-ray imaging performance of granular phosphors with direct-coupled CMOS sensors', *IEEE Trans. Nucl. Sci.*, 55, 1338-1343 (2008).
 87. J. C. Blakesley, R. Speller. 'Modeling the imaging performance of prototype organic x-ray imagers', *Med. Phys.*, 35, 225-239 (2008).
 88. S.A. Pistrui-Maximean, J.M. Létang, N. Freud, A. Koch, A.H. Walenta, G. Montarou and D. Babot. 'Measurement and Monte Carlo modelling of the spatial response of scintillation screens', *Nucl. Instrum. Meth. A*, 581, 719-727 (2007).
 89. H. Delis, G. Spyrou, L. Costaridou, G. Tzanakos, G. Panayiotakis. 'Suitability of new anode materials in mammography: Dose and subject contrast considerations using Monte Carlo simulation', *Med. Phys.*, 33, 4221-4235 (2006).
 90. Anastasios C. Konstantinidis, 'Investigation of scintillators of two k-absorption edges using Monte Carlo techniques', Master thesis 2007, School of Medicine, Department of Medical Physics, University of Patras.
 91. Koutalonis V. Matthaios, 'Optimization of magnification mammography using Monte Carlo simulation techniques', PhD thesis 2008, School of Medicine, Department of Medical Physics, University of Patras.
 92. M. Fast, 'New Methods for Motion Management During Radiation Therapy', PhD thesis 2013, German Cancer Research Center (DKFZ).
 93. C.H Lim, T.G Youn, H.K Kim, C.S Shon, 'Impacts of optical-coupling properties in indirect-conversion detectors,' *Transactions of the Korean Nuclear Society Spring Meeting*, Korea, (2008)
 94. C. Michail, A. Toutountzis, I. G. Valais, I. Seferis, M. Georgousis, G. Fountos, I. Kandarakis, G. Panayiotakis, 'Luminescence efficiency of Gd₂O₂S:Eu powder phosphors as x-ray to light converter' 3rd International Conference on Experiments/Process/System Modeling/Simulation & Optimization (3rd IC-EpsMsO), Athens, 8-11 July, 2009.

AHMOΣIEYΣH No 6: P. Gonias, N. Bertsekas, N. Karakatsanis, G. Saatsakis, A. Gaitanis, D. Nikolopoulos, G. Loudos, L. Papaspyrou, N. Sakellios, X. Tsantilas, A. Daskalakis, **P. Liaparinos**, K. Nikita, A. Louizi, D. Cavouras, I. Kandarakis, G. S. Panayiotakis, 'Validation of a GATE model for the simulation of the Siemens biograph™ 6 PET scanner', *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, Vol. 571, pp. 263-266, 2007.

95. Saaidi, R., Zeghari, A., & El Moursli, R. C. (2024). Monte Carlo simulation of two Siemens Biograph PET/CT system using GATE: Image quality performance. *Radiation Physics and Chemistry*, 111653.
96. Peña-Acosta, M. M., Gallardo, S., Lorduy-Alós, M., & Verdú, G. Application of NEMA protocols to verify GATE models based on the Digital Biograph Vision and the Biograph Vision Quadra scanners. *Zeitschrift für Medizinische Physik*. (2024).
97. Liu, Z., Wolfe, S., Yu, Z., Laforest, R., Mhlanga, J. C., Fraum, T. J.,... & Jha, A. K. Observer-study-based approaches to quantitatively evaluate the realism of synthetic medical images. *Physics in Medicine & Biology*, 68(7), 074001. (2023).
98. Katib, M. E., Sebihi, R., Saikouk, H., & Nhila, O. Validation of a Monte Carlo model of the uEXPLORER total-body PET scanner using GATE code. *Radiation Physics and Chemistry*, 210, 111052. (2023).
99. O'Briain, T. B., Uribe, C., Sechopoulos, I., Michel, C., & Bazalova-Carter, M. Publicly available framework for simulating and experimentally validating clinical PET systems. *Medical physics*, 50(3), 1549-1559. (2023).
100. Liu, Z. Development of Image-Segmentation and Objective Evaluation Methods for Quantitative Nuclear-Medicine Imaging (Doctoral dissertation, Washington University in St. Louis). (2023).
101. O'Briain, T. *Correcting for Patient Breathing Motion in PET Imaging* (Doctoral dissertation). (2022).
102. Sarrut, D., Bała, M., Bardiès, M., Bert, J., Chauvin, M., Chatzipapas, K., ... & Roncali, E. Advanced Monte Carlo simulations of emission tomography imaging systems with GATE. *Physics in Medicine & Biology*, 66(10), 10TR03. (2021).
103. Yao, M., Lv, G., Zhao, M., Guo, R., Liu, J., Zhen, D., ... & Liu, W. Reconstruction algorithm for regions of interest in γ -photon images. *IEEE Access*, 9, 71615-71625. (2021).
104. Ghabrial, A., Franklin, D. R., & Zaidi, H. A Monte Carlo simulation study of scatter fraction and the impact of patient BMI on scatter in long axial field-of-view PET scanners. *Zeitschrift für Medizinische Physik*, 31(3), 305-315. (2021).
105. Florez, E., Vijayakumar, V., & Shiguemi Furuie, S. Dynamic and metabolic quantification of nuclear medicine images in the PET/CT modality. *Research on Biomedical Engineering*, 37, 299-318. (2021).
106. Labour, J. Yttrium-90 quantification using SiPM PET and Monte Carlo simulations for radioembolisation monitoring (Doctoral dissertation, Université de Lyon). (2021).
107. Zarifi, S., Ahangari, H. T., Jia, S. B., Tajik-Mansoury, M. A., Najafzadeh, M., & Firouzjaei, M. P. Bragg peak characteristics of proton beams within therapeutic energy range and the comparison of stopping power using the GATE Monte Carlo simulation and the NIST data. *Journal of Radiotherapy in Practice*, 19(2), 173-181. (2020).

108. Chiang, C. C., Chuang, C. C., Ni, Y. C., Jan, M. L., Chuang, K. S., & Lin, H. H. Time of flight dual photon emission computed tomography. *Scientific Reports*, 10(1), 19514. (2020).
109. Araste, N., & Tavakoli-Anbaran, H. Investigating the Effect of Compton Scattering Between PET-Ring Detectors on Image Quality by Monte Carlo Simulation. *Journal of Sabzevar University of Medical Sciences*, 27(1), 17-26. (2020).
110. Julien, S., Joey, L., Freddy, O., Pierre-Yves, M., Jean-Noël, B., Laëtitia, I., & Sarrut, D. Monte Carlo simulation of digital photon counting PET. *EJNMMI Physics*, 7(1) (2020).
111. Ahmed, A. M., Chacon, A., Rutherford, H., Akamatsu, G., Mohammadi, A., Nishikido, F... & Safavi-Naeini, M. A validated Geant4 model of a whole-body PET scanner with four-layer DOI detectors. *Physics in Medicine & Biology*, 65(23), 235051. (2020).
112. Salvadori, J., Labour, J., Odille, F., Marie, P. Y., Badel, J. N., Imbert, L., & Sarrut, D. Monte Carlo simulation of digital photon counting PET. *EJNMMI physics*, 7, 1-19, (2020).
113. Ryu, H., Meikle, S. R., Willowson, K. P., Eslick, E. M., & Bailey, D. L. Performance evaluation of quantitative SPECT/CT using NEMA NU 2 PET methodology. *Physics in Medicine & Biology*, 64(14), 145017. (2019).
114. Theodorakis, L., Loudos, G., Prassopoulos, V., Kappas, C., Tsougos, I., & Georgoulas, P. PET Counting Response Variability Depending on Tumor Location, Activity, and Patient Obesity: A Feasibility Study of Solitary Pulmonary Nodule Using Monte Carlo. *IEEE transactions on medical imaging*. (2019).
115. Teimoorisichani, M., & Goertzen, A. L. Count rate performance of brain-dedicated PET scanners: a Monte Carlo simulation study. *Physics in Medicine & Biology*, 64(21), 215013 (2019).
116. Salama, E., & Maher, A. Application of GATE/GEANT 4 code in investigation of gamma shielding effectiveness of glass materials. In *Journal of Physics: Conference Series* (Vol. 1253, No. 1, p. 012032). IOP Publishing. (2019).
117. Saaidi, R., Toufique, Y., Zeghari, A., & El Moursli, R. C. GATE Simulation Study of the Siemens Biograph mCT 20 Excel PET/CT System. *Polish Journal of Medical Physics and Engineering*, 25(1), 7-14 (2019).
118. Zarifi, S., Ahangari, H. T., Jia, S. B., Tajik-Mansoury, M. A., Najafzadeh, M., & Firouzjaei, M. P. Bragg peak characteristics of proton beams within therapeutic energy range and the comparison of stopping power using the GATE Monte Carlo simulation and the NIST data. *Journal of Radiotherapy in Practice*, 1-9 (2019).
119. Yao, M., Lin, Q., Zhao, M., Guo, R., & Wang, X. Assessment of Line-of-Response Probability Density Function System Matrix for PET. In *Proceedings of the 2019 9th International Conference on Biomedical Engineering and Technology* (pp. 197-203). ACM (2019).
120. Chiang, C. C., Lin, H. H., Ni, Y. C., Jan, M. L., & Chuang, K. S. A noise smoothing origin ensemble algorithm based on local filtering. *Physics in Medicine & Biology*, 64(15), 155020 (2019).

121. Kowalski, P., Wiślicki, W., Shopa, R. Y., Raczyński, L., Klimaszewski, K., Curcenau, C., & Gupta-Sharma, N. Estimating the NEMA characteristics of the J-PET tomograph using the GATE package. *Physics in Medicine & Biology*, 63(16), 165008 (2018).
122. Kalaitzidis, P. Modelling and Simulations of a clinical PET-system using the GATE Monte Carlo software (2018).
123. Pfaehler, E., De Jong, J. R., Dierckx, R. A., van Velden, F. H., & Boellaard, R. SMART (SiMulAtion and ReconsTRuction) PET: an efficient PET simulation-reconstruction tool. *EJNMMI physics*, 5(1), 16. (2018).
124. Taherparvar, P., & Sadremomtaz, A. Development of GATE Monte Carlo simulation for a CsI pixelated gamma camera dedicated to high resolution animal SPECT. *Australasian physical & engineering sciences in medicine*, 41(1), 31-39 (2018).
125. Ghabrial, A., Franklin, D., & Zaidi, H. A Monte Carlo simulation study of the impact of novel scintillation crystals on performance characteristics of PET scanners. *Physica Medica*, 50, 37-45 (2018).
126. Freese, D. L., Olcott, P. D., Buss, S. R., & Levin, C. S. Gray: a ray tracing-based Monte Carlo simulator for PET. *Physics in Medicine & Biology*, 63(10), 105019. (2018).
127. Alokhina, M. Design of the Cherenkov TOF whole-body PET scanner using GATE simulation (Doctoral dissertation, Paris Saclay). (2018).
128. Villoing, D., Marcatili, S., Garcia, M. P., & Bardiès, M. Internal dosimetry with the Monte Carlo code GATE: validation using the ICRP/ICRU female reference computational model. *Physics in Medicine & Biology*, 62(5), 1885 (2017).
129. Karpetas, G. E., Michail, C. M., Fountos, G. P., Kalyvas, N. I., Valais, I. G., Kandarakis, I. S., & Panayiotakis, G. S. Detective quantum efficiency (DQE) in PET scanners: A simulation study. *Applied Radiation and Isotopes*, 125, 154-162. (2017).
130. Lu, L., Zhang, H., Bian, Z., Ma, J., Feng, Q., & Chen, W. Validation of a Monte Carlo simulation of the Inveon PET scanner using GATE. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 828, 170-175 (2016).
131. Kowalski, P., Wiślicki, W., Raczyński, L., Alfs, D., Bednarski, T., Białas, P., ... & Kamińska, D.. Scatter fraction of the J-PET tomography scanner (2016).
132. Yannakopoulos, P. H., Nikolopoulos, D., Petraki, E., & Tseles, D.. Digital Radiation Sensors and Nanosensory Systems. In *Nuclear Radiation Nanosensors and Nanosensory Systems* (pp. 9-18). Springer Netherlands (2016).
133. Lu, L., Zhang, H., Bian, Z., Ma, J., Feng, Q., & Chen, W. Validation of a monte Carlo simulation of the Inveon PET scanner using GATE. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*. (2016).

134. Poon, J. K., Dahlbom, M. L., Casey, M. E., Qi, J., Cherry, S. R., & Badawi, R. D. Validation of the SimSET simulation package for modeling the Siemens Biograph mCT PET scanner. *Physics in medicine and biology*, 60(3), N35 (2015).
135. Popota, F. D., et al. "Monte Carlo simulations versus experimental measurements in a small animal PET system. A comparison in the NEMA NU 4-2008 framework." *Physics in Medicine and Biology* 60, 151, (2015).
136. Badri Meparishvili, Gulnara Janelidze and Gela Goderdzishvil, 'Mobile Multi-Robot Systems Control Based on Evolutionary Algorithms', International Scientific Conference eRA-7, ISSN 1791- 1133 (2015).
137. Franco, Pedro Gallego, and Rocío García Marcos. "Caracterización del escáner PET Biograph 6 de Siemens mediante simulación Monte Carlo." *Revista de Física Médica* 16.3 (2015).
138. Vauclin, S., et al. "Monte Carlo simulations of clinically-realistic respiratory gated 18F-FDG PET: Application to lesion detectability and volume measurements." *Computer Methods and Programs in Biomedicine* (2015).
139. Bardiès, Manuel, and Michael Lassmann. "Monte Carlo Methods in Nuclear Medicine." *Therapeutic Nuclear Medicine*. Springer Berlin Heidelberg, 759-768 (2014).
140. Nikolopoulos, D., Michail, C., Valais, I., Yannakopoulos, P., Kottou, S., Karpetas, G., & Panayiotakis, G. GATE Simulation of the Biograph 2 PET/CT Scanner. *J Nucl Med Radiat Ther*, 5(201) (2014).
141. Loudos, George K., Panagiotis G. Papadimitroulas, and George C. Kagadis. "Exploitation of realistic computational anthropomorphic phantoms for the optimization of nuclear imaging acquisition and processing protocols." *Engineering in Medicine and Biology Society (EMBC), 2014 36th Annual International Conference of the IEEE*. IEEE, (2014).
142. Bahreyni-Toosi, Mohammad-Taghi, et al. "Monte Carlo Simulation of a 6 MV X-Ray Beam for Open and Wedge Radiation Fields, Using GATE Code." *Journal of Medical Signals and Sensors* 4.4 (2014).
143. Liu, H.-J., Zhang, B., 'Simulation study of PET system using GATE,' *Hedianzixue Yu Tance Jishu/Nuclear Electronics and Detection Technology*, 34, 262-266, (2014).
144. A. Karakatsanis, G. Loudos, A. Rahmim, K. S. Nikita, 'Monte-Carlo Based Characterization of the Counting Rate (NECR) Response for Personalized Optimization of the Administered Activity in Clinical PET Imaging', *Frontiers in Biomedical Technologies*, 1, 14-34 (2014).
145. C. Gianoli, M. Riboldi, C. Kurz, E. De Bernardi, J. Bauei, G. Fontana, M. Ciocca, K. Parodi, G. Baroni, 'PET-CT scanner characterization for PET raw data use in biomedical research', *Computerized Medical Imaging and Graphics*, 38, 358-368, (2014).
146. Michael Lassmann, Manuel Bardiès, 'Monte Carlo methods in nuclear medicine,' *Therapeutic Nuclear Medicine Medical Radiology* 759-768 (2014)

147. Karakatsanis, N.A., Lodge, M.A., Zhou, Y., Wahl, R.L., Rahmim, A., 'Dynamic whole-body PET parametric imaging: II. Task-oriented statistical estimation,' *Physics in Medicine and Biology* 58, 7419-7445 (2013).
148. Karakatsanis, N.A., Lodge, M.A., Tahari, A.K., Zhou, Y., Wahl, R.L., Rahmim, A., 'Dynamic whole-body PET parametric imaging: I. Concept, acquisition protocol optimization and clinical application,' *Physics in Medicine and Biology* 58, 7391-7418 (2013).
149. Karpetas, G.E., Michail, C.M., Fountos, G.P., (...), Kandarakis, I.S., Panayiotakis, G.S. 'Towards the optimization of nuclear medicine procedures for better spatial resolution, sensitivity, scanimage quality and quantitation measurements by using a new Monte Carlo model featuring PET imaging' *Hellenic Journal of Nuclear Medicine*, 16, 111-120 (2013).
150. Tsoumpas, C., Gaitanis, A. 'Modeling and simulation of 4D PET-CT and PET-MR images' *PET Clinics*, 8, 95-110 (2013). Gallego, Franco Pedro, Garcia Marcos Rocio, Gonzalez Ruiz Cristina, Sierra Diaz Fernando, Ayala Lazzaro Rafael, Ruiz Galan Gema, Rodriquez Checa Miguel, Brasa Estevez Miguel, 'Simulacion Monte Carlo del PET Biograph 6 True point Siemens, 3rd Congreso Conjunto, September (2013).
151. Dimitrios Nikolopoulos, Sofia Kottou, Nikolaos Chatzisavvas, Xenophon Argyriou, Emannouel Vlamakis, Panayiotis Yannakopoulos, Anna Louizi, "A GATE simulation study of the Siemens Biograph DUO PET/CT system," *Open Journal of Radiology*, 3, 56-65 (2013).
152. D. Nikolopoulos, E. Vlamakis, N. Chatzisavvas, P.H. Yannakopoulos, X. Argyriou, E. Petraki, S. Kottou, T. Sevvos, N. Temenos, Y. Chaldeos, S. Filtisakos, N. Gorgolis, S. Potozi, D. Koulogliotis, A. Zisos, Study of the response of open CR-39 detector to radon and progeny by Monte Carlo simulation with SRIM 2013', *International Scientific Conference eRA -8 issn-1791-1133 1* (2013).
153. Nikolopoulos, D., Kalyvas, N., Valais, I., Argyriou, X., Vlamakis, E., Sevvos, T., Kandarakis, I., 'A semi-empirical Monte Carlo based model of the Detector Optical Gain of Nuclear Imaging scintillators,' *Journal of Instrumentation*, 7 , P11021 (2012).
154. Poon, J.K., Dahlbom, M.L., Moses, W.W., Balakrishnan, K., Wang, W., Cherry, S.R., Badawi, R.D., 'Optimal whole-body PET scanner configurations for different volumes of LSO scintillator: A simulation study,' *Physics in Medicine and Biology* 57, 4077-4094 (2012).
155. Balcerzyk, M., et al. "Virtual PET Scanner–From Simulation in GATE to a Final Multiring Albira PET/SPECT/CT Camera." *Positron Emission Tomography-Current Clinical and Research Aspects*, 3-26 (2012).
156. Ye, T., Chai, P., Gao, J., Yun, M.-K., Liu, S.-Q., Shan, B.-C., Wei, L. 'Investigation of scatter from out of the field of view and multiple scatter in PET using Monte Carlo simulations,' *Chinese Physics C* 35, 1166-1171 (2011).
157. Li, X., Zhao, W. 'Qgate: An educational environment to learn and perform nuclear medicine imaging simulation with gate' *Open Medical Imaging Journal* 5, 26-33 (2011).

158. Jan, S., Benoit, D., Becheva, E., Carlier, T., Cassol, F., Descourt, P., Frisson, T., (...), Buvat, I., 'GATE V6: A major enhancement of the GATE simulation platform enabling modelling of CT and radiotherapy', *Physics in Medicine and Biology*, 56 881-901 (2011).
159. Herrick, P.D.E., Ansorge, R.E., Hawkes, R.C., (...), Stevick, J.W., Carpenter, T.A., 'Radiofrequency coil design for simultaneous PET/MR systems', *IEEE Nuclear Science Symposium Conference Record*, 5874250, 2560-2567 (2010).
160. J. F. Oliver, M. Rafecas, 'Improving the singles rate method for modeling accidental coincidences in high-resolution', *Physics in Medicine and Biology* 55 6951-6971 (2010).
161. Y. Qiang, G. Juan, S. Bao-Gi, W. Long, 'Preliminary simulation studies on a cylindrical PEM scanner using GATE', *Chinese Physics C* 34, 152-156, (2010).
162. N. A. Karakatsanis, G. Loudos, K. S. Nikita, 'A methodology for optimizing the acquisition time of a clinical PET scan using GATE' *IEEE Nuclear Science Symposium Conference Record*, 5401619, 2896-2901 (2009).
163. W. P. Segars, B. M. W. Tsui, 'MCAT to XCAT: The evolution of 4-D computerized phantoms for imaging research', *Proceedings of the IEEE (Topic: Engineering: Electrical and Electronic Engineering* 97, 1954-1968 (2009).
164. G. Delso, M-J Martinez, I. Torres, R. Ladebeck, C. Michel, S. Nekolla, S. I. Ziegler, 'Monte Carlo simulations of the count rate performance of a clinical whole-body MR/PET scanner' *Medical Physics* 36, 4126-4135, (2009).
165. N. A. Karakatsanis, A. Parasyris, G. Loudos, K. S. Nikita, 'A simulation study of the counting-rate performance of clinical PET systems applying a methodology for optimizing the injected dose', *IEEE Nuclear Science Symposium Conference record*, *Proceedings* 4774367-5014-5019, (2008).
166. N. A. Karakatsanis, a. Parasyris, K. S. Nikita, G. Loudos, 'A simulation study for optimizing the injected dose of clinical PET systems', *IEEE International Workshop on imaging systems and techniques*, IST, 2008.
167. N. A. Karakatsanis, K. S. Nikita, 'A study of the parameters affecting minimum detectable activity concentration level of clinical LSO PET scanners', *8th IEEE International Conference on BioInformatics and BioEngineering*, BIBE, 2008.
168. G. Santin, S. Staelens, R. Taschereau, P. Descourt, C. R. Schmidlein, L. Simon, D. Visvikis, S. Jan, I. Buvat. 'Evolution of the GATE project: new results and developments', *Nuclear Physics B, Proceedings Supplements*, 172, 101-103 (2007).
169. C. Morel. 'Monte Carlo simulation in nuclear medicine [La simulation Monte Carlo en médecine nucléaire]', *Medicine Nucleaire*, 31, 160-164 (2007).
170. Giorgos Karpetas, 'Simulation of image formation in nuclear medicine imaging systems using Monte Carlo methods', PhD thesis 2013, Department of Medical Physics, University of Patras.
171. Xiping Li, 'Web-based medical imaging simulation system for education and research', PhD thesis 2011, Department of Biomedical Engineering, University of Miami.
172. Foudray, Angela Marie Klohs. "Design of an advanced positron emission tomography detector system and algorithms for imaging small animal models of

human disease." PhD thesis 2009, Electronic Theses and Dissertations, UC San Diego.

ΔΗΜΟΣΙΕΥΣΗ Νο7: P. Liaparinos, I. Kandarakis, D. Cavouras, N. Kalivas, H. Delis, G. Panayiotakis, 'Evaluation of high packing density powder x-ray screens by Monte Carlo methods', *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, Vol. 580, pp. 427-429, 2007.

173. Ferreira, Vanessa M., et al. "Simulation of dental intensifying screen for intraoral radiographic using MCNP5 code." International Nuclear Atlantic Conference - INAC (2011)

ΔΗΜΟΣΙΕΥΣΗ Νο 8: S. David, C. Michail, I. Valais, A. Toutountzis, P. Liaparinos, D. Cavouras, I. Kandarakis, and G. Panayiotakis, 'Investigation of luminescence properties of Lu₂SiO₅:Ce (LSO) powder scintillator in the x-ray radiography energy range', *IEEE Transactions on Nuclear Science*, Vol. 46, pp. 474-478, 2007.

174. De Martinis, A., Montalto, L., Scalise, L., Rinaldi, D., Mengucci, P., Michail, C., ... & David, S. Luminescence and Structural Characterization of Gd₂O₂S Scintillators Doped with Tb³⁺, Ce³⁺, Pr³⁺ and F for Imaging Applications. *Crystals*, 12(6), 854. (2022).

175. Burdette, M. K., Bandera, Y. P., Zhang, E., Trofimov, A., Dickey, A., Foulger, I., ... & Foulger, S. H. Organic fluorophore coated polycrystalline ceramic LSO: Ce scintillators for x-ray bioimaging. *Langmuir*, 35(1), 171-182. (2018).

176. K. Ninos, D. Cavouras, G. Fountos, I. Kandarakis, 'The effect of scintillator response on signal difference to noise ratio in X-ray medical imaging', *NIMA* 622 246-255, (2010).

177. J. G. Rocha, G. Minas, S. Lanceros-Mendez, 'Pixel readout circuit for X-ray imagers', *IEEE Sensors Journal* 10 5483229 1740-1745, (2010).

ΔΗΜΟΣΙΕΥΣΗ Νο 9: P. Liaparinos, I. Kandarakis, D. Cavouras, H. Delis, G. Panayiotakis, 'Monte Carlo study on the imaging performance of powder Lu₂SiO₅: Ce phosphor screens under x-ray excitation: Comparison with Gd₂O₂S:Tb screens', *Medical Physics*, Vol. 34, pp. 1724-1733, 2007.

178. Chen, L., Bai, Z., Liu, Q., & Luo, W. Study on luminescence properties of Gd₂O₂S: Tb³⁺ phosphors with different excitation sources. In *International Conference on Optoelectronic Information and Functional Materials (OIFM 2023)* (Vol. 12781, pp. 725-730). SPIE. (2023).

179. Li, W., Hao, W., Li, R., Liu, T., Rong, J., Zhang, W., & Lu, H. Effects of x-ray excitation voltage on X-SWIR intensity and x-ray dose. In *Medical Imaging 2023: Physics of Medical Imaging* (Vol. 12463, pp. 1011-1015). SPIE. (2023).

180. Jia, L., Gu, M., Song, G., & Zhu, J. Stability and electronic properties of O vacancies and Ce⁴⁺ in Lu₂SiO₅ tuned by C doping. *Optical Materials*, 93, 15-18 (2019).

181. Kumamoto, N., Nakauchi, D., Kato, T., Kawano, N., Okada, G., Kawaguchi, N., & Yanagida, T. Radioluminescence and photoluminescence properties of Dy-doped $12\text{CaO} \cdot 7\text{Al}_2\text{O}_3$ single crystals synthesized by the floating zone method. *Japanese Journal of Applied Physics*, 57(2S2), 02CB12 (2018).
182. Osipov, S. P., Zhang, G. L., Chakhlov, S. V., Shtein, M. M., Shtein, A. M., Trinh, V. B., & Sirotyan, E. Estimation of parameters of digital radiography systems. *IEEE Transactions on Nuclear Science*, 65(10), 2732-2742 (2018).
183. Ding, L. A Theoretical investigation of Embedded Scintillator Optical Fibre Sensors for Use in Real-Time X-ray and γ -ray Dosimetry (Doctoral dissertation, Cardiff University) (2017).
184. Ψυχής, K. Signal transfer characteristics of columnar phosphors used in X-ray imaging (Doctoral dissertation) (2017).
185. Seferis, I. E., Zeler, J., Michail, C., Valais, I., Fountos, G., Kalyvas, N., ... & Zych, E.. On the response of semitransparent nanoparticulated films of $\text{LuPO}_4:\text{Eu}$ in poly-energetic X-ray imaging applications. *Applied Physics A*, 122(5), 1-10 (2016).
186. Seferis, I. E., Zeler, J., Michail, C., Valais, I., Fountos, G., Kalyvas, N., ... & Zych, E., "Preparation and imaging performance of nanoparticulated $\text{LuPO}_4:\text{Eu}$ semitransparent films under x-ray radiation". In *SPIE Micro+ Nano Materials, Devices, and Applications* (pp. 96682H-96682H). International Society for Optics and Photonics, (2015).
187. Yao, M., Duvauchelle, P., Kaftandjian, V., Peterzol-Parmentier, A., & Schumm, A. X-ray imaging plate performance investigation based on a Monte Carlo simulation tool. *Spectrochimica Acta Part B: Atomic Spectroscopy*, 103, 84-91 (2015).
188. J. Zhu, M. Gu, X. Liu, B. Liu, S. Huang, C. Ni, 'First-principles study on stability of Li, Na and Ca in Lu_2SiO_5 ', *Journal of Luminescence*, 139, 1-5, (2013)
189. Poludniowski, G.G., Evans, P.M., 'Optical photon transport in powdered-phosphor scintillators. Part II. Calculation of single-scattering transport parameters,' *Medical Physics* 40, 041905 (2013).
190. Poludniowski, G.G., Evans, P.M., 'Optical photon transport in powdered-phosphor scintillators. Part 1. Multiple-scattering and validity of the Boltzmann transport equation,' *Medical Physics* 40, 041904 (2013).
191. K. Ninos, D. Cavouras, G. Fountos, I. Kandarakis, 'The effect of scintillator response on signal difference to noise ratio in X-ray medical imaging', *NIMA* 622 246-255, (2010).
192. J. A. Brennan, P. Brennan, T. M. Haygood, 'Ambient lighting in the reading room: Theoretical concepts and practical outcomes', *Current Medical Imaging Reviews* 6, 156-164, (2010).
193. C. M. Michail, G. P. Fountos, S. L. David, I. G. Valais, A. E. Toutountzis, N. E. Kalyvas, I. S. Kandarakis, G. S. Panayiotakis, 'A comparative investigation of $\text{Lu}_2\text{SiO}_5:\text{Ce}$ and $\text{Gd}_2\text{O}_2\text{S}:\text{Eu}$ powder scintillators for use in x-ray mammography detectors' *Measurement Science and Technology* 20, 104008, (2009).
194. C. Michail, I. A. Toutountzis, S. David, N. Kalyvas, I. Valais, I. Kandarakis, G. S. Panayiotakis, 'Imaging performance and light emission efficiency of $\text{Lu}_2\text{SiO}_5:\text{Ce}$

- (LSO:Ce) powder scintillator under X-ray mammographic conditions’, *Applied Physics B: Lasers and Optics*, 95, 131-139, (2009).
195. N. Kalivas, I. Valais, D. Nikolopoulos, A. Konstantinidis, A. Gaitanis, D. Cavouras, C. D. Nomicos, G. Panayiotakis, I. Kandarakis. ‘Light emission efficiency and imaging properties of YAP:Ce granular phosphor screens’, *Applied Physics A*, 89, 443-449 (2007).
 196. Christos Michail, Stratos David, Adrianos Toutountzis, Ioannis Valais, Ioannis Kandarakis, and George. Panayiotakis, ‘Imaging performance of LSO:Ce powder phosphor screens in the x-ray mammography energy range’ From Scientific Computing to Computational Engineering 3rd IC-SCCE, Athens, 9-12 July, 2008.
 197. Koutalonis V. Matthaïos, ‘Optimization of magnification mammography using Monte Carlo simulation techniques’, PhD thesis 2008, School of Medicine, Department of Medical Physics, University of Patras.
 198. Michail M Christos, ‘Investigation of optical and imaging characteristics of fluorescent screens for use in digital imaging detectors suitable for telemedicine’, PhD thesis 2010, School of Medicine, Department of Medical Physics, University of Patras.
 199. David L. Stratos, ‘Experimental evaluation of single-crystal and granular scintillators in medical imaging detectors: application in an experimental prototype imaging system’, PhD thesis 2010, School of Medicine, Department of Medical Physics, University of Patras.
 200. A. Konstantinidis, ‘Evaluation of digital x-ray detectors for medical imaging applications’, PhD thesis 2011, University College London (UCL).
 201. Anastasios C. Konstantinidis, ‘Investigation of scintillators of two k-absorption edges using Monte Carlo techniques’, Master thesis 2007, School of Medicine, Department of Medical Physics, University of Patras.
 202. Ioannis Seferis, ‘Investigatoin and imaging characteristics of a CMOS sensor based digital detector coupled to a red emitting fluorescent screen’, Master thesis 2013, School of Medicine, Department of Medical Physics, University of Patras.

AHMOΣIEYΣH No 10: S. David, C. Michail, I. Valais, D. Nikolopoulos, **P. Liaparinos**, N. Kalivas, I. Kalatzis, A. Toutountzis, N. Efthimiou, G. Loudos, I. Sianoudis, D. Cavouras, N. Dimitropoulos, C. D. Nomicos, I. Kandarakis, G. S. Panayiotakis, ‘Efficiency of Lu₂SiO₅:Ce (LSO) powder phosphor as X-ray to light converter under mammographic imaging conditions’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, Vol. 571, pp. 346-349, 2007.

203. Knight, S., Richter, S., Papamichail, A., Stokey, M., Korlacki, R., Stanishev, V., ... & Darakchieva, V. Terahertz permittivity parameters of monoclinic single crystal lutetium oxyorthosilicate. *Applied Physics Letters*, 124(3). (2024).
204. Dezi, A., Monachesi, E., D’Ignazio, M., Scalise, L., Montalto, L., Paone, N., ... & Michail, C. Structural Characterization and Absolute Luminescence Efficiency Evaluation of Gd₂O₂S High Packing Density Ceramic Screens Doped with Tb³⁺ and Eu³⁺ for further Applications in Radiology. In *Journal of Physics: Conference Series* (Vol. 931, No. 1, p. 012029). IOP Publishing (2017).

205. Michail, C., Valais, I., Martini, N., Koukou, V., Kalyvas, N., Bakas, A., ... & Fountos, G.. Determination of the detective quantum efficiency (DQE) of CMOS/CsI imaging detectors following the novel IEC 62220-1-1: 2015 International Standard. *Radiation Measurements*, 94, 8-17 (2016).
206. Yannakopoulos, P. H., Nikolopoulos, D., Petraki, E., & Tseles, D. Digital Radiation Sensors and Nanosensory Systems. In *Nuclear Radiation Nanosensors and Nanosensory Systems* (pp. 9-18). Springer, Dordrecht. (2016).
207. David, S., Michail, C., Valais, I., Kalyvas, N., Bakas, A., Gektin, A., ... & Kourkoutas, K. Investigation of luminescence properties of Lutetium Fine Silicate (LFS-3) scintillation crystals under X-ray radiographic conditions. *International Conference Science in Technology' ScinTE 2015*, November, Athens, (2015).
208. Michail, C., Valais, I., Seferis, I., Kalyvas, N., Fountos, G., & Kandarakis, I.. Experimental measurement of a high resolution CMOS detector coupled to CsI scintillators under X-ray radiation. *Radiation Measurements*, 74, 39-46, (2015).
209. Adrianos Toutountzis et al., "Dual energy mammography: Evaluation of scintillators for x-ray detectors using a signal to noise ratio model" *e-Journal of Science & Technology*, 4, (2009).
210. C. M. Michail, G. P. Fountos, S. L. David, I. G. Valais, A. E. Toutountzis, N. E. Kalyvas, I. S. Kandarakis, G. S. Panayiotakis, 'A comparative investigation of Lu₂SiO₅:Ce and Gd₂O₂S:Eu powder scintillators for use in x-ray mammography detectors' *Measurement Science and Technology* 20, 104008, (2009).
211. C. Michail, I. A. Toutountzis, S. David, N. Kalyvas, I. Valais, I. Kandarakis, G. S. Panayiotakis, 'Imaging performance and light emission efficiency of Lu₂ SiO₅:Ce (LSO:Ce) powder scintillator under X-ray mammographic conditions', *Applied Physics B: Lasers and Optics*, 95, 131-139, (2009).
212. Christos Michail, Stratos David, Adrianos Toutountzis, Ioannis Valais, Ioannis Kandarakis, and George. Panayiotakis, 'Imaging performance of LSO:Ce powder phosphor screens in the x-ray mammography energy range' *From Scientific Computing to Computational Engineering 3rd IC-SCCE*, Athens, 9-12 July, 2008.
213. C. Michail, S. David., A. Toutountzis, I. Valais, G. S. Panayiotakis, G. Fountos, N. Kalyvas, I. Kandarakis, 'A comparative investigation of Lu₂SiO₅:Ce and Gd₂O₂S:Eu phosphor scintillators for use in a medical imaging detectors', *IEEE Workshop on Imaging Systems and Techniques Proceedings*, 25-28 (2008).
214. David L. Stratos, 'Experimental evaluation of single-crystal and granular scintillators in medical imaging detectors: application in an experimental prototype imaging system', PhD thesis 2010, School of Medicine, Department of Medical Physics, University of Patras.

AHMOΣIEYΣH No 11: Valais, S. David, C. Michail, D. Nikolopoulos, **P. Liaparinos**, D. Cavouras, I. Kandarakis and G. S. Panayiotakis, 'Comparative study of luminescence properties of LuYAP:Ce and LYSO:Ce single crystal scintillators for use in medical imaging', *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, Vol. 580, pp. 614-616, 2007.

215. Okazaki, K., Nakauchi, D., Kawano, N., Kato, T., Kawaguchi, N., & Yanagida, T. Effect of In-substitution on luminescence properties of organic-inorganic lead bromide layered perovskite-type scintillators. *Radiation Physics and Chemistry*, 202, 110514. (2023).
216. Park, J. H., Song, S., Kim, S., Kim, J., Cho, S., Pyeon, C. H., & Lee, B. Feasibility study on fiber-optic inorganic scintillator array sensor system for multi-dimensional scanning of radioactive waste. *Nuclear Engineering and Technology*. (2023).
217. Sreebunpeng, K., Janthon, P., Chewpraditkul, W., Szczesniak, T., Nikl, M., & Yoshikawa, A. Scintillation characteristics of YAlO₃: Pr perovskite single crystals. *Optical Materials*, 108, 110161. (2020).
218. Sriwongsa, K., Limkitjaroenporn, P., & Kaewkhao, J. Comparative study of light yield non-proportionality and energy resolution properties of Ce-doped LaBr₃ and LuYAP scintillator crystals. *Materials Today: Proceedings*, 4(5), 6540-6547 (2017).
219. Yannakopoulos, P. H., Nikolopoulos, D., Petraki, E., & Tseles, D. Digital Radiation Sensors and Nanosensory Systems. In *Nuclear Radiation Nanosensors and Nanosensory Systems* (pp. 9-18). Springer Netherlands (2016).
220. I. S. Kandarakis, 'Luminescence in Medical Image Science', *Journal of Luminescence*, 169, 553-558 (2016).
221. Piñera, I., Cruz, C. M., Abreu, Y., Leyva, A., Van Espen, P., Díaz, A., ... & Van Remortel, N. Gamma induced atom displacements in LYSO and LuYAP crystals as used in medical imaging applications. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, 356, 46-52 (2015).
222. Bohem, M. E., Pook, N. P., Adam, A., Tran, T. T., Halasyamani, P. S., Entenmann, M., & Schleid, T. (2015). Luminescence and scintillation properties of La₂[Si₂O₇]: Ce³⁺ functional pigment—A concept for UV-protection of coatings. *Dyes and Pigments*, 123, 331-340 (2015).
223. Kei Nishimoto et al. "Eu concentration dependence on scintillation properties of Eu doped Sr₂ single crystals grown by modified micro-pulling-down method." *Optical Materials*, 36, 1946-1949 (2014).
224. Nishimoto, K., Yokota, Y., Kurosawa, S., (...), Chani, V., Yoshikawa, A., 'Effects of La, Gd, or Lu co-doping on crystal growth and scintillation properties of Eu:SrI₂ single crystals', *Journal of Crystal Growth*, 401, 484-488, (2014).
225. Piñera, I., Abreu, Y., Van Espen, P., Díaz, A., Leyva, A., Cruz, C.M., 'Radiation damage evaluation on LYSO and LuYAP materials through dpa calculation assisted by Monte Carlo method,' *IEEE Nuclear Science Symposium Conference Record* , 6154643 , 1609-1611 (2012).
226. T. Yanagida, K. Kamada, Y. Fujimoto, M. Suriyama, Y. Furuya, A. Yamaji, Y. Yokota, A. Yoshikawa, 'Gamma-ray responses of Pr:LuYAP and Pr:YAP scintillators', *IEEE Transactions on Nuclear Science*, 57, 5485090, 1316-1319 (2010).
227. Yanagida, Takayuki, et al. "Growth and scintillation properties of Pr doped YAP with different Pr concentrations." *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 623 1020-1023 (2010).

ΑΗΜΟΣΙΕΥΣΗ Νο 12: C. Michail, S. David, **P. Liaparinos**, I. Valais, D. Nikolopoulos, N. Kalivas, A. Toutountzis, I. Sianoudis, D. Cavouras, N. Dimitropoulos, C. D. Nomicos, K. Kourkoutas, I. Kandarakis, G. S. Panayiotakis, ‘Evaluation of the imaging performance of LSO powder scintillator for use in x-ray mammography’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, Vol. 580, pp. 558-561, 2007.

228. Jeong, H. Y., Lim, H. S., Lee, J. H., Heo, J., Kim, H. N., & Cho, S. O. ZnWO₄ nanoparticle scintillators for high resolution X-ray imaging. *Nanomaterials*, 10(9), 1721. (2020).
229. Jeong, H. Y., Lee, J. H., Heo, J., & Cho, S. O. The Size Effect of Powdered Scintillator on High-Resolution X-ray Imaging System. *Transactions of the Korean Nuclear Society Virtual Autumn Meeting December 17-18*
230. Get'man, E. I., Oleksii, Y. A., Radio, S. V., & Ardanova, L. I. Determining the phase stability of luminescent materials based on the solid solutions of oxyorthosilicates (Lu_{1-x}Ln_x)[(SiO₄)_{0.5}O_{0.5}], where Ln= La- Yb. *Fine Chemical Technologies*, 15(5), 54-62. (2020).
231. Michail, C., Kalyvas, N., Bakas, A., Ninos, K., Sianoudis, I., Fountos, G., ... & Valais, I. Absolute Luminescence Efficiency of Europium-Doped Calcium Fluoride (CaF₂: Eu) Single Crystals under X-ray Excitation. *Crystals*, 9(5), 234 (2019).
232. Michail, C., Karpetas, G., Kalyvas, N., Valais, I., Kandarakis, I., Agavanakis, K., ... & Fountos, G. Information Capacity of Positron Emission Tomography Scanners. *Crystals*, 8(12), 459 (2018).
233. Martini, N., Koukou, V., Fountos, G., Valais, I., Bakas, A., Ninos, K., ... & Michail, C.. Towards the enhancement of medical imaging with non-destructive testing (NDT) CMOS sensors. Evaluation following IEC 62220-1-1: 2015 international standard. *Procedia Structural Integrity*, 10, 326-332 (2018).
234. Koukou, V., Martini, N., Valais, I., Bakas, A., Kalyvas, N., Lavdas, E., ... & Michail, C. Resolution properties of a calcium tungstate (CaWO₄) screen coupled to a CMOS imaging detector. In *Journal of Physics Conference Series* (Vol. 931, No. 1) (2017).
235. Seferis, I. E., Michail, C., Zeler, J., Valais, I., Fountos, G., Kalyvas, N., ... & Panayiotakis, G. S. X-ray imaging resolution of phosphor screens prepared with different grains size and shape of granular Lu₂O₃: Eu. In *Journal of Physics Conference Series* (Vol. 931, No. 1) (2017).
236. Saatsakis, G., Valais, I., Michail, C., Fountzoula, C., Fountos, G., Koukou, V., ... & Kandarakis, I. Preliminary Study of ZnS: Mn²⁺ Quantum Dots Response Under UV and X-Ray Irradiation. In *Journal of Physics Conference Series* (Vol. 931, No. 1) (2017).
237. Nikolopoulos, D., Valais, I., Michail, C., Bakas, A., Fountzoula, C., Cantzos, D., ... & Panayiotakis, G. Radioluminescence properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. *Radiation Measurements*, 92, 19-31 (2016).

238. Nikolopoulos, D., Valais, I., Yannakopoulos, P. H., Michail, C., Fountzoula, C., Bakas, A., ... & Panayiotakis, G. Luminescence Efficiency of Cadmium Selenide/Zinc Sulfide (CdSe/ZnS) Quantum Dot Nanoparticle Sensors Under X-Ray Excitation. In *Nuclear Radiation Nanosensors and Nanosensory Systems* (pp. 53-59). Springer Netherlands (2016).
239. Yannakopoulos, P. H., Nikolopoulos, D., Petraki, E., & Tseles, D.. Digital Radiation Sensors and Nanosensory Systems. In *Nuclear Radiation Nanosensors and Nanosensory Systems* (pp. 9-18). Springer Netherlands, (2016).
240. Michail, C. M., Karpetas, G. E., Fountos, G. P., Kalyvas, N. I., Valais, I. G., Fountzoula, C., ... & Panayiotakis, G. S. A novel method for the optimization of positron emission tomography scanners imaging performance. *Hellenic journal of nuclear medicine*, 19(3), 231-240 (2016).
241. Valais, I., et al. "Effect of the Concentration on the X-ray Luminescence Efficiency of a Cadmium Selenide/Zinc Sulfide (CdSe/ZnS) Quantum Dot Nanoparticle Solution." *Journal of Physics: Conference Series*, 637, 1 (2015).
242. Michail, Christos. "Image Quality Assessment of a CMOS/Gd 2 O 2 S: Pr, Ce, F X-Ray Sensor." *Journal of Sensors*, (2015).
243. Karpetas, G.E., Michail, C.M., Fountos, G.P., (...), Kandarakis, I.S., Panayiotakis, G.S. 'A novel method for the image quality assessment of PET scanners by monte carlo simulations: Effect of the scintillator', *Journal of Physics: Conference Series*, 490, 012139 (2014).
244. Michail, C.M., Kalyvas, N.E., Valais, I.G., (...), Samarakou, M., Kandarakis, I.S. 'Figure of image quality and information capacity in digital mammography' *BioMed Research International*, 634856 (2014).
245. R. K. Gartia, T. T. Singh, T. B. Singh, 'Optically stimulated luminescence (OSL) of Lu₂SiO₅:Ce powder: A preliminary study', *NIMB* 269 30-33 (2011).
246. C. M. Michail, G. P. Fountos, S. L. David, I. G. Valais, A. E. Toutountzis, N. E. Kalyvas, I. S. Kandarakis, G. S. Panayiotakis, 'A comparative investigation of Lu₂SiO₅:Ce and Gd₂O₂S:Eu powder scintillators for use in x-ray mammography detectors' *Measurement Science and Technology* 20, 104008, (2009).
247. C. Michail, I. A. Toutountzis, S. David, N. Kalyvas, I. Valais, I. Kandarakis, G. S. Panayiotakis, 'Imaging performance and light emission efficiency of Lu₂ SiO₅:Ce (LSO:Ce) powder scintillator under X-ray mammographic conditions', *Applied Physics B: Lasers and Optics*, 95, 131-139, (2009).
248. Adrianos Toutountzis et al., 'Dual energy mammography: evaluation of scintillators for x-ray detectors using a signal to noise ratio model', *e-Journal of Science & Technology* 4.1 (2009).
249. C. Michail, S. David., A. Toutountzis, I. Valais, G. S. Panayiotakis, G. Fountos, N. Kalyvas, I. Kandarakis, 'A comparative investigation of Lu₂SiO₅:Ce and Gd₂O₂S:Eu phosphor scintillators for use in a medical imaging detectors', *IEEE Workshop on Imaging Systems and Techniques Proceedings*, 25-28 (2008).
250. Anastasios C. Konstantinidis, 'Investigation of scintillators of two k-absorption edges using Monte Carlo techniques', Master thesis 2007, School of Medicine, Department of Medical Physics, University of Patras.

251. Christos Michail, Stratos David, Adrianos Toutountzis, Ioannis Valais, Ioannis Kandarakis, and George. Panayiotakis, 'Imaging performance of LSO:Ce powder phosphor screens in the x-ray mammography energy range' From Scientific Computing to Computational Engineering 3rd IC-SCCE, Athens, 9-12 July, 2008.
252. Ioannis Seferis, 'Investigatoin and imaging characteristics of a CMOS sensor based digital detector coupled to a red emitting fluorescent screen', Master thesis 2013, School of Medicine, Department of Medical Physics, University of Patras.
253. Giorgos Karpetas, 'Simulation of image formation in nuclear medicine imaging systems using Monte Carlo methods', PhD thesis 2013, Department of Medical Physics, University of Patras.

ΑΗΜΟΣΙΕΥΣΗ Νο 13: **P. Liaparinos** and I. Kandarakis, 'The Monte Carlo evaluation of noise and resolution properties of granular phosphor screens', *Physics in Medicine and Biology*, Vol. 54, pp. 859-874, 2009.

254. Lee, M., Lee, H., Seong, S., Park, H., Kim, H., Min, C., ... & Cho, H. Preliminary study of integrated C-arm CT/SPECT imaging system for online adaptive 3D brachytherapy using Monte Carlo simulation. *Journal of Instrumentation*, 18(04), C04005. (2023).
255. Fielding, A. Monte Carlo Techniques for Megavoltage Imaging. In *Monte Carlo Techniques in Radiation Therapy* (pp. 49-59). CRC Press. (2021).
256. Lindström, J., Carlsson, G. A., Wåhlin, E., Tedgren, Å. C., & Poludniowski, G. Experimental assessment of a phosphor model for estimating the relative extrinsic efficiency in radioluminescent detectors. *Physica Medica*, 76, 117-124 (2020).
257. Yannakopoulos, P. H., Nikolopoulos, D., Petraki, E., & Tseles, D., Digital Radiation Sensors and Nanosensory Systems. In *Nuclear Radiation Nanosensors and Nanosensory Systems* (pp. 9-18). Springer Netherlands. (2016).
258. Yao, M., Duvauchelle, P., Kaftandjian, V., Peterzol-Parmentier, A., & Schumm, A. X-ray imaging plate performance investigation based on a Monte Carlo simulation tool. *Spectrochimica Acta Part B: Atomic Spectroscopy*, 103, 84-91 (2015).
259. Kalyvas, N., Valais, I., Michail, C., Fountos, G., Kandarakis, I., & Cavouras, D. A theoretical study of CsI: Tl columnar scintillator image quality parameters by analytical modeling. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 779, 18-24 (2015).
260. Zhao, Bo-Zhen, and Zhao-Dong Feng. "Performance evaluation of CsI screens for X-ray imaging." *Chinese Physics C*, 38.11, 116003 (2014).
261. Lim, C.H., Kam, S., Han, J.C., (...), Jeon, H., Kim, H.K. 'Effect of the phosphor screen optics on the Swank noise performance in indirect-conversion x-ray imagng detectors' *Journal of Instrumentation*, 9, C05053 (2014).
262. Poludniowski, G.G., Evans, P.M., 'Optical photon transport in powdered-phosphor scintillators. Part II. Calculation of single-scattering transport parameters,' *Medical Physics* 40, 041905 (2013).

263. Poludniowski, G.G., Evans, P.M., ‘Optical photon transport in powdered-phosphor scintillators. Part 1. Multiple-scattering and validity of the Boltzmann transport equation,’ *Medical Physics* 40, 041904 (2013).
264. I. Valais, C. Michail, I. Seferis, G. Fountos, N. Kalyvas, I. Kandarakis, G. S. Panayiotakis, ‘Scintillation screen preparation for use in digital medical imaging systems’, *e-Journal of Science & Technology (e-JST)*, 7, (2012).
265. C. M. Michail, V. A. Spyropoulou, G. P. Fountos, N. I. Kalyvas, I. G. Valais, I. S. Kandarakis, G. S. Panayiotakis, ‘Experimental and theoretical evaluation of a high resolution CMOS based detector under X-ray imaging conditions’, *IEEE Trans. Nuclear Science* 58 314-322 (2011).
266. D. Waterman, G. Evans, ‘Estimation of errors in diffraction data measured by CCD area detectors’, *Journal of Applied Crystallography* 43 1356-1371 (2010).
267. C. M. Michail, V. B. Spyropoulou, G. P. Fountos, N. E. Kalyvas, A. K. Mytafidis, I. G. Valais, I. S. Kandarakis, G. S. Panagiotakis, ‘Imaging performance of a high resolution CMOS sensor under mammographic and radiographic conditions’, *IEEE International Conference on Imaging Systems and Techniques IST Proceedings* 5548544 152-155, (2010).

ΑΗΜΟΣΙΕΥΣΗ No 14: P. Liaparinos and I. Kandarakis, ‘The imaging performance of compact Lu₂O₃:Eu phosphor screens: Monte Carlo simulation for applications in mammography, *Medical Physics*, Vol. 36, pp. 1985-1997, 2009.

268. Du, W., Lu, B., Li, Q., Xu, Z., Yu, H., & Feng, H. Effects of Preparation Atmosphere and Doping Concentration on Scintillation and Photoluminescence Properties of Lu₂O₃: Eu Scintillation Single Crystals. *Crystals*, 13(4), 680. (2023).
269. Shivanna, M., Nagappa, N., & Siddalingappa, D. M. Structural, Morphological and Photoluminescence Studies of Pure ZrO₂ and ZrO₂: Eu Nanophosphors Synthesised by Microwave-Assisted Hydrothermal Technique (2020).
270. Song, J., Shim, H. B., & Hahn, J. W. Analytical model for designing a high-energy-efficiency granular double-layer X-ray scintillator with a diffuse reflection layer. *Optics express*, 26(17), 21642-21655 (2018).
271. Yannakopoulos, P. H., Nikolopoulos, D., Petraki, E., & Tseles, D. Digital Radiation Sensors and Nanosensory Systems. In *Nuclear Radiation Nanosensors and Nanosensory Systems* (pp. 9-18). Springer Netherlands. (2016).
272. Jain, A., & Hirata, G. A. “Photoluminescence, size and morphology of red-emitting Gd₂O₃: Eu³⁺ nanophosphor synthesized by various methods” *Ceramics International*, (2016).
273. Jain, A., Hirata, G. A., Fariás, M. H., & Castellón, F. F., “Synthesis and characterization of (3-Aminopropyl) trimethoxy-silane (APTMS) functionalized Gd₂O₃: Eu³⁺ red phosphor with enhanced quantum yield,” *Nanotechnology*, 27, 065601 (2015).
274. Kalyvas, N., Valais, I., Michail, C., Fountos, G., Kandarakis, I., & Cavouras, D. (2015). A theoretical study of CsI: Tl columnar scintillator image quality parameters by analytical modeling. *Nuclear Instruments and Methods in Physics Research*

Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 779, 18-24 (2015).

275. Wang, C. L., Crow, M. L., Funk, L. L., Hannan, B. W., Hodges, J. P., & Riedel, R. A. Optimizing ZnS/6 LiF scintillators for wavelength-shifting-fiber neutron detectors. In 2015 IEEE Nuclear Science Symposium and Medical Imaging Conference (NSS/MIC) (pp. 1-6). IEEE. (2015).
276. Tamrakar, R. K., Bisen, D. P., Upadhyay, K., & Tiwari, S. (2014). Synthesis and thermoluminescence behavior of ZrO₂: Eu³⁺ with variable concentration of Eu³⁺ doped phosphor. *Journal of Radiation Research and Applied Sciences*, 7(4), 486-490 (2014).
277. Poludniowski, G.G., Evans, P.M., 'Optical photon transport in powdered-phosphor scintillators. Part II. Calculation of single-scattering transport parameters,' *Medical Physics* 40, 041905 (2013).
278. Poludniowski, G.G., Evans, P.M., 'Optical photon transport in powdered-phosphor scintillators. Part 1. Multiple-scattering and validity of the Boltzmann transport equation,' *Medical Physics* 40, 041904 (2013).
279. Ramírez, Á.J.M., Murillo, A.G., Romo, F.J.C., Hernández, M.G., Palmerin, J.M., Guerrero, R.R., 'Preparation and scintillating properties of sol-gel Eu³⁺, Tb³⁺, co-doped Lu₂O₃ nanopowders' *International Journal of Molecular Sciences* 12, 6240-6254 (2011).
280. Lopez-Luke T., De La Rosa, E., Romero, V.H., Ángles-Chávez, C., Salas, P., 'Solvent and surfactant effect on the self-assembly and luminescence properties of ZrO₂:Eu³⁺ nanoparticles', *Applied Physics B: Lasers and Optics*, 102 641-649 (2011).

ΑΗΜΟΣΙΕΥΣΗ Νο 15: A. Konstantinidis, **P. Liaparinos**, N. Kalivas, G. Panayiotakis, I. Kandarakis, 'Investigation of two heavy element scintillators by Monte Carlo methods', *Journal of Instrumentation*, JINST 4 P05019, 2009.

281. Psichis, K., Kalyvas, N., Kandarakis, I., & Panayiotakis, G. An analytical approach to the light transport in columnar phosphors. Detector Optical Gain, angular distribution and the CsI: Tl paradigm. *Physica Medica*, 35, 39-49 (2017).
282. Ψυχής, K. Signal transfer characteristics of columnar phosphors used in X-ray imaging (Doctoral dissertation) (2017).

ΑΗΜΟΣΙΕΥΣΗ Νο 16: I. Valais, C. Michail, S. David, **P. Liaparinos**, G. Fountos, T. Paschalis, I. Kandarakis and G. S., 'Comparative investigation of Ce³⁺ doped scintillators in a wide range of photon energies covering X-ray CT, nuclear medicine and megavoltage radiation therapy portal imaging applications', *IEEE Transactions on Nuclear Science*, Vol. 57, pp. 3-7, 2010.

283. Logoglu, F. Investigation of Thickness-Dependent Scintillator-Photosensor Interface Reflection Coefficients for Improved Light Yield Calculations in Inorganic Scintillators. (2024).

284. Lohe, P. P., & Tamboli, S. J. Metal Oxides. *Luminescent Metal Oxides: Materials to Technologies*, 105. (2023).
285. Ntoupis, V., Linardatos, D., Saatsakis, G., Kalyvas, N., Bakas, A., Fountos, G., ... & Valais, I. Response of Lead Fluoride (PbF₂) Crystal under X-ray and Gamma Ray Radiation. In *Photonics* (Vol. 10, No. 1, p. 57). (2023).
286. Saatsakis, G., Michail, C., Fountzoula, C., Kalyvas, N., Ninos, K., Bakas, A., ... & Valais, I. Luminescence Efficiency of Zn-Cu-In-S/ZnS Quantum Dot films. In 2019 14th International Conference on Design & Technology of Integrated Systems In Nanoscale Era (DTIS) (pp. 1-4). IEEE (2019).
287. Saatsakis, G., Michail, C., Fountzoula, C., Kalyvas, N., Bakas, A., Ninos, K., ... & Valais, I. Fabrication and Luminescent Properties of Zn-Cu-In-S/ZnS Quantum Dot Films under UV Excitation. *Applied Sciences*, 9(11), 2367 (2019).
288. Michail, C., Kalyvas, N., Bakas, A., Ninos, K., Sianoudis, I., Fountos, G., ... & Valais, I. Absolute Luminescence Efficiency of Europium-Doped Calcium Fluoride (CaF₂: Eu) Single Crystals under X-ray Excitation. *Crystals*, 9(5), 234 (2019).
289. Linhart, V., Bren, D., Casolari, A., Čerovský, J., Farník, M., Ficker, O., ... & Macúšová, E. First Measurement of X-rays Generated by Runaway Electrons in Tokamaks Using a TimePix3 Device with 1 mm thick Silicon Sensor. In 2018 IEEE Nuclear Science Symposium and Medical Imaging Conference Proceedings (NSS/MIC) (pp. 1-9). IEEE (2018).
290. Michail, C., Karpetas, G., Kalyvas, N., Valais, I., Kandarakis, I., Agavanakis, K., ... & Fountos, G. Information Capacity of Positron Emission Tomography Scanners. *Crystals*, 8(12), 459 (2018).
291. Kuz'micheva, G. M., Kaurova, I. A., Ivleva, L. I., Khramov, E. V., Eistrikh-Geller, P. A., Rybakov, V. B., ... & Firstov, S. V. Structure and composition peculiarities and spectral-luminescent properties of colorless and pink Bi₄Ge₃O₁₂ scintillation crystals. *Arabian journal of chemistry*, 11(8), 1270-1280 (2018).
292. Karpetas, G. E., Michail, C. M., Fountos, G. P., Kalyvas, N. I., Valais, I. G., Kandarakis, I. S., & Panayiotakis, G. S. Detective quantum efficiency (DQE) in PET scanners: A simulation study. *Applied Radiation and Isotopes*, 125, 154-162 (2017).
293. Nikolopoulos, D., Valais, I., Michail, C., Bakas, A., Fountzoula, C., Cantzos, D., ... & Panayiotakis, G. Radioluminescence properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. *Radiation Measurements*, 92, 19-31 (2016).
294. Michail, C., Valais, I., David, S., Bakas, A., Kalivas, N., Fountos, G., ... & Nikolopoulos, D. Efficiency of Luminescence of (Lu, Gd)₂SiO₅: Ce (LGSO: Ce) Crystal Sensory Material in the X-Ray Imaging Range. In *Nuclear Radiation Nanosensors and Nanosensory Systems* (pp. 81-90). Springer Netherlands (2016).
295. Michail, C. M., Karpetas, G. E., Fountos, G. P., Kalyvas, N. I., Valais, I. G., Fountzoula, C., ... & Panayiotakis, G. S. A novel method for the optimization of positron emission tomography scanners imaging performance. *Hellenic journal of nuclear medicine*, 19(3), 231-240 (2016).
296. I. S. Kandarakis, 'Luminescence in Medical Image Science', *Journal of Luminescence*, 169, 553-558 (2016).

297. Karpetas, G. E., Michail, C. M., Fountos, G. P., Valais, I. G., Nikolopoulos, D., Kandarakis, I. S., & Panayiotakis, G. S. (2015). Influence of Iterative Reconstruction Algorithms on PET Image Resolution. In *Journal of Physics: Conference Series*, Vol. 637, No. 1, p. 012011, (2015).
298. Efthimiou, N., Papadimitroulas, P., Kostou, T., & Loudos, G. (2015). Design considerations for a C-shaped PET system, dedicated to small animal brain imaging, using GATE Monte Carlo simulations. In *Journal of Physics: Conference Series*, Vol. 637, No. 1, p. 012005, (2015).
299. Michail, C. M., Karpetas, G. E., Fountos, G. P., Kalyvas, N. I., Martini, N., Koukou, V., ... & Kandarakis, I. S.. Medical Imaging Image Quality Assessment with Monte Carlo Methods. In *Journal of Physics: Conference Series*, Vol. 633, No. 1, p. 012096, (2015).
300. Michail, C. M., Karpetas, G. E., Fountos, G. P., Valais, I. G., Nikolopoulos, D., Kandarakis, I. S., & Panayiotakis, G. S.. Assessment of the Contrast to Noise Ratio in PET Scanners with Monte Carlo Methods. In *Journal of Physics: Conference Series*, Vol. 637, No. 1, p. 012019, (2015)
301. Michail, C., David, S., Bakas, A., Kalyvas, N., Fountos, G., Kandarakis, I., & Valais, I. Luminescence efficiency of (Lu, Gd) 2 SiO 5: Ce (LGSO: Ce) crystals under X-ray radiation. *Radiation Measurements*, 80, 1-9 (2015).
302. Karpetas, G.E., Michail, C.M., Fountos, G.P., (...), Kandarakis, I.S., Panayiotakis, G.S. 'A novel method for the image quality assessment of PET scanners by monte carlo simulations: Effect of the scintillator', *Journal of Physics: Conference Series*, 490, 012139 (2014).
303. Yadav, P.J., Joshi, C.P., Moharil, S.V., 'Long-lasting luminescence in garnet-based phosphors prepared by combustion synthesis,' *International Journal of Self-Propagating High-Temperature Synthesis* 22, 157-162 (2013).
304. Nikolopoulos, D., Kalyvas, N., Valais, I., Argyriou, X., Vlamakis, E., Sevvos, T., Kandarakis, I., 'A semi-empirical Monte Carlo based model of the Detector Optical Gain of Nuclear Imaging scintillators,' *Journal of Instrumentation*, 7 , P11021 (2012).
305. Rétot, H., Blahuta, S., Bessière, A., Viana, B., Lacourse, B., Mattmann, E. 'Improved scintillation time response in (Lu0.5Gd 0.5)2O3 : Eu3+ compared with Lu2O3 : Eu3+ transparent ceramics', *Journal of Physics D: Applied Physics* 44 235101 (2011).
306. Giorgos Karpetas, 'Simulation of image formation in nuclear medicine imaging systems using Monte Carlo methods', PhD thesis 2013, Department of Medical Physics, University of Patras.
307. Liu, Chen-Yi, 'Characterization of silicon photomultiplier readout designs for use in positron emission tomography systems', Master thesis 2013, AA (University of Manitoba (Canada)).

ΑΗΜΟΣΙΕΥΣΗ No 17: K. Bliznakova, R. Speller, J. Horrocks, **P. Liaparinos**, Z. Kolitsi, N. Pallikarakis., 'Experimental validation of a radiographic simulation code using breast phantom for x-ray imaging', *Computers in Biology and Medicine*, Vol. 40, pp. 208-214, 2010.

308. Tanya Dimova, Thesis, “New aromatic iodine derivatives – synthesis, structure, properties,” Medical University of Varna (2024).
309. María, C., Vilma, Y., Nadia, G. L., Coello-Cabezas, J., & Rosa, O. Mean glandular dose estimation through breast phantom simulation in the gamos framework of the GEANT4 code. *NeuroQuantology*, 21(5), 1631. (2023).
310. Marshall, N. W., & Bosmans, H. Performance evaluation of digital breast tomosynthesis systems: comparison of current virtual clinical trial methods. *Physics in Medicine & Biology*, 67(22), 22TR04. (2022).
311. Dukov, N., Encheva, E., & Bliznakova, K. Suitability of 3D printing materials for printing anthropomorphic phantoms: A simulation study. In *Journal of Physics: Conference Series* (Vol. 2162, No. 1, p. 012012). IOP Publishing. (2022).
312. Baneva, Y., Georgiev, T., & Bliznakova, K. Design and use of computational models for contrast-enhanced spectral mammography. *Scripta Scientifica Medica*, 54(3), 27-33. (2022).
313. Sarno, A., Mettivier, G., di Franco, F., Varallo, A., Bliznakova, K., Hernandez, A. M., ... & Russo, P. Dataset of patient-derived digital breast phantoms for in silico studies in breast computed tomography, digital breast tomosynthesis, and digital mammography. *Medical Physics*, 48(5), 2682-2693. (2021).
314. Georgiev, T., & Bliznakova, K. Contrast Agent Dual Energy Imaging: Computer Simulations In Search For Printing Materials. In 2021 International Conference on e-Health and Bioengineering (EHB) (pp. 1-4). IEEE. (2021).
315. Malliori, A., Daskalaki, A., Dermitzakis, A., & Pallikarakis, N. Development of Physical Breast Phantoms for X-ray Imaging Employing 3D Printing Techniques. *The Open Medical Imaging Journal*, 12(1). (2020).
316. Georgiev, T., Bliznakova, K., Kolev, I., Dukov, N., & Bliznakov, Z..An approach for development of a physical breast phantom for X-ray imaging using an inkjet printer: preliminary results. In *The International Symposium on Bioinformatics and Biomedicine* (pp. 384-389) (2020).
317. Baneva, Y., & Bliznakova, K. Influence of Incident Mammography Spectra and Breast Phantom Characteristics on Mammography Features. In *The International Symposium on Bioinformatics and Biomedicine* (pp. 390-399). Cham: Springer International Publishing. (2020).
318. Kahani, M., Kamali-Asl, A., & Tabrizi, S. H. Proposition of a practical protocol for obtaining a valid radiology image using radiography tally of MCNPX Monte Carlo Code. *Applied Radiation and Isotopes*, 149, 114-122 (2019).
319. Bliznakova, K., Dukov, N., Feradov, F., Gospodinova, G., Bliznakov, Z., Russo, P., ... & Kostova-Lefterova, D. Development of breast lesions models database. *Physica Medica*, 64, 293-303 (2019).
320. Dukov, N., Bliznakov, Z., Buliev, I., & Bliznakova, K. Creation of Computational Breast Phantoms with Extracted Abnormalities from Real Patient Images. In *World Congress on Medical Physics and Biomedical Engineering Springer, Singapore 2018* (pp. 213-217) (2019).

321. Duan, X., Mei, Y., Wu, S., Ling, Q., Qin, G., Ma, J., ... & Xu, Y. A multiscale contrast enhancement for mammogram using dynamic unsharp masking in Laplacian pyramid. *IEEE Transactions on Radiation and Plasma Medical Sciences* (2018).
322. Wigati, K. T., Manssens, H., Vancoillie, L., Lesley, C., Soejoko, D. S., Bosmans, H., & Bliznakova, K. Virtual study to investigate the detectability of breast abnormalities on 2D mammography and digital breast tomosynthesis. *Journal of Medical Physics and Biophysics*, 5(1), 124-138 (2018).
323. Ling, Q., Wu, S., Duan, X., Qin, G., Ma, J., Chen, C., ... & Xu, Y. Patch Based Grid Artifact Suppressing in Digital Mammography. *BioMed research international*, 2018. (2018).
324. Gospodinova, G., & Bliznakova, K. An Approach of Modelling of Breast Lesions. *"APPLIED COMPUTER TECHNOLOGIES" ACT 2018*, 149. (2018).
325. Baneva, Y., Bliznakova, K., Cockmartin, L., Marinov, S., Buliev, I., Mettievier, G., ... & Bliznakov, Z. Evaluation of a breast software model for 2D and 3D X-ray imaging studies of the breast. *Physica Medica*, 41, 78-86 (2017).
326. Bliznakova, K., Ivanov, D., Mettievier, G., Russo, P., Buliev, I., & Bliznakov, Z. Abstract ID: 66 Monte Carlo and analytical validation of a software breast phantom for X-ray mammography imaging. *Physica Medica*, 42, 13 (2017).
327. Kalcheva, N., Zagorska, A., Dukov, N., & Bliznakova, K. Analysis of Suitability of Five Statistical Methods Applied for the Validation of a Monte Carlo X-Ray Based Software Packages. In *International Conference on Intelligent Information Technologies for Industry* (pp. 448-456). Springer, Cham. (2017).
328. Dermitzakis, A., & Pallikarakis, N. Line Contrast Figure of Merit for Dual Energy X-ray Image Quality Assessment: Initial Results. In *EMBECE & NBC 2017* Springer, Singapore. (pp. 591-594) (2017).
329. Daskalaki, A., Bliznakova, K., & Pallikarakis, N.. Evaluation of the effect of silicone breast inserts on X-ray mammography and breast tomosynthesis images: A Monte Carlo simulation study. *Physica Medica*, 32(2), 353-361 (2016).
330. M Ali, R. M. K. Risk of radiation-induced cancer from screening mammography (Doctoral dissertation, University of Salford) (2016).
331. Αδαμίδη, Ε. Εφαρμογή μεθοδολογίας αραιών αναπαραστάσεων στην απεικόνιση με ακτίνες X (Doctoral dissertation) (2016).
332. Uhry, C. Optimisation du procédé de tomographie X appliqué à la détection des défauts dans les matériaux composites (Doctoral dissertation) (2016).
333. Bliznakova, K., Russo, P., Mettievier, G., Requardt, H., Popov, P., Bravin, A., & Buliev, I. "A software platform for phase contrast x-ray breast imaging research", *Computers in biology and medicine*, 61, 62-74, (2015).
334. Dhaene, Jelle, et al. "A realistic projection simulator for laboratory based X-ray micro-CT." *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, 342 170-178 (2015).
335. Dermitzakis, A., Daskalaki, A., Bliznakova, K., & Pallikarakis, N. New Line Contrast Figure of Merit for image quality assessment. In *World Congress on Medical Physics and Biomedical Engineering*, June 7-12, Toronto, Canada (pp. 26-28). Springer International Publishing. (2015).

336. Bliznakova, Kristina, et al. "How Can Biomedical Engineers Benefit from the New Expert Level Course of the EUTEMPE-RX Project." 6th European Conference of the International Federation for Medical and Biological Engineering, Springer International Publishing, (2015).
337. Dustler, M., Bakic, P., Petersson, H., Timberg, P., Tingberg, A., & Zackrisson, S. "Application of the fractal Perlin noise algorithm for the generation of simulated breast tissue". In *SPIE Medical Imaging* (pp. 94123E-94123E), International Society for Optics and Photonics. (2015).
338. K. Bliznakova, et al. "Modeling of small carbon fiber-reinforced polymers for X-ray imaging simulation," *Journal of Composite Materials*, 0021998314550219 (2014).
339. Kristina Bliznakova, , et al. "Modelling of small CFRP aerostructure parts for X-ray imaging simulation." *International Journal of Structural Integrity*, 5, 227-240 (2014).
340. Malliori, A., Bliznakova, K., Sechopoulos, I., (...), Fei, B., Pallikarakis, N. 'Breast tomosynthesis with monochromatic beams: A feasibility study using Monte Carlo simulations', *Physics in Medicine and Biology*, 59, 4681- 4696 (2014).
341. Daskalaki, A., Bliznakova, K., Pallikarakis, N. 'Image analysis of breast reconstruction with silicone gel implant', *IFMBE Proceedings*, 44 235101 (2014).
342. Pallikarakis, N., Bliznakova, K. 'Simulation studies in medical x-ray tomographic imaging', *E-Health and Bioengineering Conference*, 6707397 (2013).
343. Bliznakova, K., Buliev, I., Kolev, J., Bliznakov, Z., Kolev, N. 'Study of suitability of new materials for use with physical breast phantoms', *E-Health and Bioengineering Conference*, 6707335 (2013).
344. Adamidi, E., Vlachos, E., Dermitzakis, A., Berberidis, K., Pallikarakis, N. 'A scheme for X-ray medical image denoising using sparse representations', *13th IEEE International Conference on BioInformatics and BioEngineering*, 6701544 (2013).
345. Ihori, A., Fujita, N., Sugiura, A., Yasuda, N., Kodera, Y., 'Phantom-based comparison of conventional versus phase-contrast mammography for LCD soft-copy diagnosis,' *International Journal of Computer Assisted Radiology and Surgery* 8, 621-633 (2013).
346. Malliori, A., Bliznakova, K., Speller, R.D., Horrocks, J.A., Rigon, L., Tromba, G., Pallikarakis, N., 'Image quality evaluation of breast tomosynthesis with synchrotron radiation,' *Medical Physics* 39, 5621-5634 (2012).
347. Fitousi, N.T., Delis, H., Panayiotakis, G., 'Monte Carlo simulation of breast imaging using synchrotron radiation,' *Medical Physics* 39, 2069-2077 (2012).
348. K. Tigkos et al. "Simulation study for optimization of X-ray inspection setup applied to CFRP aerostructures." *iCT Conference* (2014).
349. K. Bliznakova, "In-line X-ray phase contrast imaging: Initial simulation studies with breast-like phantom for mammography applications," *Proceedings of European Medical Physics and Engineering Conference* (2012).
350. Anthi Malliori, 'Advanced three dimensional digital tomosynthesis studies for breast imaging', PhD thesis 2014, Department of Medical Physics, University of Patras.

ΑΗΜΟΣΙΕΥΣΗ Νο 18: S. L. David, C. M. Michail, M. Roussou, E. Nirgianaki, A. E. Toutountzis, I. G. Valais, G. Fountos, **P. F. Liaparinos**, I. Kandarakis, G. Panayiotakis., ‘Evaluation of the luminescence efficiency of YAG:Ce powder scintillating screens for use in digital mammography detectors portal imaging applications’, IEEE Transactions on Nuclear Science, Vol. 57, pp. 951-957, 2010.

351. De Martinis, A., Montalto, L., Scalise, L., Rinaldi, D., Mengucci, P., Michail, C., ... & David, S. Luminescence and Structural Characterization of Gd₂O₂S Scintillators Doped with Tb³⁺, Ce³⁺, Pr³⁺ and F for Imaging Applications. *Crystals*, 12(6), 854. (2022).
352. Li, Y., Li, Y., Liu, F., Zeng, F., Zhang, X., Huang, D., ... & Mahadevan, C. K. Effect of Ce concentration on the structural, mechanical, electrical and optical properties of Ce-doped large-sized KClO₃·5BrO₃ crystals. *Journal of Alloys and Compounds*, 884, 161099. (2021).
353. Li, Y., Li, Y., Li, C., Zhang, X., Zeng, F., Lin, H., ... & Mahadevan, C. K. Structural, mechanical, thermal and optical properties of NaCl: Ce³⁺ single crystals grown in large size by the Czochralski method. *Journal of Alloys and Compounds*, 849, 156592. (2020).
354. Boukerika, A., Guerbous, L., Chelef, H., & Benharrat, L. Preparation and characterization of bright high quality YAG: Eu³⁺ thin films grown by sol-gel dip-coating technique. *Thin Solid Films*, 683, 74-81 (2019).
355. Lojpur, V., Egelja, A., Pantić, J., (...), Matović, B., Dramićanin, M.D. ‘Y₃Al₅O₁₂:Re³⁺ (Re=Ce, Eu, and Sm) nanocrystalline powders prepared by modified glycine combustion method’, *Science of Sintering*, 46, 85-92 (2014).
356. Min Jeong Kim et al., ‘Cerium-Doped Yttrium Aluminum Garnet Hollow Shell Phosphors Synthesized via the Kirkendall Effect’ *ACS applied materials & interfaces* 6, 1145-1151. (2014).
357. Jia, N., Zhang, X., He, W., Hu, W., Meng, X., Du, Y., Jiang, J., Du, Y., ‘Property of YAG: Ce phosphors powder prepared by mixed solvothermal method’, *Journal of Alloys and Compounds*, 509 1848-1853 (2011).
358. Nikos Efthimiou et al., ‘Initial results on SiPMs performance for use in medical imaging’, *Measurement Science and Technology* 22, 114001 (2011).

ΑΗΜΟΣΙΕΥΣΗ Νο 19: C. M. Michail, G. P. Fountos, **P. F. Liaparinos**, N. E. Kalyvas, I. Valais, I. S. Kandarakis, G. S. Panayiotakis., ‘Light emission efficiency and imaging performance of Gd₂O₂S:Eu powder scintillator under x-ray radiography conditions’, *Medical Physics*, Vol. 37, pp. 3694-3703, 2010.

359. Cai, H., Jia, F., Cheng, Q., Ankri, R., Cui, J., & Wang, L. (2024). Advanced biological optical sensors for visualization and quantification of radionuclides. *TrAC Trends in Analytical Chemistry*, 117704 (2024).
360. Tzomakas, M. K., Peppas, V., Alexiou, A., Karakatsanis, G., Episkopakis, A., Michail, C., ... & Kalyvas, N. Image quality impact of different phosphor activator materials in Gd₂O₂S based EPID systems. *RAP Conference Proceedings Vol. 8*, pp. 60–64, (2023).

361. De Martinis, A., Montalto, L., Scalise, L., Rinaldi, D., Mengucci, P., Michail, C., ... & David, S. Luminescence and Structural Characterization of Gd₂O₂S Scintillators Doped with Tb³⁺, Ce³⁺, Pr³⁺ and F for Imaging Applications. *Crystals*, 12(6), 854. (2022).
362. Linardatos, D., Koukou, V., Martini, N., Konstantinidis, A., Bakas, A., Fountos, G., ... & Michail, C. Assessing the Information Content of a Non-Destructive Testing CMOS Imaging Detector. *Procedia Structural Integrity*, 33, 304-311. (2021).
363. Zhang, W., Kou, H., Ge, L., Zhang, Y., Lin, L., & Li, W. Effects of doping ions on the luminescence performance of terbium doped gadolinium polysulfide phosphor. In *Journal of Physics: Conference Series* (Vol. 1549, No. 3, p. 032064). IOP Publishing. (2020).
364. Saatsakis, G., Ninos, K., Valais, I., Martini, N., Kalyvas, N., Kantsos, C., ... & Michail, C. Luminescence efficiency of CaF₂: Eu single crystals: Temperature dependence. *Procedia Structural Integrity*, 26, 3-10 (2020).
365. Saatsakis, G., Michail, C., Fountzoula, C., Bakas, A., Kalyvas, N., Ninos, K., ... & Panayiotakis, G. Poly (Methyl Methacrylate) Structure Modification through Zn-Cu-In-S/ZnS Quantum Dot Nanocrystals Dispersion. *Procedia Structural Integrity*, 25, 47-54 (2020).
366. Larquet, C., & Carencó, S. Metal Oxysulfides: From Bulk Compounds to Nanomaterials. *Frontiers in Chemistry*, 8, 179 (2020).
367. Rahim, S., Hasim, M. H., Ayob, M. T. M., Rahman, I. A., Salleh, K. A. M., & Radiman, S. Gd₂O₂S: Eu³⁺ Nanophosphors: Microwave Synthesis and X-ray Imaging Detector Application. *Materials Research*, 22(6) (2020).
368. Psichis, K., Kalyvas, N., Kandarakis, I., & Panayiotakis, G. MTF of columnar phosphors with a homogenous part: an analytical approach. *Medical & Biological Engineering & Computing*, 58, 2551-2565. (2020).
369. Larquet, C., Nguyen, A. M., Glais, E., Paulatto, L., Sassoie, C., Selmane, M., ... & Chanéac, C. Band Gap Engineering from Cation Balance: The Case of Lanthanide Oxysulfide Nanoparticles. *Chemistry of Materials*, 31(14), 5014-5023 (2019).
370. Larquet, C., Hourlier, D., Nguyen, A. M., Torres-Pardo, A., Gauzzi, A., Sanchez, C., & Carencó, S. Thermal Stability of Oleate-Stabilized Gd₂O₂S Nanoplates in Inert and Oxidizing Atmospheres. *ChemNanoMat*, 5(4), 539-546 (2019).
371. Saatsakis, G., Michail, C., Fountzoula, C., Kalyvas, N., Bakas, A., Ninos, K., ... & Valais, I. Fabrication and Luminescent Properties of Zn-Cu-In-S/ZnS Quantum Dot Films under UV Excitation. *Applied Sciences*, 9(11), 2367 (2019).
372. Saatsakis, G., Kalyvas, N., Michail, C., Ninos, K., Bakas, A., Fountzoula, C., ... & Valais, I. Optical Characteristics of ZnCuInS/ZnS (Core/Shell) Nanocrystal Flexible Films Under X-Ray Excitation. *Crystals*, 9(7), 343 (2019).
373. Michail, C., Valais, I., Fountos, G., Bakas, A., Fountzoula, C., Kalyvas, N., & Kandarakis, I. Luminescence efficiency of calcium tungstate (CaWO₄) under X-ray radiation: Comparison with Gd₂O₂S: Tb. *Measurement*, 120, 213-220. (2018).
374. Liu, Y., Jing, X., Wang, P., Yin, T., Ji, D., & Zhang, M. Rapid Production of Ln₂O₂S: Eu³⁺/Tb³⁺ (Ln= Sm, La, Gd, and Y) Phosphors by Molten Salt Electrolysis. *ACS Applied Energy Materials*, 1(3), 1191-1199 (2018).

375. Avram, D., & Tiseanu, C. Thermometry properties of Er, Yb–Gd₂O₂S microparticles: dependence on the excitation mode (cw versus pulsed excitation) and excitation wavelength (980 nm versus 1500 nm). *Methods and applications in fluorescence*, 6(2), 025004 (2018).
376. Michail, C., Karpetas, G., Kalyvas, N., Valais, I., Kandarakis, I., Agavanakis, K., ... & Fountos, G. Information Capacity of Positron Emission Tomography Scanners. *Crystals*, 8(12), 459 (2018).
377. Seferis, I. E., Michail, C., Zeler, J., Kalyvas, N., Valais, I., Fountos, G., ... & Panayiotakis, G. S. Detective quantum efficiency (DQE) of high X-ray absorption Lu₂O₃: Eu thin screens: the role of shape and size of nano-and micro-grains. *Applied Physics A*, 124(9), 604 (2018).
378. Star-Lack, J. Advanced technologies for beam's eye view imaging. In *Beam's Eye View Imaging in Radiation Oncology* (pp. 211-231). CRC Press (2018).
379. Κούκου, Β. Methodology development for breast cancer diagnosis using dual energy X-rays and digital tomosynthesis (Doctoral dissertation). (2017).
380. Ψυχής, Κ. Signal transfer characteristics of columnar phosphors used in X-ray imaging (Doctoral dissertation). (2017).
381. Park, J. K., Yang, S. W., Jeon, J. H., Kim, J. H., Heo, Y. J., Kang, S. S., & Kim, K. T. Fabrication of Bendable Gd₂O₂S: Tb Intensifying Screen and Evaluation of Fatigue Properties. *Journal of the Korean Society of Radiology*, 11(7), 610-617 (2017).
382. Dezi, A., Monachesi, E., D'Ignazio, M., Scalise, L., Montalto, L., Paone, N., ... & Michail, C. Structural Characterization and Absolute Luminescence Efficiency Evaluation of Gd₂O₂S High Packing Density Ceramic Screens Doped with Tb³⁺ and Eu³⁺ for further Applications in Radiology. In *Journal of Physics: Conference Series* (Vol. 931, No. 1, p. 012029). (2017).
383. Koukou, V., Martini, N., Fountos, G., Michail, C., Sotiropoulou, P., Bakas, A., ... & Nikiforidis, G. Dual energy subtraction method for breast calcification imaging. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 848, 31-38 (2017).
384. Chouikrat, R., Barros, F., André, J. C., Vanderesse, R., Viana, B., Bulin, A. L., ... & Frochot, C. A Photosensitizer Lanthanide Nanoparticle Formulation that Induces Singlet Oxygen with Direct Light Excitation, But Not By Photon or X-ray Energy Transfer. *Photochemistry and photobiology*, 93(6), 1439-1448 (2017).
385. Karpetas, G. E., Michail, C. M., Fountos, G. P., Kalyvas, N. I., Valais, I. G., Kandarakis, I. S., & Panayiotakis, G. S. Detective quantum efficiency (DQE) in PET scanners: A simulation study. *Applied Radiation and Isotopes*, 125, 154-162 (2017).
386. Seferis, I. E., Michail, C., Zeler, J., Valais, I., Fountos, G., Kalyvas, N., ... & Panayiotakis, G. S. X-ray imaging resolution of phosphor screens prepared with different grains size and shape of granular Lu₂O₃: Eu. In *Journal of Physics Conference Series*, Vol. 931, No. 1, (2017).
387. Michail, C. M., Karpetas, G. E., Fountos, G. P., Kalyvas, N. I., Valais, I. G., Fountzoula, C., ... & Panayiotakis, G. S. A novel method for the optimization of positron emission tomography scanners imaging performance. *Hellenic journal of nuclear medicine*, 19(3), 231-240 (2016).

388. Seferis, I. E., Zeler, J., Michail, C., Valais, I., Fountos, G., Kalyvas, N., ... & Zych, E., On the response of semitransparent nanoparticulated films of LuPO₄: Eu in poly-energetic X-ray imaging applications. *Applied Physics A*, 122(5), 1-10 (2016).
389. I. S. Kandarakis, ‘Luminescence in Medical Image Science’, *Journal of Luminescence*, 169, 553-558 (2016).
390. Lin, S. L., Liu, T. Y., Lo, C. L., Wang, B. S., Lee, Y. J., Lin, K. Y., & Chang, C. A.. Synthesis, surface modification, and photophysical studies of Ln₂O₃: Ln³⁺ (Ln= Gd, Tb, Eu; Ln'= Tb and/or Eu) nanoparticles for luminescence bioimaging. *Journal of Luminescence*, 175, 165-175 (2016)
391. Michail, C., Valais, I., Seferis, I., Kalyvas, N., Fountos, G., & Kandarakis, I., Experimental measurement of a high resolution CMOS detector coupled to CsI scintillators under X-ray radiation, *Radiation Measurements*, 74, 39-46 (2015).
392. Michail, C. M., Karpetas, G. E., Fountos, G. P., Valais, I. G., Nikolopoulos, D., Kandarakis, I. S., & Panayiotakis, G. S. Assessment of the Contrast to Noise Ratio in PET Scanners with Monte Carlo Methods. In *Journal of Physics: Conference Series*, Vol. 637, No. 1, p. 012019 (2015).
393. Karpetas, G. E., Michail, C. M., Fountos, G. P., Valais, I. G., Nikolopoulos, D., Kandarakis, I. S., & Panayiotakis, G. S.. Influence of Iterative Reconstruction Algorithms on PET Image Resolution. In *Journal of Physics: Conference Series* (Vol. 637, No. 1, p. 012011, (2015).
394. Martini, N., Koukou, V., Kalyvas, N., Sotiropoulou, P., Michail, C., Valais, I., ... & Fountos, G. Modeling indirect detectors for performance optimization of a digital mammographic detector for dual energy applications. In *Journal of Physics: Conference Series*, Vol. 574, No. 1, p. 012075, (2015).
395. Koukou, V., Martini, N., Michail, C., Sotiropoulou, P., Fountzoula, C., Kalyvas, N., ... & Fountos, G.. Dual energy method for breast imaging: A simulation study. *Computational and mathematical methods in medicine*, (2015).
396. Koukou, V., Martini, N., Michail, C., Sotiropoulou, P., Kalyvas, N., Kandarakis, I., ... & Fountos, G.. Optimum filter selection for Dual Energy X-ray Applications through Analytical Modeling. In *Journal of Physics: Conference Series*, 633, No. 1, p. 012093, (2015).
397. Koukou, V., Fountos, G., Martini, N., Sotiropoulou, P., Michail, C., Kalyvas, N., ... & Nikiforidis, G.. Optimization of breast cancer detection in Dual Energy X-ray Mammography using a CMOS imaging detector. In *Journal of Physics: Conference Series* (Vol. 574, No. 1, p. 012076, (2015).
398. Michail, C. M., Karpetas, G. E., Fountos, G. P., Kalyvas, N. I., Martini, N., Koukou, V., ... & Kandarakis, I. S.. Medical Imaging Image Quality Assessment with Monte Carlo Methods. In *Journal of Physics: Conference Series*, Vol. 633, No. 1, p. 012096, (2015).
399. C Michail, I. Valais, I. Seferis, N. Kalyvas, S. David, G. Fountos, I. Kandarakis. ‘Measurement of the luminescence properties of Gd₂O₂S:Pr,Ce,F powder scintillators under X-ray radiation’, *Radiation Measurements*, 70, 59-64 (2014).
400. Lim, C.H., Kam, S., Han, J.C., (...), Jeon, H., Kim, H.K. ‘Effect of the phosphor screen optics on the Swank noise performance in indirect-conversion x-ray imaging detectors’ *Journal of Instrumentation*, 9, C05053 (2014).

401. Hui, Y., Sun, X., Chen, J., (...), Zhang, M., Li, J.-G. 'The fabrication of monoclinic Gd₂O₃ transparent microspheres and scintillator array via laser heating' *IEEE Transactions on Nuclear Science*, 61, 6651681, 367-372 (2014).
402. Koukou, V., Martini, N., Fountos, G., (...), Kandarakis, I., Nikiforidis, G. 'Calcification detection optimization in dual energy mammography: Influence of the X-ray spectra' *IFMBE Proceedings*, 41, 459-462 (2014).
403. Michail, C.M., Valais, I.G., Seferis, I.E., (...), Fountos, G.P., Kandarakis, I.S., 'Experimental evaluation of a high resolution CMOS digital imaging detector coupled to structured CsI scintillators for medical imaging applications' *IFMBE Proceedings*, 41, 471-474 (2014).
404. Karpetas, G.E., Michail, C.M., Fountos, G.P., Kandarakis, I.S., Panayiotakis, G.S. 'A new PET resolution measurement method through Monte-Carlo simulations' *Nuclear Medicine Communications*, 35, 967-976 (2014).
405. Seferis, I.E., Michail, C.M., Valais, I.G., (...), Kandarakis, I.S., Panayiotakis, G.S. 'On the response of a europium doped phosphor-coated CMOS digital imaging detector' *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 729, 307-315 (2013).
406. Karpetas, G.E., Michail, C.M., Fountos, G.P., (...), Kandarakis, I.S., Panayiotakis, G.S. 'Towards the optimization of nuclear medicine procedures for better spatial resolution, sensitivity, scanimage quality and quantitation measurements by using a new Monte Carlo model featuring PET imaging' *Hellenic Journal of Nuclear Medicine*, 16, 111-120 (2013).
407. Bertolini, M., Nitrosi, A., Rivetti, S., Lanconelli, N., Pattacini, P., Ginocchi, V., Iori, M., 'A comparison of digital radiography systems in terms of effective detective quantum efficiency,' *Medical Physics* 39, 2617-2627 (2012).
408. Valais, I.G., Fountos, G.P., Michail, C.M., (...), Kandarakis, I.S., Panayiotakis, G.S. 'Thin substrate powder scintillator screens for use in digital X-ray medical imaging applications' *IEEE Nuclear Science Symposium Conference Record*, 6152537, 2997-3000 (2012).
409. Woo, T., Kim, T., 'Light collection enhancement of the digital x-ray detector using Gd₂O₂S:Tb and CsI:Tl phosphors in the aspect of nano-scale light dispersions,' *Radiation Physics and Chemistry* 81,12-15 (2012).
410. Novais, S.M.V., Da Silva, R.S., MacEdo, Z.S., 'Thermally stimulated luminescence of polycrystalline CdWO₄ at low temperatures', *Journal of Luminescence* 131 1283-1287 (2011).
411. P-D. Lin, C-S Liu, 'Geometrical MTF computation method based on the irradiance model', *Applied Physics B: Lasers and Optics* 102 243-249 (2011).
412. Giorgos Karpetas, 'Simulation of image formation in nuclear medicine imaging systems using Monte Carlo methods', PhD thesis 2013, Department of Medical Physics, University of Patras.
413. Vaia Koukou, 'Dual energy mammography: X-ray spectra optimization using lanthanide and non filters', Master thesis 2013, Department of Medical Physics, University of Patras.

AHΜΟΣΙΕΥΣΗ No 20: C. M. Michail, G. P. Fountos, I. G. Valais, N. E. Kalyvas, **P. F. Liaparinos**, I. S. Kandarakis, G. S. Panayiotakis., ‘Evaluation of the red emitting $Gd_2O_2S:Eu$ powder scintillator for use in indirect X-ray digital mammography detectors’, *IEEE Transactions on Nuclear Science*, Vol. 58, pp. 2503-2511, 2011.

414. Tzomakas, M. K., Peppas, V., Alexiou, A., Karakatsanis, G., Episkopakis, A., Michail, C., ... & Kalyvas, N. Image quality impact of different phosphor activator materials in Gd_2O_2S based EPID systems. *RAP Conference Proceedings Vol. 8*, pp. 60–64, (2023).
415. Linardatos, D., Koukou, V., Martini, N., Konstantinidis, A., Bakas, A., Fountos, G., ... & Michail, C. Assessing the Information Content of a Non-Destructive Testing CMOS Imaging Detector. *Procedia Structural Integrity*, 33, 304-311. (2021).
416. Kodama, S., Kurosawa, S., Ohno, M., Morishita, Y., Usami, H., Hayashi, M., ... & Yamaji, A. Fiber-read radiation monitoring system using an optical fiber and red-emitting scintillator for ultra-high-dose conditions. *Applied Physics Express*, 13(4), 047002 (2020).
417. Kim, J. Y., Lim, H. S., Heo, N. H., Kim, H. J., & Seff, K. Identification and structures of the X-ray induced luminescence centers in the zeolites Zr, X, Cs, Na-LTA, X= Cl, Br, and I. *Microporous and Mesoporous Materials*, 278, 443-454 (2019).
418. Michail, C., Valais, I., Fountos, G., Bakas, A., Fountzoula, C., Kalyvas, N., ... & Kandarakis, I. Luminescence efficiency of calcium tungstate ($CaWO_4$) under X-ray radiation: Comparison with $Gd_2O_2S: Tb$. *Measurement*, 120, 213-220 (2018).
419. Martini, N., Koukou, V., Fountos, G., Michail, C., Bakas, A., Kandarakis, I., ... & Nikiforidis, G. Characterization of breast calcification types using dual energy x-ray method. *Physics in Medicine & Biology*, 62(19), 7741 (2017).
420. Ding, L. A Theoretical investigation of Embedded Scintillator Optical Fibre Sensors for Use in Real-Time X-ray and γ -ray Dosimetry (Doctoral dissertation, Cardiff University) (2017).
421. Μαρτίνη, Ν. Breast composition study using ionizing radiation (Doctoral dissertation) (2017).
422. Nikolopoulos, D., Valais, I., Michail, C., Bakas, A., Fountzoula, C., Cantzos, D., ... & Panayiotakis, G. Radioluminescence properties of the $CdSe/ZnS$ Quantum Dot nanocrystals with analysis of long-memory trends. *Radiation Measurements*, 92, 19-31 (2016).
423. Michail, C., Valais, I., David, S., Bakas, A., Kalivas, N., Fountos, G., ... & Nikolopoulos, D.. Efficiency of Luminescence of $(Lu, Gd) 2SiO_5: Ce$ (LGSO: Ce) Crystal Sensory Material in the X-Ray Imaging Range. In *Nuclear Radiation Nanosensors and Nanosensory Systems* (pp. 81-90). Springer Netherlands, (2016)
424. Wang, L., Yuan, S., Yang, Y., Chevre, F., Tessier, F., & Chen, G. “Luminescent properties of novel red-emitting phosphor: $Gd_2O_2CN_2: Eu^{3+}$ ”. *Optical Materials Express*, 5(11), 2616-2624 (2015).
425. Sotiropoulou, P., Koukou, V., Martini, N., Michail, C., Kounadi, E., Kandarakis, I., ... & Fountos, G.. Estimation of bone Calcium-to-Phosphorous mass ratio using dual-

- energy nonlinear polynomial functions. In *Journal of Physics: Conference Series*, Vol. 633, No. 1, p. 012126, (2015).
426. Sotiropoulou, P., Fountos, G., Martini, N., Koukou, V., Michail, C., Kandarakis, I., & Nikiforidis, G.. Bone calcium/phosphorus ratio determination using dual energy X-ray method. *Physica Medica*, 31(3), 307-313 (2015).
427. Martini, N., Koukou, V., Kalyvas, N., Sotiropoulou, P., Michail, C., Valais, I., ... & Fountos, G.. Modeling indirect detectors for performance optimization of a digital mammographic detector for dual energy applications. In *Journal of Physics: Conference Series* (Vol. 574, No. 1, p. 012075, (2015).
428. Martini, N., Koukou, V., Michail, C., Sotiropoulou, P., Kalyvas, N., Kandarakis, I., ... & Fountos, G. "Pencil Beam Spectral Measurements of Ce, Ho, Yb, and Ba Powders for Potential Use in Medical Applications". *Journal of Spectroscopy*, (2015).
429. Michail, C. "Image Quality Assessment of a CMOS/Gd₂O₂S: Pr, Ce, F X-Ray Sensor". *Journal of Sensors*, (2015).
430. Michail, C., David, S., Bakas, A., Kalyvas, N., Fountos, G., Kandarakis, I., & Valais, I. (2015). Luminescence efficiency of (Lu, Gd)₂SiO₅: Ce (LGSO: Ce) crystals under X-ray radiation. *Radiation Measurements*, 80, 1-9 (2015).
431. Michail, C., Valais, I., Seferis, I., Kalyvas, N., Fountos, G., & Kandarakis, I.. Experimental measurement of a high resolution CMOS detector coupled to CsI scintillators under X-ray radiation. *Radiation Measurements*, 74, 39-46 (2015).
432. C Michail, I. Valais, I. Seferis, N. Kalyvas, S. David, G. Fountos, I. Kandarakis. 'Measurement of the luminescence properties of Gd₂O₂S:Pr,Ce,F powder scintillators under X-ray radiation', *Radiation Measurements*, 70, 59-64 (2014).
433. Dixie, L.C., Edgar, A., Bartle, C.M. , 'Samarium doped calcium fluoride: A red scintillator and X-ray phosphor' *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 753, 131-137 (2014).
434. Michail, C.M., Valais, I.G., Seferis, I.E., (...), Fountos, G.P., Kandarakis, I.S., 'Experimental evaluation of a high resolution CMOS digital imaging detector coupled to structured CsI scintillators for medical imaging applications' *IFMBE Proceedings*, 41, 471-474 (2014).
435. Michail, C.M., Kalyvas, N.E., Valais, I.G., (...), Samarakou, M., Kandarakis, I.S. 'Figure of image quality and information capacity in digital mammography' *BioMed Research International*, 634856 (2014).
436. Seferis, I.E., Michail, C.M., Valais, I.G., (...), Kandarakis, I.S., Panayiotakis, G.S. 'On the response of a europium doped phosphor-coated CMOS digital imaging detector' *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 729, 307-315 (2013).
437. Valais, I.G., Fountos, G.P., Michail, C.M., (...), Kandarakis, I.S., Panayiotakis, G.S. 'Thin substrate powder scintillator screens for use in digital X-ray medical imaging applications' *IEEE Nuclear Science Symposium Conference Record*, 6152537, 2997-3000 (2012).

438. Ioannis Valais et al. 'Scintillation screen preparation for use in digital medical imaging systems', e-Journal of Science & Technology, 7 (2012).
439. Ioannis Seferis, 'Investigatoin and imaging characteristics of a CMOS sensor based digital detector coupled to a red emitting fluorescent screen', Master thesis 2013, School of Medicine, Department of Medical Physics, University of Patras.

ΔΗΜΟΣΙΕΥΣΗ Νο 21: P. Liaparinos, I. Kandarakis, 'Overestimations in zero frequency DQE of x-ray imaging converters assessed by Monte Carlo techniques based on the study of energy impartation events', Medical Physics Vol. 38, pp. 4440-4450, 2011.

440. de Souza, M. P., Assis, C. A. S. C., & da Cunha, D. M. Avaliação da Função de Transferência de Modulação de Receptores de Imagem de CsI em Mamografia Digital Utilizando Simulações Monte Carlo. Revista Brasileira de Física Médica, 15, 630-630. (2021).
441. Souza, M. P. D. Avaliação da função de transferência de modulação para receptores de CsI e a-Se em mamografia digital utilizando simulações Monte Carlo. (2021).
442. Ali, A. H. M. An investigation into methods for dose optimisation for paediatric AP pelvis projections when considering size variations. University of Salford (United Kingdom). (2019).
443. Chen, H., Gu, M., Liu, X., Zhang, J., Liu, B., Huang, S., & Ni, C. Simulated performances of pixelated CsI (Tl) scintillation screens with different micro-column shapes and array structures in X-ray imaging. Scientific reports, 8 (2018).
444. Zhou, Z., Gao, F., Zhao, H., Zhang, L., Ren, L., Li, Z., ... & Liu, H.. Improving the accuracy of MTF measurement at low frequencies based on oversampled edge spread function deconvolution. Journal of X-ray science and technology, 23(4), 517-529 (2015).
445. Tomal, A., Cunha, D.M., Poletti, M.E., 'Optimal X-ray spectra selection in digital mammography: A semi-analytical study,' IEEE Transactions on Nuclear Science 60, 6407486 , 728-734 (2013).
446. Fast, M.F., Teymurazyan, A., Pang, G., Oelfke, U., Rowlands, J.A., 'Finding an improved amorphous-silicon x-ray flat-panel detector configuration for the in-line geometry,' Physics in Medicine and Biology 58, 2305-2324 (2013).
447. M. Fast, 'New Methods for Motion Management During Radiation Therapy', PhD thesis 2013, German Cancer Research Center (DKFZ).
448. I. Kandarakis and G. Fountos, "New developments in radiation detectors for medical imaging," Proceedings of European Medical Physics and Engineering Conference (2012).

ΔΗΜΟΣΙΕΥΣΗ Νο 22: N. Kalyvas, P. Liaparinos, C. Michail, S. David, G. Fountos, M. Wójtowicz, E. Zych, I. Kandarakis, "Studying the luminescence efficiency of Lu₂O₃:Eu nanophosphor material for digital X-ray imaging applications", *Applied Physics A*, Vol. 106, pp. 131-136, 2012.

449. Huang, H. Y., Chen, J. H., Nan, F., Lin, Y., & Zhou, L. Enhancement of near ultraviolet spectral range responsibility of silicon photodetectors via additional fluorescent InP/ZnS quantum dots layer. *Optics & Laser Technology*, 166, 109608. (2023).
450. Song, J., Bao, B., Wang, S., Yang, J., Zhu, H., Yan, D., ... & Liu, Y. The improved scintillation performances and X-ray imaging of Lu₂O₃: Pr³⁺ nanoparticles induced by Sm³⁺ doping. *Journal of Luminescence*, 119970. (2023).
451. De Martinis, A., Montalto, L., Scalise, L., Rinaldi, D., Mengucci, P., Michail, C., ... & David, S. Luminescence and Structural Characterization of Gd₂O₂S Scintillators Doped with Tb³⁺, Ce³⁺, Pr³⁺ and F for Imaging Applications. *Crystals*, 12(6), 854. (2022).
452. Wang, M., Meng, Y., Zhu, Y., Song, J., Yang, J., Liu, C., ... & Liu, Y. Afterglow-Suppressed Lu₂O₃: Eu³⁺ Nanoscintillators for High-Resolution and Dynamic Digital Radiographic Imaging. *Inorganic Chemistry*, 61(29), 11293-11305. (2022).
453. Lu, H., Xu, X., Feng, G., Sun, B., Wang, S., & Wu, S. Terbium doped LiLuF₄ nanocrystal scintillator-based flexible composite film for high resolution X-ray imaging. *RSC advances*, 12(8), 4615-4623. (2022).
454. Δημητρακόπουλος, Α. Θεωρητική Μελέτη της γραμμικότητας του ενδογενούς συντελεστή μετατροπής ενέργειας ακτινοβολίας X σε οπτική ενέργεια, σε σχέση με φάσματα ακτινογραφικής λυχνίας. Μεταπτυχιακή διπλωματική, (2022).
455. Fellner, M., Soppelsa, A., & Lauria, A. Heat-Induced Transformation of Luminescent, Size Tuneable, Anisotropic Eu: Lu (OH)₂Cl Microparticles to Micro-Structurally Controlled Eu: Lu₂O₃ Microplatelets. *Crystals*, 11(8), 992. (2021).
456. Σαατσάκης, Γ. Optical characteristics of quantum dots embedded in polymer films for use in medical imaging. PhD thesis, University of Patras, (2020).
457. Saatsakis, G., Kalyvas, N., Michail, C., Ninos, K., Bakas, A., Fountzoula, C., ... & Valais, I. Optical Characteristics of ZnCuInS/ZnS (Core/Shell) Nanocrystal Flexible Films Under X-Ray Excitation. *Crystals*, 9(7), 343 (2019).
458. Oliveira, J., Correia, V., Sowade, E., Etxebarria, I., Rodriguez, R. D., Mitra, K. Y., ... & Lanceros-Mendez, S. Indirect X-ray detectors based on inkjet-printed photodetectors with a screen-printed scintillator layer. *ACS applied materials & interfaces*, 10(15), 12904-12912 (2018).
459. Shyichuk, A., & Zych, E. Defect states in cubic lutetium oxide caused by oxygen or lutetium inclusions or vacancies. *Journal of Luminescence*, 197, 324-330 (2018).
460. Seferis, I. E., Michail, C., Zeler, J., Kalyvas, N., Valais, I., Fountos, G., ... & Panayiotakis, G. S. Detective quantum efficiency (DQE) of high X-ray absorption Lu₂O₃: Eu thin screens: the role of shape and size of nano-and micro-grains. *Applied Physics A*, 124(9), 604 (2018).
461. Σεφέρης, Ι. Διερεύνηση οπτικών ιδιοτήτων οθονών νανοφωσφόρων και μελέτη των απεικονιστικών χαρακτηριστικών τους σε σύζευξη με ψηφιακό ανιχνευτή τύπου CMOS για εφαρμογές ιατρικής απεικόνισης (Doctoral dissertation) (2017).
462. Nikolopoulos, D., Valais, I., Michail, C., Bakas, A., Fountzoula, C., Cantzos, D., ... & Panayiotakis, G. Radioluminescence properties of the CdSe/ZnS Quantum Dot

- nanocrystals with analysis of long-memory trends. *Radiation Measurements*, 92, 19-31 (2016).
463. I. S. Kandarakis, ‘Luminescence in Medical Image Science’, *Journal of Luminescence*, 169, 553-558 (2016).
464. Zheng, K., Li, J., Tu, C. L., & Wang, X. S. Two opposite sides synchronous tracking X-ray based robotic system for welding inspection. In 2016 23rd International Conference on Mechatronics and Machine Vision in Practice (M2VIP) (pp. 1-5). IEEE. (2016).
465. Martini, N., Koukou, V., Kalyvas, N., Sotiropoulou, P., Michail, C., Valais, I., ... & Fountos, G.. Modeling indirect detectors for performance optimization of a digital mammographic detector for dual energy applications. In *Journal of Physics: Conference Series* (Vol. 574, No. 1, p. 012075, (2015).
466. Ezahri, M., Benlhachemi, A., Bakiz, B., Villain, S., Valmalette, J. C., Guinneton, F., ... & Gavarrri, J. R., “Structural, vibrational study and UV photoluminescence properties of the system Bi (2- x) Lu (x) WO 6 (0.1≤ x≤ 1),” *RSC Advances*, 5(116), 96242-96252. (2015).
467. Chen Xiang-Yang et al., ‘Preparation, and characterizations of a novel luminescence Lu₂O₃:Eu³⁺ film as potential scintillator,’ *Applied Surface Science* 31, 22-52 (2014).
468. Kubrin, R., ‘Nanophosphor coatings: Technology and applications, opportunities and challenges’ *KONA Powder and Particle Journal* 31, 22-52 (2014).
469. Chen, D., Zhu, S., Yi, H.,...Liang, J., Tian, J., ‘Cone beam x-ray luminescence computed tomography: A feasibility study’ *Medical Physics* 40, 031111 (2013).
470. Wang, N.-L., Zhang, X.-Y., ‘Fabrication and spectroscopic characterization of Er³⁺:Lu₂O₃ transparent ceramics’ *Materials Letters* 94, 5-7 (2013).
471. I. Kandarakis and G. Fountos, "New developments in radiation detectors for medical imaging," *Proceedings of European Medical Physics and Engineering Conference* (2012).

AHMOΣIEYSH No 23: P. Liaparinos and K. Bliznakova, ‘Monte Carlo performance on the x-ray converter thickness in digital mammography using software breast models’, *Medical Physics*, Vol. 39, pp. 6638-6651, 2012.

472. Bliznakova, K. The advent of anthropomorphic three-dimensional breast phantoms for X-ray imaging. *Physica Medica*, 79, 145-161. (2020).
473. Assis, C. A. S. C. Estudo do desempenho do receptor de imagem em mamografia digital contrastada utilizando simulações Monte Carlo. Universidade federal de Uberlandia faculdade de engenharia electrica programma de pos-graduacao em pos-graduacao em engenharia biomedica. (2021).
474. de Souza, M. P., Assis, C. A. S. C., & da Cunha, D. M. Avaliação da Função de Transferência de Modulação de Receptores de Imagem de CsI em Mamografia Digital Utilizando Simulações Monte Carlo. *Revista Brasileira de Física Médica*, 15, 630-630. (2021).

475. Salehi, Z., Balvasi, E., & Aziz, M. Z. A. A review of the recent Monte Carlo (MC) simulation for dosimetry in mammographic applications. *Malaysian Journal of Medicine and Health Sciences* (2018).
476. Zyazin, A. S., & Peters, I. M. "Complete optical stack modeling for CMOS-based medical x-ray detectors" In *SPIE Medical Imaging* (pp. 94122H-94122H). International Society for Optics and Photonics, (2015).
477. Mackenzie, Alistair, et al. "Image simulation and a model of noise power spectra across a range of mammographic beam qualities." *Medical Physics*, 41.12, 121901 (2014).
478. De Carvalho, P.M., Carton, A-K., Saab-Puong, S., Iordache, R., Muller, S., 'Optimization of X-ray spectra for dual-energy contrast-enhanced breast imaging: Dependency on CsI detector scintillator thickness', *Breast Imaging*, 8539, 95-102 (2014).
479. De Carvalho, P. M. (2014). *Low-Dose 3D Quantitative Vascular X-ray Imaging of the Breast* (Doctoral dissertation, Université Paris Sud-Paris XI), 2014.

ΑΗΜΟΣΙΕΥΣΗ No 24: P. F. Liaparinos, 'Optical diffusion performance of nanophosphor-based materials for use in medical imaging', *Journal of Biomedical Optics*, Vol. 17, 126013, 2012.

480. Shao, W., Zhu, G., Wang, X., Zhang, Z., Lv, H., Deng, W., & Liang, H. Highly Efficient, Flexible, and Eco-Friendly Manganese (II) Halide Nanocrystal Membrane with Low Light Scattering for High-Resolution X-ray Imaging. *ACS Applied Materials & Interfaces*, 15(1), 932-941. (2023).
481. Sadowska, K., Ragiń, T., Kochanowicz, M., Miluski, P., Dorosz, J., Leńniak, M., & Żmojda, J. Analysis of Excitation Energy Transfer in LaPO₄ Nanophosphors Co-Doped with Eu³⁺/Nd³⁺ and Eu³⁺/Nd³⁺/Yb³⁺ Ions. *Materials*, 16(4), 1588. (2023).
482. Jeong, H. Y., Lee, J. H., Lee, S. Y., Lee, J., & Cho, S. O. A Transparent Nano-Polycrystalline ZnWO₄ Thin-Film Scintillator for High-Resolution X-ray Imaging. *ACS omega*, 6(48), 33224-33230. (2021).
483. Jeong, H. Y., Lim, H. S., Lee, J. H., Heo, J., Kim, H. N., & Cho, S. O. ZnWO₄ nanoparticle scintillators for high resolution X-ray imaging. *Nanomaterials*, 10(9), 1721. (2020).
484. Ma, H., Zhou, L., Han, C., Zhang, C., & Zhang, L. The fabrication of novel optical diffusers based on UV-cured polymer dispersed liquid crystals. *Liquid Crystals*, 46(1), 138-144 (2019).
485. Seferis, I. E., Michail, C., Zeler, J., Kalyvas, N., Valais, I., Fountos, G., ... & Panayiotakis, G. S. Detective quantum efficiency (DQE) of high X-ray absorption Lu₂O₃: Eu thin screens: the role of shape and size of nano-and micro-grains. *Applied Physics A*, 124(9), 604 (2018).
486. Song, J., Shim, H. B., & Hahn, J. W. Analytical model for designing a high-energy-efficiency granular double-layer X-ray scintillator with a diffuse reflection layer. *Optics express*, 26(17), 21642-21655 (2018).

487. Shtokaluk, K. V., Gorchakova, N. A., Zaichenko, A. V., & Chekman, I. S. PHOSPHORUS AND NANOPHOSPHORUS IN MEDICINE AND BIOLOGY. *Ukrainian Scientific Medical Youth Journal*, (1 (99)), 10-15 (2017).
488. Seferis, I. E., Zeler, J., Michail, C., David, S., Valais, I., Fountos, G., & Panayiotakis, G. S. Grains size and shape dependence of luminescence efficiency of Lu₂O₃: Eu thin screens. *Results in physics*, 7, 980-981 (2017).
489. Seferis, I. E., Michail, C., Zeler, J., Valais, I., Fountos, G., Kalyvas, N., ... & Panayiotakis, G. S. X-ray imaging resolution of phosphor screens prepared with different grains size and shape of granular Lu₂O₃: Eu. In *Journal of Physics Conference Series* (Vol. 931, No. 1) (2017).
490. Seferis, I. E., Zeler, J., Michail, C., Valais, I., Fountos, G., Kalyvas, N., ... & Zych, E. On the response of semitransparent nanoparticulated films of LuPO₄: Eu in poly-energetic X-ray imaging applications. *Applied Physics A*, 122(5), 1-10 (2016).
491. Hu, Jingang, and Yuming Zhou. "The properties of nano (ZnO-CeO₂)@ polysiloxane core-shell microspheres and their application for fabricating optical diffusers," *Applied Surface Science* (2016).
492. Hu, J., Zhou, Y., Wang, M., Yang, M., & Yan, G. "Optical diffusers based on the novel fillers of polysiloxane@ boehmite core-shell microspheres". *Materials Letters*, 165, 107-110 (2016).
493. Hu, J., Zhou, Y., & Sheng, X. "Optical diffusers with enhanced properties based on novel polysiloxane@ CeO₂@ PMMA fillers". *Journal of Materials Chemistry C*, 3(10), 2223-2230 (2015).
494. Seferis, I. E., Zeler, J., Michail, C., Valais, I., Fountos, G., Kalyvas, N., ... & Zych, E. Preparation and imaging performance of nanoparticulated LuPO₄: Eu semitransparent films under x-ray radiation. In *SPIE Micro+ Nano Materials, Devices, and Applications* (pp. 96682H-96682H). International Society for Optics and Photonics (2015).
495. Hu, J., Zhou, Y., & Sheng, X. "Hydrothermal synthesis of ZnO@ polysiloxane microspheres and their application in preparing optical diffusers". *RSC Advances*, 5(22), 17064-17069 (2015).
496. Kalyvas, N., Valais, I., Michail, C., Fountos, G., Kandarakis, I., & Cavouras, D. "A theoretical study of CsI: Tl columnar scintillator image quality parameters by analytical modelling". *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 779, 18-24. (2015).
497. Kubrin, R., 'Nanophosphor coatings: Technology and applications, opportunities and challenges' *KONA Powder and Particle Journal* 31, 22-52 (2014).
498. Cuplov, V., Buvat, I., Pain, F., Jan, S., 'Extension of the GATE Monte-Carlo simulation package to model bioluminescence and fluorescence imaging' *Journal of Biomedical Optics* 19, 026004 (2014).

ΔΗΜΟΣΙΕΥΣΗ No 25: P. Liaparinos, N. Kalyvas, I. Kandarakis, D. Cavouras, 'Analysis of the imaging performance in indirect digital mammography detectors by linear systems and signal detection models', *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, Vol. 697, pp. 87-98, 2013.

499. Βασιλική Λέων, Διπλωματική εργασία, ‘Σχεδίαση ομοιώματος ελέγχου χαμηλής αντίθεσης για χρήση σε απλά ακτινολογικά συστήματα και αξονικό τομογράφο,’ Τμήμα Μηχανικών Βιοϊατρικής, Πανεπιστήμιο Δυτικής Αττικής (2024).
500. Galanopoulou, A., Katsigiannis, A., Bakas, A., Kantsos, C., Michail, C., Ninos, K., ... & Kalyvas, N. Effect of reader software in image quality metrics of Xray computed radiography systems. *RAP Conference Proceedings Vol. 7*, pp. 86–90, (2022).
501. Maruyama, S. Visualization of blurring process due to analog components in a digital radiography system using a simple method. *Physical and Engineering Sciences in Medicine*, 43(4), 1461-1468. (2020).
502. Kam, S., Kim, D. W., Yun, S., & Kim, H. K. Power-law analysis of nonlinear active-pixel detector responses as a function of mammographic energy. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 947, 162674 (2019).
503. Tabibzadeh, M., von Winterfeldt, D., & Meshkati, N. A Signal Detection Model to Interpret Safety Tests in Offshore Oil Drilling. In *Proceedings of 2018 Probability Safety Assessment and Management Conference*. Los Angeles, CA, September (pp. 16-21) (2018).
504. Ψυχής, Κ. Signal transfer characteristics of columnar phosphors used in X-ray imaging (Doctoral dissertation) (2017).
505. I. S. Kandarakis, ‘Luminescence in Medical Image Science’, *Journal of Luminescence*, 169, 553-558 (2016).
506. Monnin, P., Bosmans, H., Verdun, F. R., & Marshall, N. W. (2016). A comprehensive model for quantum noise characterization in digital mammography. *Physics in medicine and biology*, 61(5), 2083 (2016).
507. Kalyvas, N., Martini, N., Koukou, V., Michail, C., Sotiropoulou, P., Valais, I., ... & Fountos, G.. “A theoretical investigation of spectra utilization for a CMOS based indirect detector for dual energy applications” In *Journal of Physics: Conference Series*, 633, No. 1, p. 012095, (2015).
508. Martini, N., Koukou, V., Kalyvas, N., Sotiropoulou, P., Michail, C., Valais, I., ... & Fountos, G. “Modeling indirect detectors for performance optimization of a digital mammographic detector for dual energy applications”. In *Journal of Physics: Conference Series*, 574, No. 1, p. 012075, (2015).
509. Kalyvas, N., Michail, C., Fountos, G., Seferis, I., Valais, I., Liaparinos, P., & Kandarakis, I. “Modeling a CMOS based indirect imaging detector. Effect of bit depth and detector software,” *International Conference Science in Technology’ ScinTE 2015*, November, Athens, 2015.

ΔΗΜΟΣΙΕΥΣΗ Νο 26: C. Michail, N. Kalyvas, I. Valais, S. David, I. Seferis, A. Toutountzis, A. Karabotsos, **P. Liaparinos**, G. Fountos, I. Kandarakis, ‘On the response of GdAlO₃:Ce powder scintillators’, *Journal of Luminescence*, Vol. 144, pp. 45-52, 2013.

510. Tzomakas, M. K., Peppas, V., Alexiou, A., Karakatsanis, G., Episkopakis, A., Michail, C., ... & Kalyvas, N. Image quality impact of different phosphor activator materials in Gd₂O₂S based EPID systems. *RAP Conference Proceedings Vol. 8*, pp. 60–64, (2023).
511. He, X., Deng, Y., Ouyang, D., Zhang, N., Wang, J., Murthy, A. A.,... & Zhai, T. Recent Development of Halide Perovskite Materials and Devices for Ionizing Radiation Detection. *Chemical Reviews*, 123(4), 1207-1261. (2023).
512. Yao, J., Chen, L., Zhu, Q., & Li, J. G. Pressureless sintering of LRH nanoplates on amorphous alumina for near-infrared GAP: Mn⁴⁺ transparent ceramic film. *Journal of the American Ceramic Society*, 106(3), 1870-1880. (2023).
513. Zhang, T., Chen, L., Yao, J., & Zhu, Q. A Two-Dimensional Guidance Strategy to Fabricate Perovskite Gadolinium Aluminate Ceramic Film. *Coatings*, 12(12), 1927. (2022).
514. De Martinis, A., Montalto, L., Scalise, L., Rinaldi, D., Mengucci, P., Michail, C., & David, S. Luminescence and Structural Characterization of Gd₂O₂S Scintillators Doped with Tb³⁺, Ce³⁺, Pr³⁺ and F for Imaging Applications. *Crystals*, 12(6), 854. (2022).
515. Δημητρακόπουλος, Α. Θεωρητική Μελέτη της γραμμικότητας του ενδογενούς συντελεστή μετατροπής ενέργειας ακτινοβολίας X σε οπτική ενέργεια, σε σχέση με φάσματα ακτινογραφικής λυχνίας. Μεταπτυχιακή διπλωματική, (2022).
516. Idrissi, S., Labrim, H., Bahmad, L., & Benyoussef, A. Structural, electronic, and magnetic properties of the rare earth-based solar perovskites: GdAlO₃, DyAlO₃, and HoAlO₃. *Journal of Superconductivity and Novel Magnetism*, 34(9), 2371-2380. (2021).
517. Kawano, N., Akatsuka, M., Kimura, H., Nakauchi, D., Kato, T., & Yanagida, T. Scintillation properties of Mn-doped methylammonium lead chloride crystals. *Journal of Materials Science: Materials in Electronics*, 32, 12903-12910. (2021).
518. Σαατσάκης, Γ. Optical characteristics of quantum dots embedded in polymer films for use in medical imaging. PhD thesis, University of Patras, (2020).
519. Li, J., Wang, W., & Liu, Z. The luminescent properties of GdAlO₃: Tb³⁺ phosphors based on molten salts addition. *International Journal of Nanomanufacturing*, 15(1-2), 25-34 (2019).
520. Li, J., Wang, W., & Liu, Z. The luminescent properties of GdAlO₃: Tb³⁺ phosphors based on molten salts addition. *International Journal of Nanomanufacturing*, 15(1-2), 25-34 (2019).
521. Venkatesh, R., Pratibha, S., Dhananjaya, N., Manohar, S. R., & Nagaraju, G. N. Study of optical and dielectric properties of alkali metal cation (Li⁺, Na⁺, K⁺) codoped Eu³⁺ activated gadolinium aluminate nanoparticles. *Materials Research Express*. (2019).
522. Saatsakis, G., Michail, C., Fountzoula, C., Kalyvas, N., Ninos, K., Bakas, A., ... & Valais, I. Luminescence Efficiency of Zn-Cu-In-S/ZnS Quantum Dot films. In 2019 14th International Conference on Design & Technology of Integrated Systems In Nanoscale Era (DTIS) (pp. 1-4). IEEE (2019).

523. Tamrakar, R. K., Tiwari, S., Upadhyay, K., & Robinson, C. S. Synthesis, structural and luminescent properties of Eu²⁺/Dy³⁺ activated GdAlO₃ phosphors by solid state reaction method under nitrogen atmosphere. *Optik*, 181, 1158-1162 (2019).
524. Liu, Z., Qiu, K., Tang, Q., Wu, Y., & Wang, J. Synthesis of Ag⁺/CaTiO₃: Pr³⁺ with luminescence and antibacterial properties. *Advanced Powder Technology*, 30(1), 23-29 (2019).
525. Michail, C., Kalyvas, N., Bakas, A., Ninos, K., Sianoudis, I., Fountos, G., & Valais, I. Absolute Luminescence Efficiency of Europium-Doped Calcium Fluoride (CaF₂: Eu) Single Crystals under X-ray Excitation. *Crystals*, 9(5), 234 (2019).
526. Chen, Q., Li, J., & Wang, W. Synthesis and luminescence properties of Tb³⁺/Eu³⁺ co-doped GdAlO₃ phosphors with enhanced red emission. *Journal of Rare Earths*, 36(9), 924-930 (2018).
527. Michail, C., Valais, I., Fountos, G., Bakas, A., Fountzoula, C., Kalyvas, N., ... & Kandarakis, I. Luminescence efficiency of calcium tungstate (CaWO₄) under X-ray radiation: Comparison with Gd₂O₂S: Tb. *Measurement*, 120, 213-220 (2018).
528. Pilania, G., Yadav, S. K., Nikl, M., Uberuaga, B. P., & Stanek, C. R. Role of Multiple Charge States of Ce in the Scintillation of AB₃O₇ Perovskites. *Physical Review Applied*, 10(2), 024026 (2018).
529. Tang, Q., Qiu, K., Li, J., Zhang, W., & Zeng, Y. Synthesis and photoluminescence enhancement of Ca₃Sr₃(VO₄)₄: Eu³⁺ red phosphors by Sm³⁺ doping for white LEDs. *Journal of Materials Science: Materials in Electronics*, 28(24), 18686-18696 (2017).
530. Saji, S. K., Jeyasingh, T., Vinodkumar, R., Wariar, P. R. S., & Radhakrishnan. Temperature dependent electrical properties of combustion synthesized GdAlO₃ perovskite. In *AIP Conference Proceedings* (Vol. 1859, No. 1, p. 020015). AIP Publishing (2017).
531. Saatsakis, G., Valais, I., Michail, C., Fountzoula, C., Fountos, G., Koukou, V., ... & Kandarakis, I. Preliminary Study of ZnS: Mn²⁺ Quantum Dots Response Under UV and X-Ray Irradiation. In *Journal of Physics Conference Series* (Vol. 931, No. 1) (2017).
532. Sajwan, R. K., Tiwari, S., Harshit, T., & Singh, A. K. Recent progress in multicolor tuning of rare earth-doped gadolinium aluminate phosphors GdAlO₃. *Optical and Quantum Electronics*, 49(11), 344 (2017).
533. Jisha, P. K., Naik, R., Prashantha, S. C., Ravikumar, C. R., Nagaswarupa, H. P., Nagabhushana, H., & Jnaneshwara, D. M. Synthesis, Diffuse reflectance, Electrical and Photoluminescence properties of nanocrystalline Eu³⁺ doped GdAlO₃ via Combustion method. *Materials Today: Proceedings*, 4(11), 11706-11712 (2017).
534. Singh, V., Sivaramaiah, G., Mohapatra, M., Rao, J. L., Singh, N., Pathak, M. S., ... & Dhoble, S. J. Probing the Thermodynamic and Magnetic Properties of UV-B-Emitting GdAlO₃ Phosphors by ESR and Optical Techniques. *Journal of Electronic Materials*, 46(2), 1137-1144 (2017).
535. Nikolopoulos, D., Valais, I., Michail, C., Bakas, A., Fountzoula, C., Cantzos, D., ... & Panayiotakis, G. Radioluminescence properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. *Radiation Measurements*, 92, 19-31 (2016).

536. Michail, C., Valais, I., David, S., Bakas, A., Kalivas, N., Fountos, G., ... & Nikolopoulos, D. (Efficiency of Luminescence of (Lu, Gd) 2SiO_5 : Ce (LGSO: Ce) Crystal Sensory Material in the X-Ray Imaging Range. In *Nuclear Radiation Nanosensors and Nanosensory Systems* (pp. 81-90). Springer Netherlands (2016).
537. I. S. Kandarakis, ‘Luminescence in Medical Image Science’, *Journal of Luminescence*, 169, 553-558 (2016).
538. Lojpur, V., Čulubrk, S., Medić, M., & Dramicanin, M. Luminescence thermometry with Eu $3+$ doped GdAlO_3 . *Journal of Luminescence*, 170, 467-471 (2016).
539. Nikolopoulos, D., Valais, I., Yannakopoulos, P. H., Michail, C., Fountzoula, C., Bakas, A., ... & Panayiotakis, G. Luminescence Efficiency of Cadmium Selenide/Zinc Sulfide (CdSe/ZnS) Quantum Dot Nanoparticle Sensors Under X-Ray Excitation. In *Nuclear Radiation Nanosensors and Nanosensory Systems* (pp. 53-59). Springer Netherlands, (2016).
540. S. David, I. Valais, C. Michail, I. Kandarakis, ‘X-ray Luminescence efficiency of GAGG:Ce single crystal scintillators for use in Tomographic Medical Imaging Systems, BIOMEPE 2015 - Conference on Bio-Medical Instrumentation and related Engineering and Physical Sciences, June, Athens, (2015).
541. Valais, I., Michail, C., Nikolopoulos, D., Fountzoula, C., Bakas, A., Yannakopoulos, P., ... & Kandarakis, I. Effect of the Concentration on the X-ray Luminescence Efficiency of a Cadmium Selenide/Zinc Sulfide (CdSe/ZnS) Quantum Dot Nanoparticle Solution. In *Journal of Physics: Conference Series*, 637, 1, 012031 (2015).
542. S. David, I. Valais, C. Michail, I. Kandarakis, ‘X-ray Luminescence efficiency of GAGG:Ce single crystal scintillators for use in Tomographic Medical Imaging Systems, BIOMEPE 2015 - Conference on Bio-Medical Instrumentation and related Engineering and Physical Sciences, June, Athens, (2015).
543. Michail, C.. “Image Quality Assessment of a CMOS/Gd $2\text{O}_2\text{S}$: Pr, Ce, F X-Ray Sensor”. *Journal of Sensors*, (2015).
544. Michail, C., David, S., Bakas, A., Kalyvas, N., Fountos, G., Kandarakis, I., & Valais, I.. “Luminescence efficiency of (Lu, Gd) 2SiO_5 : Ce (LGSO: Ce) crystals under X-ray radiation”. *Radiation Measurements*, 80, 1-9 (2015).
545. Michail, C. M., Karpetas, G. E., Fountos, G. P., Kalyvas, N. I., Martini, N., Koukou, V., ... & Kandarakis, I. S.. “Medical Imaging Image Quality Assessment with Monte Carlo Methods”. In *Journal of Physics: Conference Series*, 633, No. 1, p. 012096, (2015).
546. David, S. L., Valais, I. G., Michail, C. M., & Kandarakis, I. S.. “X-ray Luminescence Efficiency of GAGG: Ce Single Crystal Scintillators for use in Tomographic Medical Imaging Systems”. In *Journal of Physics: Conference Series*, 637, No. 1, p. 012004, (2015)
547. Sotiropoulou, P., Fountos, G., Martini, N., Koukou, V., Michail, C., Kandarakis, I., & Nikiforidis, G.. “Bone calcium/phosphorus ratio determination using dual energy X-ray method.” *Physica Medica*, 31(3), 307-313 (2015).
548. David, S., Michail, C., Valais, I., Kalyvas, N., Seferis, I., Bakas, A., ... & Kandarakis, I. Luminescent and scintillation properties of $\text{Gd}_3\text{Al}_2\text{Ga}_3\text{O}_{12}$: Ce

(GAGG) crystals under X-ray excitation. International Conference *Science in Technology*' ScinTE 2015, November, Athens, 2015.

549. Zhang, F., Zhang, W., Zhang, Z., Huang, Y., Tao, Y., 'Luminescent characteristics and energy transfer of a red-emitting YVO₄: Sm³⁺, Eu³⁺ phosphor' *Journal of Luminescence* 152, 160-164 (2014).
550. C Michail, I. Valais, I. Seferis, N. Kalyvas, S. David, G. Fountos, I. Kandarakis. 'Measurement of the luminescence properties of Gd₂O₂S:Pr,Ce,F powder scintillators under X-ray radiation', *Radiation Measurements*, 70, 59-64 (2014).

AHΜΟΣΙΕΥΣΗ No 27: A. C. Konstantinidis, M. B. Szafraniec, L. Rigon, G. Tromba, D. Dreossi, N. Sodini, **P.F. Liaparinos**, S.Naday, S. Gunn, A. McArthur, R. D. Speller, and A. Olivo, 'X-ray performance evaluation of the Dexela CMOS APS X-ray detector using monochromatic synchrotron radiation in the mammographic energy range', *IEEE Transactions on Nuclear Science*, Vol. 60, pp. 3969-3980, 2013.

551. Fu, Z., Tseng, H. W., & Vedantham, S. An attenuation field network for dedicated cone beam breast CT with short scan and offset detector geometry. *Scientific Reports*, 14(1), 319. (2024).
552. Alikunju, R. P., Kearney, S., Moss, R., Khan, A., Stamatis, Y., Bullard, E., ... & Olivo, A. Effect of different scintillator choices on the X-ray imaging performance of CMOS sensors. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 1050, 168136. (2023).
553. Marshall, N. W., & Bosmans, H. Performance evaluation of digital breast tomosynthesis systems: physical methods and experimental data. *Physics in Medicine & Biology*, 67(22), 22TR03. (2022).
554. Alzahrani, H. M. S. Characterisation of a Novel Radiation Detector and Demonstration of a Novel Error Detection Algorithm for Application in Radiotherapy (Doctoral dissertation, UCL (University College London). (2022).
555. Tseng, H. W., Karellas, A., & Vedantham, S. Cone-beam breast CT using an offset detector: effect of detector offset and image reconstruction algorithm. *Physics in Medicine & Biology*, 67(8), 085008. (2022).
556. Ferreira, G. M., Silva, V., Minas, G., & Catarino, S. O. Simulation study of vertical p-n junction photodiodes' optical performance according to CMOS technology. *Applied Sciences*, 12(5), 2580. (2022).
557. Linardatos, D., Koukou, V., Martini, N., Konstantinidis, A., Bakas, A., Fountos, G... & Michail, C. On the response of a micro non-destructive testing X-ray detector. *Materials*, 14(4), 888. (2021).
558. Tseng, H. W., Karellas, A., & Vedantham, S. Radiation dosimetry of a clinical prototype dedicated cone-beam breast CT system with offset detector. *Medical physics*, 48(3), 1079-1088. (2021).
559. Konstantinidis, A., Martini, N., Koukou, V., Fountos, G., Kalyvas, N., Valais, I., & Michail, C. RAD_IQ: A free software for characterization of digital X-ray imaging

- devices based on the novel IEC 62220-1-1: 2015 International Standard. In *Journal of Physics: Conference Series* (Vol. 2090, No. 1, p. 012107). IOP Publishing. (2021).
560. Kim, G., Lee, D., Hwang, J., Kim, M., Lee, W., & Cho, G. Detector shift iteration method for improving spatial resolution and suppressing pixel value distortion in direct and indirect X-ray detectors. *Journal of Instrumentation*, 15(12), P12008. (2020).
561. Vedantham, S., Tseng, H. W., Konate, S., Shi, L., & Karellas, A. Dedicated cone-beam breast CT using laterally-shifted detector geometry: Quantitative analysis of feasibility for clinical translation. *Journal of X-Ray Science and Technology*, (Preprint), 1-22 (2020).
562. Alzahrani, H., Richards, S., Sedgwick, I., Seller, P., Konstantinidis, A., Royle, G., & Ricketts, K. Image quality determination of a novel digital detector for X-ray imaging and cone-beam computed tomography applications. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 163914. (2020).
563. Kam, S., Kim, D. W., Yun, S., & Kim, H. K. Power-law analysis of nonlinear active-pixel detector responses as a function of mammographic energy. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 947, 162674 (2019).
564. Marimón Muñoz, E. Digital radiography: image acquisition and scattering reduction in x-ray imaging (Doctoral dissertation, Bournemouth University) (2019).
565. Alzahrani, H., Richards, S., Sedgwick, I., Seller, P., Konstantinidis, A., Royle, G., & Ricketts, K. Image Quality Determination of a Novel Low Energy X-ray Detector. In 2018 IEEE Nuclear Science Symposium and Medical Imaging Conference Proceedings (NSS/MIC) (pp. 1-2). IEEE. (2018).
566. Konstantinidis, A., Kolokytha, S., & Hadjipanteli, A. Digital Breast Tomosynthesis: Systems, Characterization and Simulation. In *Multi-Modality Imaging* (pp. 159-189). Springer, Cham. (2018).
567. Koniczek, M., Antonuk, L. E., El-Mohri, Y., Liang, A. K., & Zhao, Q. Theoretical investigation of the noise performance of active pixel imaging arrays based on polycrystalline silicon thin film transistors. *Medical physics*, 44(7), 3491-3503 (2017).
568. Koukou, V., Martini, N., Fountos, G., Michail, C., Sotiropoulou, P., Bakas, A., ... & Nikiforidis, G. Dual energy subtraction method for breast calcification imaging. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 848, 31-38. (2017).
569. Zhao, C., Vassiljev, N., Konstantinidis, A. C., Speller, R. D., & Kanicki, J. Three-dimensional cascaded system analysis of a 50 μm pixel pitch wafer-scale CMOS active pixel sensor x-ray detector for digital breast tomosynthesis. *Physics in Medicine & Biology*, 62(5), 1994 (2017).
570. Zhao, C. High Resolution Active Pixel Sensor X-Ray Detectors for Digital Breast Tomosynthesis (Doctoral dissertation) (2017).
571. Κούκου, Β. Methodology development for breast cancer diagnosis using dual energy X-rays and digital tomosynthesis (Doctoral dissertation) (2017).

572. Kalt, E., Monfared, R. P., & Jackson, M. R. euspen's 16 th International Conference & Exhibition, Nottingham, UK, May (2016).
573. Sun, W., Konstantinidis, A., Billas, I., McCarthy, M., Brown, S., & Corcoran, H. Exhibition, Nottingham, UK, May (2016).
574. Lanconelli, N., & Rivetti, S. 9 Review of Detectors Available for Full-Field Digital Mammography. *Radiation Detectors for Medical Imaging*, 45, 233 (2015).
575. Zhao, C., Kanicki, J., Konstantinidis, A. C., & Patel, T. "Large area CMOS active pixel sensor x-ray imager for digital breast tomosynthesis: Analysis, modeling, and characterization". *Medical physics*, 42(11), 6294-6308, (2015).
576. Szafraniec, M. B., Konstantinidis, A. C., Tromba, G., Dreossi, D., Vecchio, S., Rigon, L. & Olivo, A. "Synchrotron based planar imaging and digital tomosynthesis of breast and biopsy phantoms using a CMOS active pixel sensor". *Physica Medica*, 31(2), 192-198 (2015).
577. Zhao, C., Konstantinidis, A. C., Zheng, Y., Anaxagoras, T., Speller, R. D., & Kanicki, J.. "50 μm pixel pitch wafer-scale CMOS active pixel sensor x-ray detector for digital breast tomosynthesis". *Physics in medicine and biology*, 60(23), 8977 (2015)
578. Scheuermann, J. R., Goldan, A. H., Tousignant, O., Léveillé, S., & Zhao, W. "Low dose digital X-ray imaging with avalanche amorphous selenium". In *SPIE Medical Imaging* (pp. 94120E-94120E). International Society for Optics and Photonics. (2015).
579. Kuttig, J., Steiding, C., Hupfer, M., Karolczak, M., & Kolditz, D.. "Effects of defect pixel correction algorithms for x-ray detectors on image quality in planar projection and volumetric CT data sets". *Measurement Science and Technology*, 26(9), 095406. (2015)
580. Kuttig, J. D., Steiding, C., Kolditz, D., Hupfer, M., Karolczak, M., & Kalender, W. A. "Comparative investigation of the detective quantum efficiency of direct and indirect conversion detector technologies in dedicated breast CT". *Physica Medica*, 31(4), 406-413 (2015).
581. Gazi, P. M., Yang, K., Burkett Jr, G. W., Aminololama-Shakeri, S., Seibert, J. A., & Boone, J. M.. "Evolution of spatial resolution in breast CT at UC Davis". *Medical physics*, 42(4), 1973-1981 (2015).
582. Konstantinidis, A. "Predicted image quality of a CMOS APS X-ray detector across a range of mammographic beam qualities". In *Journal of Physics: Conference Series*, Vol. 637, No. 1, p. 012012, (2015).

ΑΗΜΟΣΙΕΥΣΗ No 28: P.F. Liaparinos, 'Light wavelength effects in submicrometer phosphor materials using Mie scattering and Monte Carlo simulation', *Medical Physics*, Vol. 40, pp. 101911, 2013.

583. Mentasti, L., Martínez, N., Zucchi, I. A., Marcazzó, J., Orellana, G., Santiago, M., & Barreto, G. Novel materials for radiation sensing in radiotherapy treatments: Development of luminescent YVO₄: Eu³⁺ polymer-based nanocomposites. *Optical Materials*, 150, 115285. (2024).

584. Howell, J. R., & Daun, K. J. The past and future of the Monte Carlo method in thermal radiation transfer. *Journal of Heat Transfer*, 143(10), 100801. (2021).
585. Yalçın, R. A., & Ertürk, H. Monte Carlo method solution of the broadband fluorescent radiative transfer equation considering fluorescent cascade. *Applied Optics*, 60(4), 1068-1077. (2021).
586. Pérez Mayesffer, E. E., Reynoso Lara, E., Guerrero Sánchez, W. F., Rodríguez Zurita, G., Dávila Pintle, J., & Bravo-García, Y. E. 3D Monte Carlo analysis on photons step through turbid medium by Mie scattering. *Revista mexicana de física*, 67(2), 292-298. (2021).
587. Yalçın, R. A., & Ertürk, H. Improving photosynthetic efficiency using greenhouse coatings with scattering and fluorescent pigments. *Materials Research Express*, 6(8), 085551 (2019).
588. Solodovnyk, A. Design and In-Depth Optical Studies of Advanced Material Concepts for Luminescent Down-Shifting Coatings for Photovoltaics (Doctor-Ingenieur) (2016).
589. Solodovnyk, A., Forberich, K., Stern, E., Krč, J., Topič, M., Lipovšek, B., & Brabec, C. J. “Highly transmissive luminescent down-shifting layers filled with phosphor particles for photovoltaics”. *Optical Materials Express*, 5(6), 1296-1305 (2015).

ΑΗΜΟΣΙΕΥΣΗ No 29: N. Kalyvas, I. Valais, S. David, Ch. Michail,, G. Fountos, **P. Liaparinos** and I. Kandarakis, ‘Studying the energy dependence of intrinsic conversion efficiency of single crystal scintillators under X-ray excitation’, *Optics and Spectroscopy*, Vol. 116, pp. 743-747, 2014.

590. Tseremoglou, S., Michail, C., Valais, I., Ninos, K., Bakas, A., Kandarakis, I. & Kalyvas, N. Optical Photon Propagation Characteristics and Thickness Optimization of LaCl₃: Ce and LaBr₃: Ce Crystal Scintillators for Nuclear Medicine Imaging. *Crystals*, 14(1), 24. (2023).
591. Felice, A. S. Monte Carlo Modelling of Compton Scattering applied to Optimize Experimental Parameters. arXiv preprint arXiv:2104.14501. (2021).
592. Saatsakis, G., Kalyvas, N., Michail, C., Ninos, K., Bakas, A., Fountzoula, C. & Valais, I. Optical Characteristics of ZnCuInS/ZnS (Core/Shell) Nanocrystal Flexible Films Under X-Ray Excitation. *Crystals*, 9(7), 343 (2019).
593. Σαατσάκης, Γ. Optical characteristics of quantum dots embedded in polymer films for use in medical imaging. PhD thesis, University of Patras, (2020).
594. David, S. L., Valais, I. G., Michail, C. M., & Kandarakis, I. S. (2015). “X-ray Luminescence Efficiency of GAGG: Ce Single Crystal Scintillators for use in Tomographic Medical Imaging Systems”. In *Journal of Physics: Conference Series*, Vol. 637, No. 1, p. 012004, (2015).
595. Kalyvas, N., Valais, I., Michail, C., Fountos, G., Kandarakis, I., & Cavouras, D.. “A theoretical study of CsI: Tl columnar scintillator image quality parameters by analytical modelling”. *Nuclear Instruments and Methods in Physics Research Section*

A: *Accelerators, Spectrometers, Detectors and Associated Equipment*, 779, 18-24. (2015).

596. Valais, Ioannis, et al. "Measurement of the Optical Response of a High Resolution CMOS Imaging Detector", BIOMEPE 2015 - Conference on Bio-Medical Instrumentation and related Engineering and Physical Sciences, June, Athens, 2015.

ΑΗΜΟΣΙΕΥΣΗ Νο 30: I. Seferis, C. Michail, I. Valais, J. Zeler, **P. Liaparinos**, G. Fountos, N. Kalyvas, S. David, F. Stromatia, E. Zych, I. Kandarakis, G. Panayiotakis, 'Light emission efficiency and imaging performance of Lu₂O₃:Eu nanophosphor under X-ray radiography conditions: Comparison with Gd₂O₂S:Eu', *Journal of Luminescence*, Vol. 151, pp. 229-234, 2014.

597. Kunikata, T., Watanabe, K., Kantuptim, P., Ichiba, K., Shiratori, D., Kato, T.,... & Yanagida, T. Dopant concentration dependence on optical and scintillation properties of Eu-doped Gd₃Al₂Ga₃O₁₂ single crystals. *Japanese Journal of Applied Physics*, 63(1), 01SP18. (2023).

598. Tzomakas, M. K., Peppas, V., Alexiou, A., Karakatsanis, G., Episkopakis, A., Michail, C., ... & Kalyvas, N. Image quality impact of different phosphor activator materials in Gd₂O₂S based EPID systems. *RAP Conference Proceedings Vol. 8*, pp. 60-64, (2023).

599. Alonizan, N., Madani, M., Omri, K., Abumousa, R. A., Alyami, A. A., Alqahtani, M. E., & Algrafy, E. M. Hydrothermal synthesis and photocatalytic performance of Dy₂O₃/Mn nanostructures. *The European Physical Journal Plus*, 138(5), 1-11. (2023).

600. Wang, M., Meng, Y., Zhu, Y., Song, J., Yang, J., Liu, C., & Liu, Y. Afterglow-Suppressed Lu₂O₃: Eu³⁺ Nanoscintillators for High-Resolution and Dynamic Digital Radiographic Imaging. *Inorganic Chemistry*, 61(29), 11293-11305. (2022).

601. Kalyvas, N., Saatsakis, G., Valais, I., Fountzoula, C., Ninos, K., Sianoudis, I., ... & Michail, C. Study of UV interactions on PMMA based ZnCuInS/ZnS quantum dot films. *Optical Materials*, 129, 112493. (2022).

602. De Martinis, A., Montalto, L., Scalise, L., Rinaldi, D., Mengucci, P., Michail, C., ... & David, S. Luminescence and Structural Characterization of Gd₂O₂S Scintillators Doped with Tb³⁺, Ce³⁺, Pr³⁺ and F for Imaging Applications. *Crystals*, 12(6), 854. (2022).

603. Wang, M., & Liu, Y. X-Ray Phosphors and Scintillators. In *Phosphor Handbook* (pp. 547-590). CRC Press. (2022).

604. Yanagida, T. Ionizing Radiation Induced Luminescence. *Phosphors for Radiation Detectors*, 1-38. (2022).

605. Hu, Y., Gu, M., Li, Q., Liu, X., Zhang, J., Huang, S., & Liu, B. Influence of Annealing Temperature on the Performance of Lu₂O₃: Eu³⁺ Nanowire Arrays Synthesized by Sol-Gel Method Using AAO Template. *IEEE Transactions on Nuclear Science*, 67(8), 1899-1903. (2020).

606. Δημητρακόπουλος, Α. Θεωρητική Μελέτη της γραμμικότητας του ενδογενούς συντελεστή μετατροπής ενέργειας ακτινοβολίας X σε οπτική ενέργεια, σε σχέση με φάσματα ακτινογραφικής λυχνίας. *Μεταπτυχιακή διπλωματική*, (2022).

607. Wang, Z., Qian, B., Wang, H., Wang, D., Zou, H., Song, Y., ... & Sheng, Y. The synthesis and luminescence properties of Lu₂O₃: Eu³⁺ rods and its comparative analysis with Lu₂O₂S: Eu³⁺ rods. *Optical Materials*, 109, 110355. (2020).
608. Hooda, A., Khatkar, A., Chahar, S., Singh, S., Dhankhar, P., Khatkar, S. P., & Taxak, V. B. Photometric features and typical white light emanation via combustion derived trivalent dysprosium doped ternary aluminate oxide based nanophosphor for WLEDs. *Ceramics International*, 46(4), 4204-4214. (2020).
609. Hooda, A., Khatkar, A., Chahar, S., Singh, S., Dhankhar, P., Khatkar, S. P., & Taxak, V. B. Photometric features and typical white light emanation via combustion derived trivalent dysprosium doped ternary aluminate oxide based nanophosphor for WLEDs. *Ceramics International* (2019).
610. Saatsakis, G., Kalyvas, N., Michail, C., Ninos, K., Bakas, A., Fountzoula, C., ... & Valais, I. Optical Characteristics of ZnCuInS/ZnS (Core/Shell) Nanocrystal Flexible Films Under X-Ray Excitation. *Crystals*, 9(7), 343 (2019).
611. Thoř, T., Rubeřov, K., Jakeř, V., Cajzl, J., Ndhern, L., Mikolřov, D., ... & Nikl, M. Lanthanide-doped Lu₂O₃ phosphors and scintillators with green-to-red emission. *Journal of Luminescence*, 215, 116647 (2019).
612. Saatsakis, G., Michail, C., Fountzoula, C., Kalyvas, N., Ninos, K., Bakas, A., ... & Valais, I. Luminescence Efficiency of Zn-Cu-In-S/ZnS Quantum Dot films. In 2019 14th International Conference on Design & Technology of Integrated Systems In Nanoscale Era (DTIS) (pp. 1-4). IEEE (2019).
613. Xu, X., Lu, B., Hu, J., Sun, Z., & Chen, H. Controlled synthesis and photoluminescence behaviors of Lu₂O₃: Eu and Lu₂O₂S: Eu phosphor particles. *Journal of Luminescence*, 215, 116702 (2019).
614. Yanagida, T. Inorganic scintillating materials and scintillation detectors. *Proceedings of the Japan Academy, Series B*, 94(2), 75-97 (2018).
615. Hasim, M. H., Rahman, I. A., Rahim, S., Ayob, M. T. M., Napia, L. M. A., & Radiman, S. Synthesis and Characterization of Gd₂O₂S: Pr³⁺ Nanophosphors using Gamma Irradiation Method. *Sains Malaysiana*, 47(8), 1861-1866 (2018).
616. Hu, Y., Gu, M., Liu, X., Zhang, J., Huang, S., & Liu, B. Sol-Gel Template Synthesis and Characterization of Lu₂O₃: Eu³⁺ Nanowire Arrays. *Micromachines*, 9(11), 601. (2018).
617. Thoř, T., Rubeřov, K., Jakeř, V., Cajzl, J., Ndhern, L., Mikolřov, D., ... & Nikl, M. Europium-doped Lu₂O₃ phosphors prepared by a sol-gel method. In IOP Conference Series: Materials Science and Engineering (Vol. 465, No. 1, p. 012009). IOP Publishing (2018).
618. Oliveira, J., Correia, V., Sowade, E., Etxebarria, I., Rodriguez, R. D., Mitra, K. Y., ... & Lanceros-Mendez, S. Indirect X-ray detectors based on inkjet-printed photodetectors with a screen-printed scintillator layer. *ACS applied materials & interfaces*, 10(15), 12904-12912 (2018).
619. Avram, D., Tiseanu, I., Vasile, B. S., Florea, M., & Tiseanu, C. Near infrared emission properties of Er doped cubic sesquioxides in the second/third biological windows. *Scientific reports*, 8(1), 18033 (2018).

620. ASIM, M. U. H. A. H., AHMAN, I. R. A. B. R., AHIM, S. A. R., AWARDI, M. U. T. A. M., YOB, A., LI, L. I. M. O. A., ... & ADIMAN, S. H. R. Synthesis and Characterization of Gd₂O₂S: Pr³⁺ Nanophosphors using Gamma Irradiation Method (Sintesis dan Pencirian Nanofosfor Gd₂O₂S: Pr³⁺ menggunakan Kaedah Gama Iradiasi). *Sains Malaysiana*, 47(8), 1861-1866 (2018).
621. Seferis, I. E., Zeler, J., Michail, C., David, S., Valais, I., Fountos, G., ... & Panayiotakis, G. S. Grains size and shape dependence of luminescence efficiency of Lu₂O₃: Eu thin screens. *Results in physics*, 7, 980-981 (2017).
622. Anastasiou, A., Michail, C., Koukou, V., Martini, N., Bakas, A., Papastamati, F., ... & Kalyvas, N. Examining the Spatial Frequency Components of a Digital Dental Detector. In *Journal of Physics Conference Series* (Vol. 931, No. 1) (2017).
623. Valais, I., Michail, C., Fountzoula, C., Fountos, G., Saatsakis, G., Karabotsos, A., ... & Kandarakis, I. Polymer Based Thin Film Screen Preparation Technique. In *Journal of Physics Conference Series* (Vol. 931, No. 1) (2017).
624. Koukou, V., Martini, N., Valais, I., Bakas, A., Kalyvas, N., Lavdas, E., ... & Michail, C. Resolution properties of a calcium tungstate (CaWO₄) screen coupled to a CMOS imaging detector. In *Journal of Physics Conference Series* (Vol. 931, No. 1) (2017).
625. Saatsakis, G., Valais, I., Michail, C., Fountzoula, C., Fountos, G., Koukou, V., ... & Kandarakis, I. Preliminary Study of ZnS: Mn²⁺ Quantum Dots Response Under UV and X-Ray Irradiation. In *Journal of Physics Conference Series* (Vol. 931, No. 1) (2017).
626. Ding, L. A Theoretical investigation of Embedded Scintillator Optical Fibre Sensors for Use in Real-Time X-ray and γ -ray Dosimetry (Doctoral dissertation, Cardiff University) (2017).
627. Nikolopoulos, D., Valais, I., Michail, C., Bakas, A., Fountzoula, C., Cantzos, D., ... & Panayiotakis, G. Radioluminescence properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. *Radiation Measurements*, 92, 19-31 (2016).
628. Michail, C., Valais, I., Martini, N., Koukou, V., Kalyvas, N., Bakas, A., ... & Fountos, G. Determination of the detective quantum efficiency (DQE) of CMOS/CSI imaging detectors following the novel IEC 62220-1-1: 2015 International Standard. *Radiation Measurements*, 94, 8-17 (2016).
629. Seferis, I. E., Zeler, J., Michail, C., Valais, I., Fountos, G., Kalyvas, N., ... & Zych, E. On the response of semitransparent nanoparticulated films of LuPO₄: Eu in poly-energetic X-ray imaging applications. *Applied Physics A*, 122(5), 1-10 (2016).
630. Duan, J., Liu, Y., Pan, X., Gu, Y., Zheng, X., Li, W., ... & Yu, J. Transparency, photoluminescence and X-ray luminescence study of Eu³⁺ doped mayenite glass. *Materials Letters*, 173, 102-106 (2016).
631. I. S. Kandarakis, 'Luminescence in Medical Image Science', *Journal of Luminescence*, 169, 553-558 (2016).
632. Nikolopoulos, D., Valais, I., Yannakopoulos, P. H., Michail, C., Fountzoula, C., Bakas, A., ... & Panayiotakis, G. Luminescence Efficiency of Cadmium Selenide/Zinc Sulfide (CdSe/ZnS) Quantum Dot Nanoparticle Sensors Under X-Ray

- Excitation. In *Nuclear Radiation Nanosensors and Nanosensory Systems* (pp. 53-59), (2016).
633. Michail, C. "Image Quality Assessment of a CMOS/Gd₂O₂S: Pr, Ce, F X-Ray Sensor", *Journal of Sensors* (2015).
634. Martini, N., Koukou, V., Kalyvas, N., Sotiropoulou, P., Michail, C., Valais, I., ... & Fountos, G. "Modeling indirect detectors for performance optimization of a digital mammographic detector for dual energy applications". In *Journal of Physics: Conference Series*, Vol. 574, No. 1, p. 012075, (2015).
635. Michail, C., Valais, I., Seferis, I., Kalyvas, N., Fountos, G., & Kandarakis, I. "Experimental measurement of a high resolution CMOS detector coupled to CsI scintillators under X-ray radiation". *Radiation Measurements*, 74, 39-46. (2015).
636. Valais, I., Michail, C., Nikolopoulos, D., Fountzoula, C., Bakas, A., Yannakopoulos, P., ... & Kandarakis, I. (2015). "Effect of the Concentration on the X-ray Luminescence Efficiency of a Cadmium Selenide/Zinc Sulfide (CdSe/ZnS) Quantum Dot Nanoparticle Solution". In *Journal of Physics: Conference Series*, 637, No. 1, p. 012031 (2015).
637. Konstantinou I., Kalyvas N., and Fountos G. "Studying the effect of digitization and quantization in noise power spectra of X-ray medical imaging detectors". International Conference *Science in Technology*' ScinTE 2015, November, Athens, 2015.
638. Valais, Ioannis, et al. "Measurement of the Optical Response of a High Resolution CMOS Imaging Detector", BIOMEPP 2015 - Conference on Bio-Medical Instrumentation and related Engineering and Physical Sciences, June, Athens, 2015.
639. C Michail, I. Valais, I. Seferis, N. Kalyvas, S. David, G. Fountos, I. Kandarakis. 'Measurement of the luminescence properties of Gd₂O₂S:Pr,Ce,F powder scintillators under X-ray radiation', *Radiation Measurements*, 70, 59-64 (2014).
640. Davidson, R. Andrew, Chad Sugiyama, and Ting Guo. "Determination of Absolute Quantum Efficiency of X-ray Nano Phos-phors by Thin Film Photovoltaic Cells." *Anal. Chem.*, 2014, 86 , 10492–10496 (2014).

AHMOΣIEYΣH No 31: P.F. Liaparinos, 'Strain effects on the optical parameters of quantum dots nanocrystals employed in biomedical applications', *Journal of Luminescence*, Vol. 146, pp. 193-198, 2014.

641. Yarmohammadi, M., Nobahari, M. M., Tien, T. S., & Phuong, L. T. T. Linear interband optical refraction and absorption in strained black phosphorene. *Journal of Physics: Condensed Matter*, 32(46), 465301. (2020).
642. Yarmohammadi, M., & Mirabbaszadeh, K. Rotating exchange field effect on the electron energy loss spectrum of black phosphorene: anisotropic blue and red shift phenomena. *Journal of Physics D: Applied Physics*, 54(4), 045105. (2020).
643. Shahbazi, H., Tataei, M., Enayati, M. H., Shafeiey, A., & Malekabadi, M. A. Structure-transmittance relationship in transparent ceramics. *Journal of Alloys and Compounds* (2019).

ΔΗΜΟΣΙΕΥΣΗ Νο 32: P.F. Liaparinos, ‘Optical absorption characteristics in the assessment of powder phosphor-based x-ray detectors: from nano- to micro-scale’, *Physics in Medicine and Biology*, Vol. 60, pp. 8885-8899, 2015.

ΔΗΜΟΣΙΕΥΣΗ Νο 33: S. David, C. Michail, I. Seferis, I. Valais, G. Fountos, P. Liaparinos, I. Kandarakis, N. Kalyvas, ‘Evaluation of Gd₂O₂S:Pr granular phosphor properties for X-ray mammography imaging’, *Journal of Luminescence*, Vol. 169, pp. 706-710, 2016.

644. Tzomakas, M. K., Peppas, V., Alexiou, A., Karakatsanis, G., Episkopakis, A., Michail, C., ... & Kalyvas, N. Image quality impact of different phosphor activator materials in Gd₂O₂S based EPID systems. *RAP Conference Proceedings* Vol. 8, pp. 60–64, (2023).
645. Tseremoglou, S., Michail, C., Valais, I., Ninos, K., Bakas, A., Kandarakis, I.,... & Kalyvas, N. Optical Photon Propagation Characteristics and Thickness Optimization of LaCl₃: Ce and LaBr₃: Ce Crystal Scintillators for Nuclear Medicine Imaging. *Crystals*, 14(1), 24. (2023).
646. Song, J., Bao, B., Wang, S., Yang, J., Zhu, H., Yan, D.,. & Liu, Y. The improved scintillation performances and X-ray imaging of Lu₂O₃: Pr³⁺ nanoparticles induced by Sm³⁺ doping. *Journal of Luminescence*, 119970. (2023).
647. Luo, Z., Li, F., Zhu, Q., Sun, X., & Li, J. G. Low-temperature green synthesis of nanocrystalline La₂O₂S: Pr³⁺ powders and investigation of photoluminescence. *Journal of Materials Research and Technology*, 17, 2540-2549. (2022).
648. Δημητρακόπουλος, Α. Θεωρητική Μελέτη της γραμμικότητας του ενδογενούς συντελεστή μετατροπής ενέργειας ακτινοβολίας X σε οπτική ενέργεια, σε σχέση με φάσματα ακτινογραφικής λυχνίας. Μεταπτυχιακή διπλωματική, (2022).
649. Kalyvas, N., Saatsakis, G., Valais, I., Fountzoula, C., Ninos, K., Sianoudis, I.,. & Michail, C. Study of UV interactions on PMMA based ZnCuInS/ZnS quantum dot films. *Optical Materials*, 129, 112493. (2022).
650. De Martinis, A., Montalto, L., Scalise, L., Rinaldi, D., Mengucci, P., Michail, C., . & David, S. Luminescence and Structural Characterization of Gd₂O₂S Scintillators Doped with Tb³⁺, Ce³⁺, Pr³⁺ and F for Imaging Applications. *Crystals*, 12(6), 854. (2022).
651. Machado, I. P. Size and optical versatility in rare earth oxysulfide photonic materials (Doctoral dissertation, Universidade de São Paulo). (2021).
652. Sun, Z., Lu, B., Ren, G., & Chen, H. Synthesis of green-emitting Gd₂O₂S: Pr³⁺ phosphor nanoparticles and fabrication of translucent Gd₂O₂S: Pr³⁺ scintillation ceramics. *Nanomaterials*, 10(9), 1639. (2020).
653. Zhang, W., Kou, H., Ge, L., Zhang, Y., Lin, L., & Li, W. Effects of doping ions on the luminescence performance of terbium doped gadolinium polysulfide phosphor. In *Journal of Physics: Conference Series* (Vol. 1549, No. 3, p. 032064). IOP Publishing. (2020).
654. Σαατσάκης, Γ. Optical characteristics of quantum dots embedded in polymer films for use in medical imaging. PhD thesis, University of Patras, (2020).

655. Xu, G. X., Sang, X. T., Lian, J. B., Wu, N. C., & Zhang, X. Solvothermal Synthesis and Luminescence Properties of Gd₂O₂S: RE₃₊ (RE₃₊= Eu³⁺/Tb³⁺) Hollow Sphere. In *Key Engineering Materials* (Vol. 807, pp. 1-10). Trans Tech Publications Ltd. (2019).
656. Saatsakis, G., Kalyvas, N., Michail, C., Ninos, K., Bakas, A., Fountzoula, C., ... & Valais, I. Optical Characteristics of ZnCuInS/ZnS (Core/Shell) Nanocrystal Flexible Films Under X-Ray Excitation. *Crystals*, 9(7), 343 (2019).
657. Rahim, S., Ayob, M. T. M., Hasim, M. H., Rahman, I. A., & Radiman, S. Physical and optical studies of Gd₂O₂S: Eu³⁺ nanophosphors by microwave irradiation and γ -irradiation methods. *Luminescence* (2019).
658. Sang, X., Xu, G., Lian, J., Wu, N., Zhang, X., & He, J. A template-free solvothermal synthesis and photoluminescence properties of multicolor Gd₂O₂S: xTb³⁺, yEu³⁺ hollow spheres. *Solid State Sciences*, 80, 15-21 (2018).
659. Seferis, I. E., Michail, C., Zeler, J., Kalyvas, N., Valais, I., Fountos, G., ... & Panayiotakis, G. S. Detective quantum efficiency (DQE) of high X-ray absorption Lu₂O₃: Eu thin screens: the role of shape and size of nano-and micro-grains. *Applied Physics A*, 124(9), 604 (2018).
660. Wang, X., Li, J. G., Molokeev, M. S., Wang, X., Liu, W., Zhu, Q., ... & Sakka, Y. Hydrothermal crystallization of a Ln₂(OH)₄(SO₄)_n·H₂O layered compound for a wide range of Ln (Ln= La–Dy), thermolysis, and facile transformation into oxysulfate and oxysulfide phosphors. *RSC Advances*, 7(22), 13331-13339 (2017).
661. Cova, F., Fasoli, M., Moretti, F., Chiodini, N., Pauwels, K., Auffray, E., ... & Vedda, A. Optical properties and radiation hardness of Pr-doped sol-gel silica: Influence of fiber drawing process. *Journal of Luminescence*, 192, 661-667 (2017).
662. Seferis, I. E., Michail, C., Zeler, J., Valais, I., Fountos, G., Kalyvas, N., ... & Panayiotakis, G. S. X-ray imaging resolution of phosphor screens prepared with different grains size and shape of granular Lu₂O₃: Eu. In *Journal of Physics Conference Series* (Vol. 931, No. 1) (2017).
663. Metallinos, A., Kefalidis, E., Kandarakis, I., & David, S. Experimental evaluation of Gd₃Al₂Ga₃O₁₂: Ce (GAGG: Ce) single crystals coupled to a silicon photomultiplier (SiPM) under high gamma ray irradiation conditions. In *Journal of Physics Conference Series* (Vol. 931, No. 1) (2017).
664. Dezi, A., Monachesi, E., D'Ignazio, M., Scalise, L., Montalto, L., Paone, N., ... & Michail, C. Structural Characterization and Absolute Luminescence Efficiency Evaluation of Gd₂O₂S High Packing Density Ceramic Screens Doped with Tb³⁺ and Eu³⁺ for further Applications in Radiology. In *Journal of Physics: Conference Series* (Vol. 931, No. 1, p. 012029). IOP Publishing (2017).
665. Ψυχής, K. Signal transfer characteristics of columnar phosphors used in X-ray imaging (Doctoral dissertation) (2017).
666. Seferis, I. E., Zeler, J., Michail, C., Valais, I., Fountos, G., Kalyvas, N., ... & Zych, E. On the response of semitransparent nanoparticulated films of LuPO₄: Eu in poly-energetic X-ray imaging applications. *Applied Physics A*, 122(5), 526 (2016).
667. Nikolopoulos, D., Valais, I., Michail, C., Bakas, A., Fountzoula, C., Cantzos, D., ... & Panayiotakis, G. Radioluminescence properties of the CdSe/ZnS Quantum Dot

nanocrystals with analysis of long-memory trends. *Radiation Measurements*, 92, 19-31 (2016).

ΔΗΜΟΣΙΕΥΣΗ No 34: P.F. Liaparinos, ‘Anisotropic optical distribution of powder phosphor materials applied in medical imaging instrumentation, *Applied Physics A*, Vol. 122:93, 1-9, 2016.

668. Liu, Q., Gong, L., Li, X., Grossmann, M., Wang, J., Guo, M., ... & Chen, Z. Performance of a scintillation imaging system for relative dosimetry in pencil beam scanning proton therapy. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 1040, 167293. (2022).
669. Seferis, I. E., Michail, C., Zeler, J., Kalyvas, N., Valais, I., Fountos, G., ... & Panayiotakis, G. S. Detective quantum efficiency (DQE) of high X-ray absorption Lu₂O₃: Eu thin screens: the role of shape and size of nano-and micro-grains. *Applied Physics A*, 124(9), 604 (2018).
670. Seferis, I. E., Michail, C., Zeler, J., Valais, I., Fountos, G., Kalyvas, N., ... & Panayiotakis, G. S. X-ray imaging resolution of phosphor screens prepared with different grains size and shape of granular Lu₂O₃: Eu. In *Journal of Physics Conference Series* (Vol. 931, No. 1) (2017).

ΔΗΜΟΣΙΕΥΣΗ No 35: P.F. Liaparinos, ‘Examining phosphor material properties for imaging purposes: the role of the complex refractive index in the optical diffusion performance, *Biomed. Phys. Eng. Express*, Vol. 3, 015006, 2017.

ΔΗΜΟΣΙΕΥΣΗ No 36: P. Liaparinos, N. Kalyvas, E. Katsiotis, I. Kandarakis, ‘Investigating the particle packing of powder phosphors for imaging instrumentation technology: An examination of Gd₂O₂S:Tb Phosphor’, *Journal of Instrumentation*, Vol. 11(10) P10001, 2016.

671. Martínez, N., Fernández, Y., Machello, S., Molina, P., Massa, J., & Santiago, M. Angular dependence in fiber optic dosimetry using YVO₄: Eu³⁺. *Medical Physics*. (2023).
672. Zhao, J., Zhao, L., & Huang, J. Metal Halide Perovskites for Sensitive X-ray Detectors. *Perovskite Photovoltaics and Optoelectronics: From Fundamentals to Advanced Applications*, 411-432. (2022).
673. De Martinis, A., Montalto, L., Scalise, L., Rinaldi, D., Mengucci, P., Michail, C., ... & David, S. Luminescence and Structural Characterization of Gd₂O₂S Scintillators Doped with Tb³⁺, Ce³⁺, Pr³⁺ and F for Imaging Applications. *Crystals*, 12(6), 854. (2022).
674. Miyasaka, T. *Perovskite Photovoltaics and Optoelectronics: From Fundamentals to Advanced Applications*. John Wiley & Sons. (2021).
675. Crha, J. Vývoj Mikrostrukturních Scintilátorů pro Neutronové Zobrazování Stavebních Materiálů s Vysokým Rozlišením (Doctoral dissertation, Czech Technical University). (2021).

676. Seferis, I. E., Michail, C., Zeler, J., Kalyvas, N., Valais, I., Fountos, G., ... & Panayiotakis, G. S. Detective quantum efficiency (DQE) of high X-ray absorption Lu₂O₃: Eu thin screens: the role of shape and size of nano-and micro-grains. *Applied Physics A*, 124(9), 604 (2018).
677. Seferis, I. E., Michail, C., Zeler, J., Valais, I., Fountos, G., Kalyvas, N., ... & Panayiotakis, G. S. X-ray imaging resolution of phosphor screens prepared with different grains size and shape of granular Lu₂O₃: Eu. In *Journal of Physics Conference Series* (Vol. 931, No. 1) (2017).

ΔΗΜΟΣΙΕΥΣΗ No 37: P. Liaparinos, ‘Light beam interactions and emission performance in powder phosphor materials: The role of the binder, Nuclear Instruments and Methods in Physics Research, Section B, Vol. 432, 5-12, 2018.

ΔΗΜΟΣΙΕΥΣΗ No 38: N. Kalyvas, P. Liaparinos, ‘Analytical and Monte Carlo comparisons on the optical transport mechanisms of powder phosphors’, *Optical Materials*, Vol. 88, 396-405, 2019.

678. Tzomakas, M. K., Peppas, V., Alexiou, A., Karakatsanis, G., Episkopakis, A., Michail, C., ... & Kalyvas, N. Image quality impact of different phosphor activator materials in Gd₂O₂S based EPID systems. *RAP Conference Proceedings* Vol. 8, pp. 60–64, (2023).
679. Kalyvas, N., Tzomakas, M. K., Peppas, V., Alexiou, A., Karakatsanis, G., Episkopakis, A., ... & Kandarakis, I. S. Towards the implementation of a phantom for the low contrast evaluation of electronic portal imaging detectors (EPID): A theoretical study *RAP Conference Proceedings* Vol. 8, pp. 1–4, (2023).

ΔΗΜΟΣΙΕΥΣΗ No 39: P. Liaparinos, ‘LIGHTAWE – case studies of LIGHT spreAd in poWder materials: a montE carlo simulation tool for research and educational purposes’, *Applied Physics B: Lasers and Optics*, Vol. 125 (2019).

ΔΗΜΟΣΙΕΥΣΗ No 40: P. Liaparinos, S. David,, ‘The Surface-Roughness Effects on Light Beam Interactions between the CsI Phosphor and Optical Sensing Materials’, *Crystals*, Vol. 10, 174, 2020.

680. Dwivedi, A. K., Tripathi, S., Tripathi, R., Jit, S., & Tripathi, S. (2022). PEDOT: PSS/Yb-Doped ZnO Heterojunction Based Flexible UV Photodetector. *IEEE Photonics Technology Letters*, 34(18), 949-952.

ΔΗΜΟΣΙΕΥΣΗ No 41: P. Liaparinos, C. Michail, I. Valais, A. Karabotsos, A. Bakas, I. Kandarakis, ‘The effect of the grain size distribution (GSD) on the light emission performance of phosphor-based X-ray detectors’, *Optical Materials*, Vol. 11, 111319, 2021.

681. Angnanon, A., Nualpralaksana, S., Damdee, B., Wongdamnern, N., Intachai, N., Kothan, S., & Kaewkhao, J. Luminescent behaviors of orange-emitting SmxGd1–XBO₃ phosphors by solid-state synthesis. *Optik*, 296, 171431. (2024).

682. Linardatos, D., Fountos, G., Valais, I., & Michail, C. A Novel Method for Developing Thin Resin Scintillator Screens and Application in an X-ray CMOS Imaging Sensor. *Sensors*, 23(14), 6588. (2023).

683. Piao, H., Qu, H., Lian, J., Wu, N., Qin, H., & He, J. A novel route for preparing Gd₂O₂S: Eu³⁺ phosphor using high-sulfur petroleum coke as a sulfur source. *Journal of the Australian Ceramic Society*, 1-9. (2023).

ΑΗΜΟΣΙΕΥΣΗ Νο 42: P. Liaparinos, ‘Influence of surface roughness on the light transmission through the boundaries of luminescent materials in radiation detectors’, *Optics and Spectroscopy*, Vol. 129, 1257 - 1265, 2021.

684. Sudha, G., & Karunagaran, N. (2024). Superior dielectric stability and dynamic infrared radiation by optimizing the concentration of Nd³⁺ ion in A-site and aliovalent ion in B-site of NBBT ferroelectric perovskite systems. *Materials Science in Semiconductor Processing*, 175, 108285.

685. Zulfikri, N. I. Z., Ibrahim, A. B. M., Mustaffa, N. A., Mohamad Yunus, R., & Ahmad Kamil, S. Enhancing Photoluminescence Intensity and Spectral Bandwidth of Hybrid Nanofiber/Thin-Film Multilayer Tm³⁺-Doped SiO₂-HfO₂. *Nanomaterials*, 12(21), 3739. (2022).

ΑΗΜΟΣΙΕΥΣΗ Νο 43: P. Liaparinos, C. Michail, I. Valais, A. Karabotsos, I. Kandarakis, ‘Optical emission characteristics of Gd₂O₂S:Tb powder phosphor under X-ray excitation: the influence of different grain size distributions (GSDs)’, *Applied Physics B: Lasers and Optics*, Vol. 128, 76, (2022).

ΑΗΜΟΣΙΕΥΣΗ Νο 44: P. Liaparinos, ‘Hybrid Detection of Breast Abnormalities Based on Contrast Agents: Introducing a Proof of Concept from a Physics Perspective’, *Sensors*, Vol. 22, 7514, (2022).

ΑΗΜΟΣΙΕΥΣΗ Νο 45: P. Liaparinos, C. Michail, I. Valais, G. Fountos, A. Karabotsos, I. Kandarakis, ‘Grain Size Distribution Analysis of Different Activator Doped Gd₂O₂S Powder Phosphors for Use in Medical Image Sensors’, *Sensors*, Vol. 22, 8702, (2022).

686. Ustabaev, P. S., Zykova, P. D., Bakhmetev, V. V., & Leonova, E. I. Research and Optimization of the Synthesis of GdF₃: Tb X-Ray Phosphors for X-Ray Photodynamic Therapy. *Russian Journal of Bioorganic Chemistry*, 50(2), 522-529. (2024).

687. Linardatos, D., Fountos, G., Valais, I., & Michail, C. A Novel Method for Developing Thin Resin Scintillator Screens and Application in an X-ray CMOS Imaging Sensor. *Sensors*, 23(14), 6588. (2023).

688. Wang, N. Photo- and cathodo-luminescence properties of (Lu, Gd) ₂O₃: Ce³⁺, Tb³⁺ phosphors prepared by sol-gel method. *Journal of Materials Science: Materials in Electronics*, 34(30), 2048. (2023).

689. Tzomakas, M. K., Peppas, V., Alexiou, A., Karakatsanis, G., Episkopakis, A., Michail, C., ... & Kalyvas, N. Image quality impact of different phosphor activator

materials in Gd2O2S based EPID systems. RAP Conference Proceedings Vol. 8, pp. 60–64, (2023).

ΑΗΜΟΣΙΕΥΣΗ No 46: N. Kalyvas, A. Chamogeorgaki, C. Michail, A. Skouroliakou, **P. Liaparinos**, I. Valais, G. Fountos, I. Kandarakis, ‘A Novel Method to Model Image Creation Based on Mammographic Sensors Performance Parameters: A Theoretical Study’, *Sensors*, Vol. 23, 2335, (2023).

690. Linardatos, D., Fountos, G., Valais, I., & Michail, C. A Novel Method for Developing Thin Resin Scintillator Screens and Application in an X-ray CMOS Imaging Sensor. *Sensors*, 23(14), 6588. (2023).

691. Κατσανεβάκη, Σπυριδούλα. Διπλωματική εργασία, "Μαθηματική δημιουργία ομοιώματος για μελέτη της επίδρασης της έκθεσης στη μαστογραφία." Τμήμα Μηχανικών Βιοϊατρικής, Πανεπιστήμιο Δυτικής Αττικής, (2024).

ΑΗΜΟΣΙΕΥΣΗ No 47: M. Bekollari, M. Dettoraki, V. Stavrou, A. Skouroliakou, **P. Liaparinos**, ‘Investigating the Structural and Functional Changes in the Optic Nerve in Patients with Early Glaucoma Using the Optical Coherence Tomography (OCT) and RETeval System.’ *Sensors* 23, 4504 (2023).

ΑΗΜΟΣΙΕΥΣΗ No 47:

692. Varghese, M., Varghese, S. & Preethi, S. Revolutionizing medical imaging: a comprehensive review of optical coherence tomography (OCT). *J Opt* (2024).

ΑΗΜΟΣΙΕΥΣΗ No 1 (ΧΩΡΙΣ IMPACT FACTOR): **P. Liaparinos**, ‘Monte Carlo simulations in medical imaging’, *e-Journal of Science and Technology (e-JST)*, 364-367, 2009.

693. Adisalam, B. G., Gunawan, P. H., & Imrona, M. Deteksi Kemacetan Lalu Lintas dengan Menggunakan Algoritma Monte Carlo. *Indonesian Journal on Computing (Indo-JC)*, 2(2), 23-36 (2017).

694. Guérin, L., Loyez, C., Guerchouche, K., & Maaloul, F. Characterization of Radiolucent and Electro-Magnetic Properties of Polymer PEDOT: PSS for Radiological Applications. *Open Journal of Organic Polymer Materials*, 7(02), 17. (2017).

695. Hiller, J., Reindl, L.M., ‘A computer simulation platform for the estimation of measurement uncertainties in dimensional X-ray computed tomography,’ *Measurement: Journal of the International Measurement Confederation* 45, 2166-2182 (2012).

ΕΠΙΣΤΗΜΟΝΙΚΑ ΒΙΒΛΙΑ 1: Kandarakis I., Cavouras D., Nikolopoulos D., **Liaparinos P.**, Episkopakis A., Kourkoutas K., Kalivas N., Dimitropoulos N., Sianoudis I., Nomicos C., Panayiotakis G., ‘Modelling angular distribution of light emission in granular scintillators used in X-Ray imaging detectors’, *Recent Advances in Multidisciplinary Applied Physics*, Elsevier 2005, pages 909-918, ISBN: 978-0-08-044648-6.

696. Yannakopoulos, P. H., Nikolopoulos, D., Petraki, E., & Tseles, D. Digital Radiation Sensors and Nanosensory Systems. In *Nuclear Radiation Nanosensors and Nanosensory Systems* (pp. 9-18). Springer, Dordrecht (2016).

ΗΠΑΚΤΙΚΟ ΣΥΝΕΔΡΙΟΥ Νο 5: **P. Liaparinos**, I. Kandarakis, D. Cavouras, D. Nikolopoulos and G. Panayiotakis. ‘Simulating the emission efficiency and resolution properties of fluorescent screens by Monte Carlo methods’. IEEE NSS/MIC/SNPS and RTSD. Rome 2004, Italy.

697. S.A. Pistrui-Maximean, N. Freud, J.M. Létang, A. Koch, B. Munier, A.H. Walenta, G. Montarou and D. Babot. ‘*Geant4 simulation of the response of phosphor screens for X-ray imaging*’, Nucl. Instrum. Meth. A, 563, 196-199 (2006).

698. S.A. Pistrui-Maximean, N. Freud, J.M. Létang, A.H. Walenta, A. Koch, G. Montarou and D. Babot. ‘Simulation study of the role played by intensifying or support layers in scintillation screens’, IEEE Trans. Nucl. Sci., 54, 699-705 (2007).

699. M. Fast, ‘New Methods for Motion Management During Radiation Therapy’, PhD thesis 2013, German Cancer Research Center (DKFZ)

ΗΠΑΚΤΙΚΟ ΣΥΝΕΔΡΙΟΥ Νο 10: **P. Liaparinos**, I. Kandarakis, D. Cavouras, H. Delis and G. Panayiotakis. ‘Investigating the modulation transfer function of granular phosphor screens using Monte Carlo simulation’. 14th International Conference of Medical Physics, Nuremberg 2005, Germany.

700. H. Delis, G. Spyrou, L. Costaridou, G. Tzanakos, G. Panayiotakis. ‘Suitability of new anode materials in mammography: Dose and subject contrast considerations using Monte Carlo simulation’, Med. Phys., 33, 4221-4235 (2006).

ΗΠΑΚΤΙΚΟ ΣΥΝΕΔΡΙΟΥ Νο 25: I. E. Seferis, N. I. Kalyvas, I. G. Valais, C. M. Michail, **P. F. Liaparinos**, G. P. Fountos, E. Zych, I. S. Kandarakis and G. S. Panayiotakis, “Light emission efficiency of Lu₂O₃:Eu nanophosphor scintillating screen under x-ray radiographic conditions”, SPIE Medical Imaging, 09-14 February, 2013, Florida, USA.

701. Rahim, S., Hasim, M. H., Ayob, M. T. M., Rahman, I. A., Salleh, K. A. M., & Radiman, S. Gd₂O₂S: Eu³⁺ Nanophosphors: Microwave Synthesis and X-ray Imaging Detector Application. *Materials Research*, 22(6) (2019).

ΗΠΑΚΤΙΚΟ ΣΥΝΕΔΡΙΟΥ Νο 29: I. Seferis, C. Michail, I. Valais, J. Zeler, **P. F. Liaparinos**, N. Kalyvas, G. Fountos, E. Zych, I. Kandarakis and G. Panayiotakis, “Imaging performance of a thin Lu₂O₃:Eu nanophosphor scintillating screen coupled to a high resolution CMOS sensor under X-ray radiographic conditions: Comparison with Gd₂O₂S:Eu conventional phosphor screen”, SPIE Medical Imaging, 15-20 February, 2014, San Diego, USA.

702. Zeler, J., Bolek, P., Kulesza, D., & Zych, E. On thermoluminescence mechanism and energy leakage in Lu₂O₃: Tb, V storage phosphor. *Optical Materials*: X, 1, 100001 (2019).

703. Yi, H., Qu, X., Sun, Y., Peng, J., Hou, Y., & He, X. A permissible region extraction based on a knowledge priori for X-ray luminescence computed tomography. *Multimedia Systems*, 25(2), 147-154 (2019).

[ΑΝΑΚΟΙΝΩΣΗ ΣΥΝΕΔΡΙΟΥ Νο 31:](#) I. E. Seferis, C. M. Michail, J. Zeler, I. G. Valais, T. Sideras, **P. F. Liaparinos**, N. I. Kalyvas, G. P. Fountos, A. Bakas, I. S. Kandarakis, E. Zych, "X-ray luminescence efficiency and detector quantum gain of LuPo4: Eu nanophosphor," 8th European conference on Medical Physics, 11-13 September, Athens, Published in *Physica Medica: European Journal of Medical Physics*.

704. Laguta, V., Buryi, M., Nikl, M., Zeler, J., Zych, E., & Bettinelli, M. Electron and hole trapping in Eu-or Eu, Hf-doped LuPO 4 and YPO 4 tracked by EPR and TSL spectroscopy. *Journal of Materials Chemistry C*, 7(37), 11473-11482. (2019).

ΠΑΡΑΡΤΗΜΑ Γ:

ΕΥΧΑΡΙΣΤΙΕΣ ΑΠΟ ΑΛΛΟΥΣ ΕΡΕΥΝΗΤΕΣ

1. D. Waterman, G. Evans, 'Estimation of errors in diffraction data measured by CCD area detectors, *Journal of Crystallography*, 43 1356-1371 (2010).
2. Michail C., Valais I., Seferis I., Kalyvas N., David S., Fountos G., Kandarakis I.: "Measurement of the luminescence properties of Gd₂O₂S:Pr,Ce,F powder scintillators under X-ray radiation" *Radiation Measurements* 70, 59-64 (2014).
3. Kalyvas N., Valais I., Michail C., Fountow G., Kandarakis I., Cavouras D.: "A theoretical study of CsI:Tl columnar scintillator image quality parameters by analytical modeling" *Nuclear Instruments and Methods in Physics Research A*, 779, 18-24 (2015).
4. C. Michail, I Valais, I Seferis, N Kalyvas, G Fountos, I Kandarakis "Experimental measurement of a high resolution CMOS detector coupled to CsI scintillators under X-ray radiation" *Radiation Measurements* 74, 39-46 (2015).
5. I. S. Kandarakis, 'Luminescence in Medical Image Science', *Journal of Luminescence*, 169, 553-558 (2016).